North Carolina Food Code Manual

A Reference for 15A NCAC 18A .2600 Rules Governing the Food Protection and Sanitation of Food Establishments

Adoption of the US Food and Drug Administration's

2009 Food Code

Effective September 1, 2012

N.C. Department of Health and Human Services

Division of Public Health • Environmental Health Section http://ehs.ncpublichealth.com/index.htm





Contents

CHAPTER 1 CHAPTER 2	MANAGE	E AND DEFINITIONS MENT AND PERSONNEL	25
CHAPTER 3	FOOD	NT LITENCH C. AND LINENC	48
CHAPTER 4 CHAPTER 5	EQUIPMENT, UTENSILS, AND LINENS WATER, PLUMBING, AND WASTE		103 144
CHAPTER 6	PHYSICAL FACILITIES		164
CHAPTER 7		OUS OR TOXIC MATERIALS	180
CHAPTER 8		NCE AND ENFORCEMENT	187
INDEX			1-18
Chapter 1			
		Purpose and Definitions	
1-1	TITLE, IN	TENT, SCOPE	1
	1-101	Title	1
	1-102	Intent	1
	1-103	Scope	1
1-2	DEFINITIO	ONS	2
	1-201	Applicability and Terms Defined	2
Chapter 2		Management on I Barrage	
		Management and Personnel	
2-1	SUPERVI	SION	25
	2-101	Responsibility	25
	2-102	Knowledge	25
	2-103	Duties	27
2-2	EMPLOYE	EE HEALTH	
	2-201	Responsibilities of Permit Holder, Person in Charge, Food Employees, and Conditional Employees	29

2-3	PERSON	PERSONAL CLEANLINESS		
	2-301	Hands and Arms	41	
	2-302	Fingernails	45	
	2-303	Jewelry	45	
			45	
	2-304	Outer Clothing	40	
2-4	HYGIENI	C PRACTICES	46	
	2-401	Food Contamination Prevention	46	
	2-402	Hair Restraints	46	
	2-403	Animals	47	
Chapter 3				
		Food		
3-1	CHARAC	TERISTICS	48	
	3-101	Condition	48	
3-2	SOURCE	S, SPECIFICATIONS, AND ORIGINAL		
	C	ONTAINERS AND RECORDS	49	
	3-201	Sources	49	
	3-202	Specifications for Receiving	53	
	3-203	Original Containers and Records	58	
3-3	PROTEC [*]	TION FROM CONTAMINATION AFTER		
	RECEIVIN	NG	60	
	3-301	Preventing Contamination by Employees	60	
	3-202	Preventing Food and Ingredient		
		Contamination	63	
	3-303	Preventing Contamination from Ice Used as		
		a Coolant	66	
	3-304	Preventing Contamination from Equipment,		
	0 00 .	Utensils, and Linens	66	
	3-305	Preventing Contamination from the	00	
	J-JUJ	Premises	70	
	3-306		70 71	
		Preventing Contamination by Consumers	/1	
	3-307	Preventing Contamination from Other		
		Sources	72	
3-4	DESTRU	CTION OF ORGANISMS OF PUBLIC HEALTH		
	CONCER	N	73	

	3-401 3-402 3-403 3-404	Cooking Freezing Reheating Other Methods	73 78 80 81	
3-5		LIMITATION OF GROWTH OF ORGANISMS OF PUBLIC HEALTH CONCERN		
	3-501 3-502	Temperature and Time Control Specialized Processing Methods	81 90	
3-6	FOOD ID LABELIN	ENTITY, PRESENTATION, AND ON-PREMISES	95	
	3-601 3-602 3-603	Accurate Representation Labeling Consumer Advisory	95 96 98	
3-7	CONTAN	IINATED FOOD	99	
	3-701	Disposition	99	
3-8		SPECIAL REQUIREMENTS FOR HIGHLY SUSCEPTIBLE POPULATIONS		
	3-801	Additional Safeguards	100	
Chapter 4		Equipment, Utensils, and Linens		
4-1	MATERIA	ALS FOR CONSTRUCTION AND REPAIR	103	
	4-101 4-102	Multiuse Single-Service and Single-Use	103 106	
4-2	DESIGN AND CONSTRUCTION			
	4-201 4-202 4-203 4-204 4-205	Durability and Strength Cleanability Accuracy Functionality Acceptability	107 107 109 110 117	
4-3	NUMBER	RS AND CAPACITIES	117	
	4-301	Equipment	117	

5-1	WATER		144
Chapter 5		Water, Plumbing, and Waste	
	4-904	Preventing Contamination	142
	4-903	Storing	141
	4-902	Lubricating and Reassembling	140
	4-901	Drying	140
4-9	PROTECTION OF CLEAN ITEMS		
	4-803	Methods	139
	4-802	Frequency	138
	4-801	Objective	138
4-8	LAUNDE	RING	138
	4-703	Methods	137
	4-702	Frequency	137
	4-701	Objective	137
4-7	SANITIZA	ATION OF EQUIPMENT AND UTENSILS	137
	4-603	Methods	133
	4-602	Frequency	130
	4-601	Objective	129
4-6	CLEANIN	IG OF EQUIPMENT AND UTENSILS	129
	4-502	Utensils and Temperature and Pressure Measuring Devices	128
	4-501	Equipment	123
4-5	MAINTEN	NANCE AND OPERATION	123
	4-402	Installation	121
	4-401	Location	120
4-4	LOCATIO	ON AND INSTALLATION	120
	4-302	Utensils, Temperature Measuring Devices, and Testing Devices	119

	5-101	Source	144		
	5-102	Quality	145		
	5-103	Quantity and Availability	146		
	5-104	Distribution, Delivery, and Retention	146		
5-2	PLUMBIN	NG SYSTEM	147		
	5-201	Materials	147		
	5-202	Design, Construction, and Installation	147		
	5-203	Numbers and Capacities	149		
	5-204	Location and Placement	150		
	5-205	Operation and Maintenance	150		
5-3	MOBILE	WATER TANK AND MOBILE FOOD			
	ESTABLI	SHMENT WATER TANK	152		
	5-301	Materials	152		
	5-302	Design and Construction	153		
	5-303	Numbers and Capacities	154		
	5-304	Operation and Maintenance	155		
5-4	SEWAGE	E, OTHER LIQUID WASTE, AND RAINWATER	156		
	5-401	Mobile Holding Tank	156		
	5-402	Retention, Drainage, and Delivery	156		
	5-403	Disposal Facility	157		
5-5	REFUSE, RECYCLABLES, AND RETURNABLES				
	5-501	Facilities on the Premises	158		
	5-502	Removal	162		
	5-503	Facilities for Disposal and Recycling	163		
Chapter 6					
		Physical Facilities			
6-1	MATERIA	MATERIALS FOR CONSTRUCTION AND REPAIR			
	6-101	Indoor Areas	164		
	6-102	Outdoor Areas	165		
6-2	DESIGN,	CONSTRUCTION, AND INSTALLATION	165		
	6-201	Cleanability	165		
	6-202	Functionability	167		

6-3	NUMBER	NUMBERS AND CAPACITIES			
	6-301	Handwashing Sinks	171		
	6-302	Toilets and Urinals	172		
	6-303	Lighting	172		
	6-304	Ventilation	173		
	6-305	Dressing Areas and Lockers	173		
	6-306	Service Sinks	173		
6-4	LOCATIO	ON AND PLACEMENT	174		
	6-401	Handwashing Sinks	174		
	6-402	Toilet Rooms	174		
	6-403	Employee Accommodations	174		
	6-404	Distressed Merchandise	174		
	6-405	Refuse, Recyclables, and Returnables	175		
6-5	MAINTE	NANCE AND OPERATION	175		
	6-501	Premises, Structures, Attachments, and			
		Fixtures – Methods	175		
Chapter 7		Poisonous or Toxic Materials			
		r dicerious di Toxio materiale			
7-1	LABELIN	IG AND IDENTIFICATION	180		
	7-101	Original Containers	180		
	7-102	Working Containers	180		
7-2	OPERAT	IONAL SUPPLIES AND APPLICATIONS	181		
	7-201	Storage	181		
	7-202	Presence and Use	181		
	7-203	Container Prohibitions	183		
	7-204	Chemicals	183		
	7-205	Lubricants	184		
	7-206	Pesticides	184		
	7-207	Medicines	185		
	7-208	First Aid Supplies	185		
	7-209	Other Personal Care Items	186		
7-3	STOCK A	AND RETAIL SALE	186		
	7-301	Storage and Display	186		

Chapter 8 **Compliance and Enforcement** 8-1 **CODE APPLICABILITY** 187 8-101 187 **Use for Intended Purpose** 8-102 **Additional Requirements** 188 8-103 Variances 188 8-2 PLAN SUBMISSION AND APPROVAL 190 8-201 **Facility and Operating Plans** 190 Confidentiality 8-202 193 8-203 **Construction Inspection and Approval** 193 8-3 PERMIT TO OPERATE 193 8-301 193 Requirement 8-302 **Application Procedure** 194 8-303 Issuance 196 **Conditions of Retention** 8-304 197 INSPECTION AND CORRECTION OF VIOLATIONS 8-4 199 8-401 Frequency 199 8-402 Access 200 8-403 **Report of Findings** 201 8-404 **Imminent Health Hazard** 203 204 8-405 **Violation of Priority Item or Priority** Foundation Item 8-406 Core Item Violation 204 8-5 PREVENTION OF FOODBORNE DISEASE TRANSMISSION BY EMPLOYEES 205 8-501 205 **Investigation and Control**

Chapter

1 Purpose and Definitions

Parts

- 1-1 TITLE, INTENT, SCOPE
- 1-2 DEFINITIONS

1-1 TITLE, INTENT, SCOPE

Subparts

1-101 Title 1-102 Intent 1-103 Scope

Title 1-101.10 Food Code.

These provisions shall be known as the Food Code, hereinafter referred to as "this Code."

Intent

1-102.10 Food Safety, Illness Prevention, and Honest Presentation.

The purpose of this Code is to safeguard public health and provide to CONSUMERS FOOD that is safe, unadulterated, and honestly presented.

Scope 1-103.10 Statement.

This Code establishes definitions; sets standards for management and personnel, FOOD operations, and EQUIPMENT and facilities; and provides for FOOD ESTABLISHMENT plan review, PERMIT issuance, inspection, EMPLOYEE RESTRICTION, and PERMIT suspension.

1-2 DEFINITIONS

Subpart

1-201 Applicability and Terms Defined

Applicability and Terms Defined

1-201.10 Statement of Application and Listing of Terms.

- (A) The following definitions shall apply in the interpretation and application of this Code.
- (B) Terms Defined. As used in this Code, each of the terms listed in \P 1-201.10(B) shall have the meaning stated below.

Accredited Program.

- (1) "Accredited program" means a food protection manager certification program that has been evaluated and listed by an accrediting agency as conforming to national standards for organizations that certify individuals.
- (2) "Accredited program" refers to the certification process and is a designation based upon an independent evaluation of factors such as the sponsor's mission; organizational structure; staff resources; revenue sources; policies; public information regarding program scope, eligibility requirements, re-certification, discipline and grievance procedures; and test development and administration.
- (3) "Accredited program" does not refer to training functions or educational programs.

Additive.

- (1) **"Food additive"** has the meaning stated in the Federal Food, Drug, and Cosmetic Act, § 201(s) and 21 CFR 170.3(e)(1).
- (2) "Color additive" has the meaning stated in the Federal Food, Drug, and Cosmetic Act, § 201(t) and 21 CFR 70.3(f).
- "Adulterated" has the meaning stated in the Federal Food, Drug, and Cosmetic Act, § 402.
- "Approved" means acceptable to the REGULATORY AUTHORITY based on a determination of conformity with principles, practices, and generally recognized standards that protect public health.

Asymptomatic.

- (1) "Asymptomatic" means without obvious symptoms; not showing or producing indications of a disease or other medical condition, such as an individual infected with a pathogen but not exhibiting or producing any signs or symptoms of vomiting, diarrhea, or jaundice.
- (2) "Asymptomatic" includes not showing symptoms because symptoms have resolved or subsided, or because symptoms never manifested.
- " a_w " means water activity which is a measure of the free moisture in a FOOD, is the quotient of the water vapor pressure of the substance divided by the vapor pressure of pure water at the same temperature, and is indicated by the symbol A_w .
- **"Balut"** means an embryo inside a fertile EGG that has been incubated for a period sufficient for the embryo to reach a specific stage of development after which it is removed from incubation before hatching.
- "Beverage" means a liquid for drinking, including water.
- **"Bottled drinking water"** means water that is SEALED in bottles, packages, or other containers and offered for sale for human consumption, including bottled mineral water.
- "Casing" means a tubular container for sausage products made of either natural or artificial (synthetic) material.
- "Certification number" means a unique combination of letters and numbers assigned by a SHELLFISH CONTROL AUTHORITY to a MOLLUSCAN SHELLFISH DEALER according to the provisions of the National Shellfish Sanitation Program.
- "CFR" means CODE OF FEDERAL REGULATIONS. Citations in this Code to the CFR refer sequentially to the Title, Part, and Section numbers, such as 40 CFR 180.194 refers to Title 40, Part 180, Section 194.

CIP.

- (1) **"CIP"** means cleaned in place by the circulation or flowing by mechanical means through a piping system of a detergent solution, water rinse, and SANITIZING solution onto or over EQUIPMENT surfaces that require cleaning, such as the method used, in part, to clean and SANITIZE a frozen dessert machine.
- (2) "CIP" does not include the cleaning of EQUIPMENT such as band saws, slicers, or mixers that are subjected to in-place manual cleaning without the use of a CIP system.

"Commingle" means:

- (1) To combine SHELLSTOCK harvested on different days or from different growing areas as identified on the tag or label, or
- (2) To combine SHUCKED SHELLFISH from containers with different container codes or different shucking dates.

Comminuted.

- (1) **"Comminuted"** means reduced in size by methods including chopping, flaking, grinding, or mincing.
- (2) **"Comminuted"** includes FISH or MEAT products that are reduced in size and restructured or reformulated such as gefilte FISH, gyros, ground beef, and sausage; and a mixture of 2 or more types of MEAT that have been reduced in size and combined, such as sausages made from 2 or more MEATS.

"Commissary" means a FOOD ESTABLISHMENT that services a MOBILE FOOD UNIT or a PUSHCART.

"Conditional employee" means a potential FOOD EMPLOYEE to whom a job offer is made, conditional on responses to subsequent medical questions or examinations designed to identify potential FOOD EMPLOYEES who may be suffering from a disease that can be transmitted through FOOD and done in compliance with Title 1 of the Americans with Disabilities Act of 1990.

"Confirmed disease outbreak" means a FOODBORNE DISEASE OUTBREAK in which laboratory analysis of appropriate specimens identifies a causative agent and epidemiological analysis implicates the FOOD as the source of the illness.

"Congregate nutrition sites" means FOOD ESTABLISHMENTS where FOOD preparation is limited to same day service, reheating of POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD), and operated under the rules of the Division of Aging and Adult Services, N.C. Department of Health and Human Services.

"Consumer" means a PERSON who is a member of the public, takes possession of FOOD, is not functioning in the capacity of an operator of a FOOD ESTABLISHMENT or FOOD PROCESSING PLANT, and does not offer the FOOD for resale.

Core Item.

- (1) **"Core item"** means a provision in this Code that is not designated as a PRIORITY ITEM or a PRIORITY FOUNDATION ITEM.
- (2) **"Core item"** includes an item that usually relates to general sanitation, operational controls, sanitation standard operating procedures (SSOPs), facilities or structures, equipment design, or general maintenance.
- "Corrosion-resistant material" means a material that maintains acceptable surface cleanability characteristics under prolonged influence of the FOOD to be contacted, the normal use of cleaning compounds and SANITIZING solutions, and other conditions of the use environment.
- "Counter-mounted equipment" means EQUIPMENT that is not portable and is designed to be mounted off the floor on a table, counter, or shelf.
- "Critical control point" means a point or procedure in a specific FOOD system where loss of control may result in an unacceptable health RISK.
- "Critical limit" means the maximum or minimum value to which a physical, biological, or chemical parameter must be controlled at a CRITICAL CONTROL POINT to minimize the RISK that the identified FOOD safety HAZARD may occur.
- "Cut leafy greens" means fresh leafy greens whose leaves have been cut, shredded, sliced, chopped, or torn. The term "leafy greens" includes iceberg lettuce, romaine lettuce, leaf lettuce, butter lettuce, baby leaf lettuce (i.e., immature lettuce or leafy greens), escarole, endive, spring mix, spinach, cabbage, kale, arugula and chard. The term "leafy greens" does not include herbs such as cilantro or parsley.
- "Department" means the N.C. Department of Health and Human Services.
- **"Dealer"** means a PERSON who is authorized by a SHELLFISH CONTROL AUTHORITY for the activities of SHELLSTOCK shipper, shucker-packer, repacker, reshipper, or depuration processor of MOLLUSCAN SHELLFISH according to the provisions of the National Shellfish Sanitation Program.
- "Disclosure" means a written statement that clearly identifies the animal-derived FOODS which are, or can be ordered, raw, undercooked, or without otherwise being processed to eliminate pathogens, or items that contain an ingredient that is raw, undercooked, or without otherwise being processed to eliminate pathogens.

Drinking Water.

- (1) "Drinking water" means water that meets criteria as specified in 40 CFR
- 141 National Primary Drinking Water Regulations.
- (2) "Drinking water" is traditionally known as "potable water."

(3) **"Drinking water"** includes the term "water" except where the term used connotes that the water is not potable, such as "boiler water," "mop water," "rainwater," "wastewater," and "nondrinking" water.

"Dry storage area" means a room or area designated for the storage of PACKAGED or containerized bulk FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) and dry goods such as SINGLE-SERVICE items.

Easily Cleanable.

- (1) "Easily cleanable" means a characteristic of a surface that:
 - (a) Allows effective removal of soil by normal cleaning methods;
 - (b) Is dependent on the material, design, construction, and installation of the surface; and
 - (c) Varies with the likelihood of the surface's role in introducing pathogenic or toxigenic agents or other contaminants into FOOD based on the surface's APPROVED placement, purpose, and use.
- (2) "Easily cleanable" includes a tiered application of the criteria that qualify the surface as EASILY CLEANABLE as specified in Subparagraph (1) of this definition to different situations in which varying degrees of cleanability are required such as:
 - (a) The appropriateness of stainless steel for a FOOD preparation surface as opposed to the lack of need for stainless steel to be used for floors or for tables used for CONSUMER dining; or
 - (b) The need for a different degree of cleanability for a utilitarian attachment or accessory in the kitchen as opposed to a decorative attachment or accessory in the CONSUMER dining area.

"Easily movable" means:

- (1) Portable; mounted on casters, gliders, or rollers; or provided with a mechanical means to safely tilt a unit of EQUIPMENT for cleaning; and
- (2) Having no utility connection, a utility connection that disconnects quickly, or a flexible utility connection line of sufficient length to allow the EQUIPMENT to be moved for cleaning of the EQUIPMENT and adjacent area.

Egg.

- (1) **"Egg"** means the shell EGG of avian species such as chicken, duck, goose, guinea, quail, RATITES or turkey.
- (2) "Egg" does not include:
 - (a) A BALUT;
 - (b) The egg of reptile species such as alligator; or
 - (c) An EGG PRODUCT.

Egg Product.

- (1) **"Egg Product"** means all, or a portion of, the contents found inside EGGS separated from the shell and pasteurized in a FOOD PROCESSING PLANT, with or without added ingredients, intended for human consumption, such as dried, frozen or liquid eggs.
- (2) **"Egg Product"** does not include FOOD which contains EGGS only in a relatively small proportion such as cake mixes.

"Employee" means the PERMIT HOLDER, PERSON IN CHARGE, FOOD EMPLOYEE, PERSON having supervisory or management duties, PERSON on the payroll, family member, volunteer, PERSON performing work under contractual agreement, or other PERSON working in a FOOD ESTABLISHMENT.

"Enterohemorrhagic Escherichia coli" (EHEC) means *E. coli* which cause hemorrhagic colitis, meaning bleeding enterically or bleeding from the intestine. The term is typically used in association with *E. coli* that have the capacity to produce Shiga toxins and to cause attaching and effacing lesions in the intestine. EHEC is a subset of STEC, whose members produce additional virulence factors. Infections with EHEC may be asymptomatic but are classically associated with bloody diarrhea (hemorrhagic colitis) and hemolytic uremic syndrome (HUS) or thrombotic thrombocytopenic purpura (TTP). Examples of serotypes of EHEC include: *E. coli* O157:H7; *E. coli* O157:NM; *E. coli* O26:H11; *E. coli* O145:NM; *E. coli* O103:H2; or *E. coli* O111:NM. *Also* see SHIGA TOXIN-PRODUCING *E. coli*.

"EPA" means the U.S. Environmental Protection Agency.

Equipment.

(1) **"Equipment"** means an article that is used in the operation of a FOOD ESTABLISHMENT such as a freezer, grinder, hood, ice maker, MEAT block, mixer,

oven, reach-in refrigerator, scale, sink, slicer, stove, table, TEMPERATURE MEASURING DEVICE for ambient air, VENDING MACHINE, or WAREWASHING machine.

(2) "**Equipment**" does not include apparatuses used for handling or storing large quantities of PACKAGED FOODS that are received from a supplier in a cased or overwrapped lot, such as hand trucks, forklifts, dollies, pallets, racks, and skids.

"Exclude" means to prevent a PERSON from working as an EMPLOYEE in a FOOD ESTABLISHMENT or entering a FOOD ESTABLISHMENT as an EMPLOYEE.

"FDA" means the U.S. Food and Drug Administration.

Fish.

- (1) **"Fish"** means fresh or saltwater finfish, crustaceans and other forms of aquatic life (including alligator, frog, aquatic turtle, jellyfish, sea cucumber, and sea urchin and the roe of such animals) other than birds or mammals, and all mollusks, if such animal life is intended for human consumption.
- (2) **"Fish"** includes an edible human FOOD product derived in whole or in part from FISH, including FISH that have been processed in any manner.

"Food" means a raw, cooked, or processed edible substance, ice, BEVERAGE, or ingredient used or intended for use or for sale in whole or in part for human consumption, or chewing gum.

"Foodborne disease outbreak" means the occurrence of two or more cases of a similar illness resulting from the ingestion of a common FOOD.

"Food-contact surface" means:

- (1) A surface of EQUIPMENT or a UTENSIL with which FOOD normally comes into contact; or
- (2) A surface of EQUIPMENT or a UTENSIL from which FOOD may drain, drip, or splash:
 - (a) Into a FOOD, or
 - (b) Onto a surface normally in contact with FOOD.

"Food employee" means an individual working with unpackaged food, food equipment or utensils, or food-contact surfaces.

Food Establishment.

(1) **"Food establishment"** means an operation that:

- (a) stores, prepares, packages, serves, vends food directly to the consumer, or otherwise provides FOOD for human consumption such as a restaurant; satellite or catered feeding location; catering operation if the operation provides FOOD directly to a CONSUMER or to a conveyance used to transport people; market; vending location; conveyance used to transport people; institution; or FOOD bank; and
- (b) relinquishes possession of FOOD to a CONSUMER directly, or indirectly through a delivery service such as home delivery of grocery orders or restaurant takeout orders, or delivery service that is provided by common carriers.

(2) "Food establishment" includes:

- (a) An element of the operation such as a transportation vehicle or a central preparation facility that supplies a vending location or satellite feeding location unless the vending or feeding location is permitted by the REGULATORY AUTHORITY; and
- (b) An operation that is conducted in a mobile, stationary, temporary or permanent facility or location and where consumption is on or off the PREMISES.
- (3) "Food establishment" does not include entities exempted as described in G.S. 130A-250 or establishments that only serve such items as dip ice cream, popcorn, candied apples, or cotton candy.

Food Processing Plant.

- (1) **"Food processing plant"** means a commercial operation that manufactures, packages, labels, or stores FOOD for human consumption, and provides FOOD for sale or distribution to other business entities such as FOOD PROCESSING PLANTS OR FOOD ESTABLISHMENTS.
- (2) "Food processing plant" does not include a FOOD ESTABLISHMENT.

[&]quot;Food stand" means a FOOD ESTABLISHMENT that prepares or serves FOOD and that does not provide seating facilities for customers to use while eating or drinking.

Game Animal.

- (1) **"Game animal"** means an animal, the products of which are FOOD, that is not classified as livestock, sheep, swine, goat, horse, mule, or other equine in 9 CFR 301.2 Definitions, or as Poultry, or FISH.
- (2) **"Game animal"** includes mammals such as reindeer, elk, deer, antelope, water buffalo, bison, rabbit, squirrel, opossum, raccoon, nutria, or muskrat, and nonaquatic reptiles such as land snakes.
- (3) "Game animal" does not include RATITES.
- "General use pesticide" means a pesticide that is not classified by EPA for restricted use as specified in 40 CFR 152.175 Pesticides classified for restriced use.
- "Good repair" means EQUIPMENT and UTENSILS shall be maintained in a state of repair and condition that meets the requirements specified under Parts 4-1 and 4-2 of the Food Code as amended by Rule .2654.
- "Grade A standards" means the requirements of the United States Public Health Service/FDA "Grade A Pasteurized Milk Ordinance" with which certain fluid and dry milk and milk products comply.
- "HACCP plan" means a written document that delineates the formal procedures for following the HAZARD Analysis and CRITICAL CONTROL POINT principles developed by The National Advisory Committee on Microbiological Criteria for Foods.

Handwashing Sink.

- (1) "Handwashing sink" means a lavatory, a basin or vessel for washing, a wash basin, or a PLUMBING FIXTURE especially placed for use in personal hygiene and designed for the washing of the hands.
- (2) "Handwashing sink" includes an automatic handwashing facility.
- "Hazard" means a biological, chemical, or physical property that may cause an unacceptable CONSUMER health RISK.
- "Health practitioner" means a physician licensed to practice medicine, or if allowed by LAW, a nurse practitioner, physician assistant, or similar medical professional.
- "Hermetically sealed container" means a container that is designed and intended to be secure against the entry of microorganisms and, in the case of low acid canned FOODS, to maintain the commercial sterility of its contents after processing.

- "Highly susceptible population" means PERSONS who are more likely than other people in the general population to experience foodborne disease because they are:
 - (1) Immunocompromised; preschool age children, or older adults; and
 - (2) Obtaining FOOD at a facility that provides services such as custodial care, health care, or assisted living, such as a child or adult day care center, kidney dialysis center, hospital or nursing home, or nutritional or socialization services such as a senior center.

"Imminent hazard" means an IMMINENT HAZARD as defined in G.S. 130A-2(3).

"Injected" means manipulating MEAT to which a solution has been introduced into its interior by processes that are referred to as "injecting," "pump marinating," or "stitch pumping".

Juice.

- (1) **"Juice"** means the aqueous liquid expressed or extracted from one or more fruits or vegetables, purées of the edible portions of one or more fruits or vegetables, or any concentrates of such liquid or purée.
- (2) "Juice" does not include, for purposes of HACCP, liquids, purées, or concentrates that are not used as BEVERAGES or ingredients of BEVERAGES.

"Law" means applicable local, state, and federal statutes, regulations, and ordinances.

"Limited food establishment" means a FOOD ESTABLISHMENT as defined in G.S. 130A-247(7).

"Linens" means fabric items such as cloth hampers, cloth napkins, table cloths, wiping cloths, and work garments including cloth gloves.

"Local health director" means a LOCAL HEALTH DIRECTOR as defined in G.S. 130A-2(6).

[&]quot;Kitchenware" means FOOD preparation and storage UTENSILS.

Major Food Allergen.

(1) "Major food allergen" means:

- (a) Milk, EGG, FISH (such as bass, flounder, cod, and including crustacean shellfish such as crab, lobster, or shrimp), tree nuts (such as almonds, pecans, or walnuts), wheat, peanuts, and soybeans; or
- (b) A FOOD ingredient that contains protein derived from a FOOD, as specified in Subparagraph (1)(a) of this definition.

(2) "Major food allergen" does not include:

- (a) Any highly refined oil derived from a FOOD specified in Subparagraph (1)(a) of this definition and any ingredient derived from such highly refined oil; or
- (b) Any ingredient that is exempt under the petition or notification process specified in the Food Allergen Labeling and Consumer Protection Act of 2004 (Public Law 108-282).

"Meat" means the flesh of animals used as FOOD including the dressed flesh of cattle, swine, sheep, or goat, other edible animals, and as defined in G.S. 106-549.15(14), except FISH, POULTRY, and wild GAME ANIMALS as specified under Subparagraphs 3-201.17(A)(3) and (4).

Mechanically Tenderized.

- (1) "Mechanically tenderized" means manipulating meat with deep penetration by processes which may be referred to as "blade tenderizing," "jaccarding," "pinning," "needling," or using blades, pins, needles or any mechanical device.
- (2) "**Mechanically tenderized**" does not include processes by which solutions are INJECTED into meat.

"mg/L" means milligrams per liter, which is the metric equivalent of parts per million (ppm).

"Mobile food unit" means a FOOD ESTABLISHMENT or PUSHCART designed to be readily moved and vend FOOD.

"Molluscan shellfish" means any edible species of fresh or frozen oysters, clams, mussels, and scallops or edible portions thereof, except when the scallop product consists only of the shucked adductor muscle.

Non-Continuous Cooking.

- (1) "Non-continuous cooking" means the cooking of FOOD in a FOOD ESTABLISHMENT using a process in which the initial heating of the FOOD is intentionally halted so that it may be cooled and held for complete cooking at a later time prior to sale or service.
- (2) "Non-continuous cooking" does not include cooking procedures that only involve temporarily interrupting or slowing an otherwise continuous cooking process.

Packaged.

- (1) **"Packaged"** means bottled, canned, cartoned, securely bagged, or securely wrapped, whether PACKAGED in a FOOD ESTABLISHMENT or a FOOD PROCESSING PLANT.
- (2) **"Packaged"** does not include a wrapper, carry-out box, or other nondurable container used to containerize FOOD with the purpose of facilitating FOOD protection during service and receipt of the FOOD by the CONSUMER.

"Permit" means the document issued by the REGULATORY AUTHORITY that authorizes a PERSON to operate a FOOD ESTABLISHMENT.

"Permit holder" means the entity that:

- (1) Is legally responsible for the operation of the FOOD ESTABLISHMENT such as the owner, the owner's agent, or other PERSON; and
- (2) Possesses a valid PERMIT to operate a FOOD ESTABLISHMENT.

"Person" means PERSON as defined in G.S. 130A-2(7).

"Person in charge" means the individual present at a FOOD ESTABLISHMENT who is responsible for the operation at the time of inspection.

Personal Care Items.

- (1) "Personal care items" means items or substances that may be poisonous, toxic, or a source of contamination and are used to maintain or enhance a PERSON'S health, hygiene, or appearance.
- (2) "Personal care items" include items such as medicines; first aid supplies; and other items such as cosmetics, and toiletries such as toothpaste and mouthwash.

"pH" means the symbol for the negative logarithm of the hydrogen ion concentration, which is a measure of the degree of acidity or alkalinity of a solution.

Values between 0 and 7 indicate acidity and values between 7 and 14 indicate alkalinity. The value for pure distilled water is 7, which is considered neutral.

"Physical facilities" means the structure and interior surfaces of a FOOD ESTABLISHMENT including accessories such as soap and towel dispensers and attachments such as light fixtures and heating or air conditioning system vents.

"Plumbing fixture" means a receptacle or device that:

- (1) Is permanently or temporarily connected to the water distribution system of the PREMISES and demands a supply of water from the system; or
- (2) Discharges used water, waste materials, or SEWAGE directly or indirectly to the drainage system of the PREMISES.

"Plumbing system" means the water supply and distribution pipes; PLUMBING FIXTURES and traps; soil, waste, and vent pipes; sanitary and storm sewers and building drains, including their respective connections, devices, and appurtenances within the PREMISES; and water-treating EQUIPMENT.

"Poisonous or toxic materials" means substances that are not intended for ingestion and are included in 4 categories:

- (1) Cleaners and SANITIZERS, which include cleaning and SANITIZING agents and agents such as caustics, acids, drying agents, polishes, and other chemicals;
- (2) Pesticides, *except SANITIZERS*, which include substances such as insecticides and rodenticides;
- (3) Substances necessary for the operation and maintenance of the establishment such as nonfood grade lubricants and PERSONAL CARE ITEMS that may be deleterious to health; and
- (4) Substances that are not necessary for the operation and maintenance of the establishment and are on the PREMISES for retail sale, such as petroleum products and paints.

Potentially Hazardous Food (Time/Temperature Control for Safety Food).

- (1) "Potentially hazardous food (time/temperature control for safety food)" means a FOOD that requires time/temperature control for safety (TCS) to limit pathogenic microorganism growth or toxin formation.
- (2) "Potentially hazardous food (time/temperature control for safety food)" includes:
 - (a) An animal FOOD that is raw or heat-treated; a plant FOOD that is heat-treated or consists of raw seed sprouts, cut melons, cut leafy greens, cut tomatoes or mixtures of cut tomatoes that are not modified in a way so that they are unable to support pathogenic microorganism growth or toxin formation, or garlic-in-oil mixtures that are not modified in a way so that they are unable to support pathogenic microorganism growth or toxin formation; and
 - (b) Except as specified in Subparagraph (3)(d) of this definition, a FOOD that because of the interaction of its A_W and PH values is designated as Product Assessment Required (PA) in Table A or B of this definition:

Table A. Interaction of PH and A_W for control of spores in FOOD heat-treated to destroy vegetative cells and subsequently PACKAGED					
A _w values	<u>PH values</u>				
	4.6 or less	> 4.6 - 5.6	> 5.6		
≤0.92	non-PHF*/non-TCS FOOD**	non-PHF/non-TCS FOOD	non-PHF/non-TCS FOOD		
> 0.9295	non-PHF/non-TCS FOOD	non-PHF/non-TCS FOOD	PA***		
> 0.95	non-PHF/non-TCS FOOD	PA	PA		

^{*} PHF means POTENTIALLY HAZARDOUS FOOD

^{**} TCS FOOD means TIME/TEMPERATURE CONTROL FOR SAFETY FOOD

^{***} PA means Product Assessment required

Table B. Interaction of PH and A_W for control of vegetative cells and spores in FOOD not heat-treated or heat-treated but not PACKAGED					
A _w values	PH values				
	< 4.2	4.2 - 4.6	> 4.6 - 5.0	> 5.0	
< 0.88	non-PHF*/ non-TCS food**	non-PHF/ non-TCS food	non-PHF/ non-TCS food	non-PHF/ non- TCS food	
0.88 – 0.90	non-PHF/ non-TCS food	non-PHF/ non-TCS food	non-PHF/ non-TCS food	PA***	
> 0.90 - 0.92	non-PHF/ non-TCS food	non-PHF/ non-TCS food	PA	PA	
> 0.92	non-PHF/ non-TCS food	PA	PA	PA	

^{*} PHF means POTENTIALLY HAZARDOUS FOOD

(3) "Potentially hazardous food (time/temperature control for safety food)" does not include:

- (a) An air-cooled hard-boiled EGG with shell intact, or an EGG with shell intact that is not hard-boiled, but has been pasteurized to destroy all viable salmonellae:
- (b) A FOOD in an unopened HERMETICALLY SEALED CONTAINER that is commercially processed to achieve and maintain commercial sterility under conditions of non-refrigerated storage and distribution;
- (c) A FOOD that because of its PH or A_W value, or interaction of A_W and PH values, is designated as a non-PHF/non-TCS FOOD in Table A or B of this definition;
- (d) A FOOD that is designated as Product Assessment Required (PA) in Table A or B of this definition and has undergone a Product Assessment showing that the growth or toxin formation of pathogenic microorganisms that are reasonably likely to occur in that FOOD is precluded due to:

^{**} TCS FOOD means TIME/TEMPERATURE CONTROL FOR SAFETY FOOD

^{***} PA means Product Assessment required

- (i) Intrinsic factors including added or natural characteristics of the FOOD such as preservatives, antimicrobials, humectants, acidulants, or nutrients.
- (ii) Extrinsic factors including environmental or operational factors that affect the FOOD such as packaging, modified atmosphere such as REDUCED OXYGEN PACKAGING, shelf life and use, or temperature range of storage and use, or
- (iii) A combination of intrinsic and extrinsic factors; or
- (e) A FOOD that does not support the growth or toxin formation of pathogenic microorganisms in accordance with one of the Subparagraphs (3)(a) (3)(d) of this definition even though the FOOD may contain a pathogenic microorganism or chemical or physical contaminant at a level sufficient to cause illness or injury.

"Poultry" means:

- (1) Any domesticated bird (chickens, turkeys, ducks, geese, guineas, RATITES, or squabs), whether live or dead, as defined in 9 CFR 381.1 Poultry Products Inspection Regulations Definitions, Poultry, and G.S. 106-549.51(26); and
- (2) Any migratory waterfowl or game bird, pheasant, partridge, quail, grouse, or pigeon, whether live or dead, as defined in 9 CFR 362.1 Voluntary Poultry Inspection Regulations, Definitions.

"Premises" means:

- (1) The PHYSICAL FACILITY, its contents, and the contiguous land or property under the control of the PERMIT HOLDER; or
- (2) The PHYSICAL FACILITY, its contents, and the land or property not described in Subparagraph (1) of this definition if its facilities and contents are under the control of the PERMIT HOLDER and may impact FOOD ESTABLISHMENT personnel, facilities, or operations, and a FOOD ESTABLISHMENT is only one component of a larger operation such as a health care facility, hotel, motel, school, recreational camp, or prison.

"Primal cut" means a basic major cut into which carcasses and sides of MEAT are separated, such as a beef round, pork loin, lamb flank, or veal breast.

Priority Item.

(1) **"Priority item"** means a provision in this Code whose application contributes directly to the elimination, prevention or reduction to an acceptable

level, hazards associated with foodborne illness or injury and there is no other provision that more directly controls the hazard.

- (2) "Priority item" includes items with a quantifiable measure to show control of hazards such as cooking, reheating, cooling, handwashing; and
- (3) "Priority item" is an item that is denoted in this Code with a superscript P- P.

Priority Foundation Item.

- (1) **"Priority foundation item"** means a provision in this Code whose application supports, facilitates or enables one or more PRIORITY ITEMS.
- (2) "Priority foundation item" includes an item that requires the purposeful incorporation of specific actions, equipment or procedures by industry management to attain control of risk factors that contribute to foodborne illness or injury such as personnel training, infrastructure or necessary equipment, HACCP plans, documentation or record keeping, and labeling; and
- (3) **"Priority foundation item"** is an item that is denoted in this Code with a superscript Pf Pf.

"Public water system" has the meaning stated in 40 CFR 141 National Primary Drinking Water Regulations.

"Pushcart" means a mobile piece of EQUIPMENT or vehicle used to vend FOOD.

"Ratite" means a flightless bird such as an emu, ostrich, or rhea.

Ready-to-Eat Food.

- (1) "Ready-to-eat food" means FOOD that:
 - (a) Is in a form that is edible without additional preparation to achieve FOOD safety, as specified under one of the following: ¶ 3-401.11(A) or (B), § 3-401.12, or § 3-402.11, or as specified in ¶ 3-401.11(C); or
 - (b) Is a raw or partially cooked animal FOOD and the consumer is advised as specified in Subparagraphs 3-401.11(D)(1) and (3); or
 - (c) Is prepared in accordance with a variance that is granted as specified in Subparagraph 3-401.11(D) (4); and
 - (d) May receive additional preparation for palatability or aesthetic, epicurean, gastronomic, or culinary purposes.

(2) "Ready-to-eat food" includes:

- (a) Raw animal FOOD that is cooked as specified under § 3-401.11 or 3-401.12, or frozen as specified under § 3-402.11;
- (b) Raw fruits and vegetables that are washed as specified under § 3-302.15;
- (c) Fruits and vegetables that are cooked for hot holding, as specified under § 3-401.13;
- (d) All POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is cooked to the temperature and time required for the specific FOOD under Subpart 3-401 and cooled as specified under § 3-501.14;
- (e) Plant FOOD for which further washing, cooking, or other processing is not required for FOOD safety, and from which rinds, peels, husks, or shells, if naturally present are removed;
- (f) Substances derived from plants such as spices, seasonings, and sugar;
- (g) A bakery item such as bread, cakes, pies, fillings, or icing for which further cooking is not required for FOOD safety;
- (h) The following products that are produced in accordance with USDA guidelines and that have received a lethality treatment for pathogens: dry, fermented sausages, such as dry salami or pepperoni; salt-cured MEAT and POULTRY products, such as prosciutto ham, country cured ham, and Parma ham; and dried MEAT and POULTRY products, such as jerky or beef sticks; and
- (i) FOODS manufactured as specified in 21 CFR Part 113, Thermally Processed Low-Acid Foods Packaged in Hermetically Sealed Containers.

Reduced Oxygen Packaging.

(1) "Reduced oxygen packaging" means:

(a) The reduction of the amount of oxygen in a PACKAGE by removing oxygen; displacing oxygen and replacing it with another gas or combination of gases; or otherwise controlling the oxygen content to a level below that normally found in the atmosphere (approximately 21% at sea level); and

(b) A process as specified in Subparagraph (1)(a) of this definition that involves a FOOD for which the HAZARDS *Clostridium botulinum* or *Listeria monocytogenes* require control in the final PACKAGED form.

(2) "Reduced oxygen packaging" includes:

- (a) Vacuum PACKAGING, in which air is removed from a PACKAGE of FOOD and the PACKAGE is HERMETICALLY SEALED so that a vacuum remains inside the PACKAGE:
- (b) Modified atmosphere PACKAGING, in which the atmosphere of a PACKAGE of FOOD is modified so that its composition is different from air but the atmosphere may change over time due to the permeability of the PACKAGING material or the respiration of the FOOD. Modified atmosphere PACKAGING includes reduction in the proportion of oxygen, total replacement of oxygen, or an increase in the proportion of other gases such as carbon dioxide or nitrogen;
- (c) Controlled atmosphere PACKAGING, in which the atmosphere of a PACKAGE of FOOD is modified so that until the PACKAGE is opened, its composition is different from air, and continuous control of that atmosphere is maintained, such as by using oxygen scavengers or a combination of total replacement of oxygen, nonrespiring FOOD, and impermeable PACKAGING material;
- (d) Cook chill PACKAGING, in which cooked FOOD is hot filled into impermeable bags which have the air expelled and are then sealed or crimped closed. The bagged FOOD is rapidly chilled and refrigerated at temperatures that inhibit the growth of psychrotrophic pathogens; or
- (e) Sous vide PACKAGING, in which raw or partially cooked FOOD is placed in a hermetically sealed, impermeable bag, cooked in the bag, rapidly chilled, and refrigerated at temperatures that inhibit the growth of psychrotrophic pathogens.

"Registered Environmental Health Specialist" means a REGISTERED ENVIRONMENTAL HEALTH SPECIALIST as defined in G.S. 90A-51(2b) and 90A-51(4) and authorized agent of the DEPARTMENT.

"Regulatory authority" means the DEPARTMENT or authorized agent of the DEPARTMENT.

[&]quot;Refuse" means solid waste not carried by water through the SEWAGE system.

- "Reminder" means a written statement concerning the health RISK of consuming animal FOODS raw, undercooked, or without otherwise being processed to eliminate pathogens.
- **"Re-service"** means the transfer of FOOD that is unused and returned by a CONSUMER after being served or sold and in the possession of the CONSUMER, to another PERSON.
- "Restaurant" means a FOOD ESTABLISHMENT that prepares or serves FOOD and provides seating.
- "Restrict" means to limit the activities of a FOOD EMPLOYEE so that there is no RISK of transmitting a disease that is transmissible through FOOD and the FOOD EMPLOYEE does not work with exposed FOOD, clean EQUIPMENT, UTENSILS, LINENS, or unwrapped SINGLE-SERVICE or SINGLE-USE ARTICLES.
- "Restricted egg" means any check, dirty EGG, incubator reject, inedible, leaker, or loss as defined in 9 CFR 590.
- "Restricted use pesticide" means a pesticide product that contains the active ingredients specified in 40 CFR 152.175 Pesticides classified for restricted use, and that is limited to use by or under the direct supervision of a certified applicator.
- "Risk" means the likelihood that an adverse health effect will occur within a population as a result of a HAZARD in a FOOD.

"Safe material" means:

- (1) An article manufactured from or composed of materials that may not reasonably be expected to result, directly or indirectly, in their becoming a component or otherwise affecting the characteristics of any FOOD;
- (2) An additive that is used as specified in § 409 of the Federal Food, Drug, and Cosmetic Act: or
- (3) Other materials that are not ADDITIVES and that are used in conformity with applicable regulations of the Food and Drug Administration.
- **"Sanitization"** means the application of cumulative heat or chemicals on cleaned FOOD-CONTACT SURFACES that, when evaluated for efficacy, is sufficient to yield a reduction of 5 logs, which is equal to a 99.999% reduction, of representative disease microorganisms of public health importance.
- **"Sealed"** means free of cracks or other openings that allow the entry or passage of moisture.

- "Service animal" means an animal such as a guide dog, signal dog, or other animal individually trained to provide assistance to an individual with a disability.
- **"Servicing area"** means an operating base location to which a mobile FOOD ESTABLISHMENT or transportation vehicle returns regularly for such things as vehicle and equipment cleaning, discharging liquid or solid wastes, refilling water tanks and ice bins, and boarding FOOD.
- **"Sewage"** means liquid waste containing animal or vegetable matter in suspension or solution and may include liquids containing chemicals in solution.
- "Shellfish control authority" means a state, federal, foreign, tribal, or other government entity legally responsible for administering a program that includes certification of MOLLUSCAN SHELLFISH harvesters and DEALERS for interstate commerce.
- "Shellstock" means raw, in-shell MOLLUSCAN SHELLFISH.
- "Shiga toxin-producing *Escherichia coli*" (STEC) means any *E. coli* capable of producing Shiga toxins (also called verocytotoxins or "Shiga-like" toxins). Examples of serotypes of STEC include both O157 and non-O157 *E. coli*. *Also* see ENTEROHEMORRHAGIC *ESCHERICHIA coli*.
- "Shucked shellfish" means MOLLUSCAN SHELLFISH that have one or both shells removed.
- "Single-service articles" means TABLEWARE, carry-out UTENSILS, and other items such as bags, containers, placemats, stirrers, straws, toothpicks, and wrappers that are designed and constructed for one time, one PERSON use after which they are intended for discard.

Single-Use Articles.

- (1) "Single-use articles" means UTENSILS and bulk FOOD containers designed and constructed to be used once and discarded.
- (2) **"Single-use articles"** includes items such as wax paper, butcher paper, plastic wrap, formed aluminum FOOD containers, jars, plastic tubs or buckets, bread wrappers, pickle barrels, ketchup bottles, and number 10 cans which do not meet the materials, durability, strength, and cleanability specifications under §§ 4-101.11, 4-201.11, and 4-202.11 for multiuse UTENSILS.
- "Slacking" means the process of moderating the temperature of a FOOD such as allowing a FOOD to gradually increase from a temperature of -23°C (-10°F) to -4°C (25°F) in preparation for deep-fat frying or to facilitate even heat penetration during the cooking of previously block-frozen FOOD such as shrimp.

"Smooth" means:

- (1) A FOOD-CONTACT SURFACE having a surface free of pits and inclusions with a cleanability equal to or exceeding that of (100 grit) number 3 stainless steel;
- (2) A nonFOOD-CONTACT SURFACE of EQUIPMENT having a surface equal to that of commercial grade hot-rolled steel free of visible scale; and
- (3) A floor, wall, or ceiling having an even or level surface with no roughness or projections that render it difficult to clean.
- "Supplemental cooking room" means a separate attached or detached structure in that FOOD is cooked on grills, pits, or fireplaces and no other processing occurs.
- "Tableware" means eating, drinking, and serving UTENSILS for table use such as flatware including forks, knives, and spoons; hollowware including bowls, cups, serving dishes, and tumblers; and plates.
- "Temperature measuring device" means a thermometer, thermocouple, thermistor, or other device that indicates the temperature of FOOD, air, or water.
- "Temporary food establishment" means a FOOD ESTABLISHMENT that operates for a period of time not to exceed 21 days in one location, affiliated with and endorsed by a transitory fair, carnival, circus, festival, or public exhibition. FOOD ESTABLISHMENTS that operate in the same event location for more than 21 days per calendar year are not eligible for a TEMPORARY FOOD ESTABLISHMENT PERMIT. Domestic yard sales and businesses such as auctions, flea markets, or farmers' markets are not eligible for a TEMPORARY FOOD ESTABLISHMENT PERMIT."
- "Temporary food establishment commissary" means a FOOD ESTABLISHMENT affiliated with a TEMPORARY FOOD ESTABLISHMENT that prepares FOOD in advance or off-site. The Temporary food establishment commissary permit shall be valid for no more than 21 consecutive days and shall be permitted no more than 7 days prior to commencement of the event. FOOD ESTABLISHMENTS that operate in the same location for more than 21 days per calendar year are not eligible for a TEMPORARY FOOD ESTABLISHMENT COMMISSARY PERMIT. FOOD shall not be sold from the TEMPORARY FOOD ESTABLISHMENT COMMISSARY. The TEMPORARY FOOD ESTABLISHMENT COMMISSARY FOOD ESTABLISHMENT Requirements."
- "Transitional Permit" means a PERMIT issued by the REGULATORY AUTHORITY upon the transfer of ownership or lease of an existing FOOD ESTABLISHMENT to allow the correction of construction and EQUIPMENT problems that do not represent an immediate threat to public health. The TRANSITIONAL PERMIT shall expire 180 days after the date of issuance.

"USDA" means the U.S. Department of Agriculture.

"Utensil" means a FOOD-CONTACT implement or container used in the storage, preparation, transportation, dispensing, sale, or service of FOOD, such as KITCHENWARE or TABLEWARE that is multiuse, SINGLE-SERVICE, or SINGLE-USE; gloves used in contact with FOOD; temperature sensing probes of FOOD TEMPERATURE MEASURING DEVICES; and probe-type price or identification tags used in contact with FOOD.

"Variance" means a written document issued by the REGULATORY AUTHORITY that authorizes a modification or waiver of one or more requirements of this Code if, in the opinion of the REGULATORY AUTHORITY, a health HAZARD or nuisance will not result from the modification or waiver.

"Vending machine" DELETED

"Vending machine location" DELETED

"Warewashing" means the cleaning and SANITIZING of UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT.

"Whole-muscle, intact beef" means whole muscle beef that is not injected, mechanically tenderized, reconstructed, or scored and marinated, from which beef steaks may be cut.

Chapter

2

Management and Personnel

Parts

- 2-1 SUPERVISION
- 2-2 EMPLOYEE HEALTH
- 2-3 PERSONAL CLEANLINESS
- 2-4 HYGIENIC PRACTICES

2-1 SUPERVISION

Subparts

2-101 Responsibility 2-102 Knowledge 2-103 Duties

Responsibility

2-101.11 Assignment.

- (A) Except as specified in ¶ (B) of this section, the PERMIT HOLDER shall be the PERSON IN CHARGE or shall designate a PERSON IN CHARGE and shall ensure that a PERSON IN CHARGE is present at the FOOD ESTABLISHMENT during all hours of operation. Pf
- (B) In a FOOD ESTABLISHMENT with two or more separately PERMITTED departments that are the legal responsibility of the same PERMIT HOLDER and that are located on the same PREMISES, the PERMIT HOLDER may designate a single PERSON IN CHARGE who is present on the PREMISES during all hours of operation, and who is responsible for each separately PERMITTED FOOD ESTABLISHMENT on the PREMISES.

Knowledge

2-102.11 Demonstration.

Based on the RISKS inherent to the FOOD operation, during

inspections and upon request the PERSON IN CHARGE shall demonstrate to the REGULATORY AUTHORITY knowledge of foodborne disease prevention, application of the HAZARD Analysis and CRITICAL CONTROL POINT principles, and the requirements of this Code. The PERSON IN CHARGE shall demonstrate this knowledge by being a certified FOOD protection manager who has shown proficiency of required information through passing a test that is part of an ACCREDITED PROGRAM. The PERSON IN CHARGE is not required to be a certified FOOD protection manager when the FOOD ESTABLISHMENT is not operating and FOOD is not being prepared, PACKAGED, or served for immediate consumption.

- (A) <u>DELETED</u>
- (B) <u>DELETED</u>
- (C) <u>DELETED</u>

2-102.12 Certified Food Protection Manager.

(A) At least one EMPLOYEE who has supervisory and management responsibility and the authority to direct and control FOOD preparation and service shall be a certified FOOD protection manager who has shown proficiency of required information through passing a test that is part of an American National Standards Institute (ANSI)-ACCREDITED PROGRAM.

(B) This section does not apply to CONGREGATE NUTRITION SITES and Risk Category I FOOD ESTABLISHMENTS as defined in 10A NCAC 46 .0213.

2-102.20 Food Protection Manager Certification.

A PERSON IN CHARGE who demonstrates knowledge by being a FOOD protection manager that is certified by a FOOD protection manager certification program that is evaluated and listed by a Conference for Food Protection-recognized accrediting agency as conforming to the Conference for Food Protection Standards for Accreditation of Food Protection Manager Certification Programs is deemed to comply with Section 2-102.11.

Duties

2-103.11 Person in Charge.

The PERSON IN CHARGE shall ensure that:

- (A) FOOD ESTABLISHMENT operations are not conducted in a private home or in a room used as living or sleeping quarters as specified under § 6-202.111; Pf
- (B) PERSONS unnecessary to the FOOD ESTABLISHMENT operation are not allowed in the FOOD preparation, FOOD storage, or WAREWASHING areas, except that brief visits and tours may be authorized by the PERSON IN CHARGE if steps are taken to ensure that exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES are protected from contamination; Pf
- (C) EMPLOYEES and other PERSONS such as delivery and maintenance PERSONS and pesticide applicators entering the FOOD preparation, FOOD storage, and WAREWASHING areas comply with this Code; Pf
- (D) EMPLOYEES are effectively cleaning their hands, by routinely monitoring the EMPLOYEES' handwashing; Pf
- (E) EMPLOYEES are visibly observing FOODS as they are received to determine that they are from APPROVED sources, delivered at the required temperatures, protected from contamination, unadulterated, and accurately presented, by routinely monitoring the EMPLOYEES' observations and periodically evaluating FOODS upon their receipt; Pf
- (F) EMPLOYEES are properly cooking POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD), being particularly careful in cooking those FOODS known to cause severe foodborne illness and death, such as EGGS and COMMINUTED MEATS, through daily oversight of the EMPLOYEES' routine monitoring of the cooking temperatures using appropriate temperature measuring devices properly scaled and calibrated as specified under § 4-203.11 and ¶ 4-502.11(B); Pf
- (G) EMPLOYEES are using proper methods to rapidly cool POTENTIALLY HAZARDOUS FOODS (TIME/TEMPERATURE CONTROL FOR SAFETY FOODS) that are not held hot or are not for consumption within 4 hours, through daily oversight of the

EMPLOYEES' routine monitoring of FOOD temperatures during cooling; Pf

- (H) Consumers who order raw; or partially cooked READY-TO-EAT FOODS of animal origin are informed as specified under § 3-603.11 that the FOOD is not cooked sufficiently to ensure its safety; Pf
- (I) EMPLOYEES are properly SANITIZING cleaned multiuse EQUIPMENT and UTENSILS before they are reused, through routine monitoring of solution temperature and exposure time for hot water SANITIZING, and chemical concentration, pH, temperature, and exposure time for chemical SANITIZING; Pf
- (J) Consumers are notified that clean TABLEWARE is to be used when they return to self-service areas such as salad bars and buffets as specified under § 3-304.16; Pf
- (K) Except when APPROVAL is obtained from the REGULATORY AUTHORITY as specified in ¶ 3-301.11(D), EMPLOYEES are preventing cross-contamination of READY-TO-EAT FOOD with bare hands by properly using suitable UTENSILS such as delitissue, spatulas, tongs, SINGLE-USE gloves, or dispensing EQUIPMENT; Pf
- (L) EMPLOYEES are properly trained in FOOD safety, including food allergy awareness, as it relates to their assigned duties; and
- (M) FOOD EMPLOYEES and CONDITIONAL EMPLOYEES are informed of their responsibility to report in accordance with LAW, to the PERSON IN CHARGE, information about their health and activities as they relate to diseases that are transmissible through FOOD, as specified under \P 2-201.11(A). Pf

2-2 EMPLOYEE HEALTH

Subpart

2-201

Responsibilities of Permit Holder, Person in Charge, Food Employees, and Conditional Employees

Responsibilitie s and Reporting Symptoms and Diagnosis

2-201.11 Responsibility of Permit Holder, Person in Charge, and Conditional Employees.

(A) The PERMIT HOLDER shall require FOOD EMPLOYEES and CONDITIONAL EMPLOYEES to report to the PERSON IN CHARGE information about their health and activities as they relate to diseases that are transmissible through FOOD. A FOOD EMPLOYEE or CONDITIONAL EMPLOYEE shall report the information in a manner that allows the PERSON IN CHARGE to reduce the RISK of foodborne disease transmission, including providing necessary additional information, such as the date of onset of symptoms and an illness, or of a diagnosis without symptoms, if the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE:

reportable symptoms

- (1) Has any of the following symptoms:
 - (a) Vomiting, P
 - (b) Diarrhea, P
 - (c) Jaundice, P
 - (d) Sore throat with fever, P or
 - (e) A lesion containing pus such as a boil or infected wound that is open or draining and is:
 - (i) On the hands or wrists, unless an impermeable cover such as a finger cot or stall protects the lesion and a SINGLE-USE glove is worn over the impermeable cover, P
 - (ii) On exposed portions of the arms, *unless the lesion is protected by an impermeable cover*, P or
 - (iii) On other parts of the body, unless the lesion is

covered by a dry, durable, tight-fitting bandage; P

reportable diagnosis

- (2) Has an illness diagnosed by a HEALTH PRACTITIONER due to:
 - (a) Norovirus, I
 - (b) Hepatitis A virus, P
 - (c) Shigella spp., P
 - (d) Enterohemorrhagic or Shiga toxin-producing Escherichia coli. P or
 - (e) Salmonella Typhi;^P

reportable past illness

(3) Had a previous illness, diagnosed by a HEALTH PRACTITIONER, within the past 3 months due to *Salmonella* Typhi, without having received antibiotic therapy, as determined by a HEALTH PRACTITIONER; P

reportable history of exposure

- (4) Has been exposed to, or is the suspected source of, a CONFIRMED DISEASE OUTBREAK, because the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE consumed or prepared FOOD implicated in the outbreak, or consumed FOOD at an event prepared by a PERSON who is infected or ill with:
 - (a) Norovirus within the past 48 hours of the last exposure, P
 - (b) ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI, or Shigella* spp. within the past 3 days of the last exposure, P
 - (c) Salmonella Typhi within the past 14 days of the last exposure, P or
 - (d) Hepatitis A virus within the past 30 days of the last exposure; or

reportable history of exposure

(5) Has been exposed by attending or working in a setting where there is a CONFIRMED DISEASE OUTBREAK, or living in the same household as, and has knowledge about, an individual who works or attends a setting where there is a CONFIRMED

DISEASE OUTBREAK, or living in the same household as, and has knowledge about, an individual diagnosed with an illness caused by:

- (a) Norovirus within the past 48 hours of the last exposure, P
- (b) ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI, or Shigella* spp. within the past 3 days of the last exposure, P
- (c) Salmonella Typhi within the past 14 days of the last exposure, P or
- (d) Hepatitis A virus within the past 30 days of the last exposure. P

responsibility of person in charge to notify the regulatory authority

- (B) The PERSON IN CHARGE shall notify the REGULATORY AUTHORITY when a FOOD EMPLOYEE is:
 - (1) Jaundiced, Pf or
 - (2) Diagnosed with an illness due to a pathogen as specified under Subparagraphs (A)(2)(a) (e) of this section. Pf

responsibility of the person in charge to prohibit a conditional employee from becoming a food employee

- (C) The PERSON IN CHARGE shall ensure that a CONDITIONAL EMPLOYEE:
- (1) Who exhibits or reports a symptom, or who reports a diagnosed illness as specified under Subparagraphs (A)(1) (3) of this section, is prohibited from becoming a FOOD EMPLOYEE until the CONDITIONAL EMPLOYEE meets the criteria for the specific symptoms or diagnosed illness as specified under § 2-201.13; P and
- (2) Who will work as a FOOD EMPLOYEE in a FOOD ESTABLISHMENT that serves as a HIGHLY SUSCEPTIBLE POPULATION and reports a history of exposure as specified under Subparagraphs (A)(4) (5), is prohibited from becoming a FOOD EMPLOYEE until the CONDITIONAL EMPLOYEE meets the criteria as specified under ¶ 2-201.13(I). P

responsibility of the person in charge to exclude or restrict

(D) The PERSON IN CHARGE shall ensure that a FOOD EMPLOYEE who exhibits or reports a symptom, or who reports a diagnosed illness or a history of exposure as specified under Subparagraphs (A)(1) - (5) of this section is:

- (1) EXCLUDED as specified under $\P\P$ 2-201.12 (A) (C), and Subparagraphs (D)(1), (E)(1), (F)(1), or (G)(1) and in compliance with the provisions specified under $\P\P$ 2-201.13(A) (G); P or
- (2) RESTRICTED as specified under Subparagraphs 2-201.12 (D)(2), (E)(2), (F)(2), (G)(2), or $\P\P$ 2-201.12(H) or (I) and in compliance with the provisions specified under $\P\P$ 2-201.13(D) (I).

responsibility of food employees and conditional employees to report (E) A FOOD EMPLOYEE or CONDITIONAL EMPLOYEE shall report to the PERSON IN CHARGE the information as specified under \P (A) of this section. Pf

responsibility of food employees to comply

- (F) A FOOD EMPLOYEE shall:
- (1) Comply with an EXCLUSION as specified under ¶¶ 2-201.12(A) (C) and Subparagraphs 2-201.12(D)(1), (E)(1), (F)(1), or (G)(1) and with the provisions specified under ¶¶ 2-201.13(A) (G); P or
 - (2) Comply with a RESTRICTION as specified under Subparagraphs 2-201.12(D)(2), (E)(2), (F)(2), (G)(2), or $\P\P$ 2-201.12 (H) or (I) and comply with the provisions specified under $\P\P$ 2-201.13(D) (I).

conditions of exclusion and restriction

2-201.12 Exclusions and Restrictions.

The PERSON IN CHARGE shall EXCLUDE or RESTRICT a FOOD EMPLOYEE from a FOOD ESTABLISHMENT in accordance with the following:

symptomatic with vomiting or diarrhea

- (A) Except when the symptom is from a noninfectious condition, EXCLUDE a FOOD EMPLOYEE if the FOOD EMPLOYEE is:
 - (1) Symptomatic with vomiting or diarrhea; P or
 - (2) Symptomatic with vomiting or diarrhea and diagnosed with an infection from Norovirus, *Shigella* spp., or ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING *E. COLI.*^P

jaundiced or diagnosed with hepatitis A infection

- (B) Exclude a food employee who is:
 - (1) Jaundiced and the onset of jaundice occurred within
 - the last 7 calendar days, unless the FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER specifying that the jaundice is not caused by hepatitis A virus or other fecal-orally transmitted infection; P
 - (2) Diagnosed with an infection from hepatitis A virus within 14 calendar days from the onset of any illness symptoms, or within 7 calendar days of the onset of jaundice; or
 - (3) Diagnosed with an infection from hepatitis A virus without developing symptoms. P

diagnosed or reported previous infection due to **S. Typhi** (C) EXCLUDE a FOOD EMPLOYEE who is diagnosed with an infection from *Salmonella* Typhi, or reports a previous infection with *Salmonella* Typhi within the past 3 months as specified under Subparagraph 2-201.11(A)(3).

diagnosed with an asymptomatic infection from **Norovirus**

- (D) If a FOOD EMPLOYEE is diagnosed with an infection from Norovirus and is ASYMPTOMATIC:
- (1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; Por
 - (2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. P

diagnosed with **Shigella spp.** infection and asymptomatic

- (E) If a FOOD EMPLOYEE is diagnosed with an infection from *Shigella* spp. and is ASYMPTOMATIC:
 - (1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION: P or
 - (2) RESTRICT the FOOD EMPLOYEE who works in a FOOD

ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. P

diagnosed with **EHEC or STEC** and asymptomatic

- (F) If a FOOD EMPLOYEE is diagnosed with an infection from ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING *E. COLI*, and is ASYMPTOMATIC:
 - (1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; Por
 - (2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPUL ATION. P

symptomatic with sore throat with fever

- (G) If a FOOD EMPLOYEE is ill with symptoms of acute onset of sore throat with fever:
 - (1) EXCLUDE the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION; Por
 - (2) RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION. P

symptomatic with uncovered infected wound or pustular boil

(H) If a FOOD EMPLOYEE is infected with a skin lesion containing pus such as a boil or infected wound that is open or draining and not properly covered as specified under Subparagraph 2-201.11(A)(1)(e), RESTRICT the FOOD EMPLOYEE. P

exposed to foodborne pathogen and works in food establishment serving HSP

(I) If a FOOD EMPLOYEE is exposed to a foodborne pathogen as specified under Subparagraphs 2-201.11(A)(4) or (5), RESTRICT the FOOD EMPLOYEE who works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION. P

Managing Exclusions and Restrictions

2-201.13 Removal, Adjustment, or Retention of Exclusions and Restrictions.

The PERSON IN CHARGE shall adhere to the following conditions when removing, adjusting, or retaining the EXCLUSION or RESTRICTION of a FOOD EMPLOYEE:

- (A) Except when a FOOD EMPLOYEE is diagnosed with an infection from hepatitis A virus or Salmonella Typhi:
 - (1) Reinstate a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraph 2-201.12(A)(1) if the FOOD EMPLOYEE:

removing
exclusion for
food employee
who was
symptomatic
and not
diagnosed

- (a) Is ASYMPTOMATIC for at least 24 hours; P or
- (b) Provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER that states the symptom is from a noninfectious condition. P

Norovirus diagnosis

(2) If a FOOD EMPLOYEE was diagnosed with an infection from Norovirus and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):

adjusting
exclusion for
food employee
who was
symptomatic
and is now
asymptomatic

(a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (D)(1) or (2) of this section are met: Por

retaining
exclusion for
food employee
who was
asymptomatic
and is now
asymptomatic
and works in
food

(b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (D)(1) or (2) of this section are met. P

establishment serving HSP

Shigella spp. diagnosis

adjusting
exclusion for
food employee
who was
symptomatic
and is now
asymptomatic

retaining exclusion for food employee who was asymptomatic and is now asymptomatic

EHEC or STEC diagnosis

adjusting
exclusion for
food employee
who was
symptomatic
and is now
asymptomatic

retaining
exclusion for
food employee
who was
symptomatic
and is now
asymptomatic
and works in
food
establishment

- (3) If a FOOD EMPLOYEE was diagnosed with an infection from *Shigella* spp. and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):
 - (a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (E)(1) or (2) of this section are met; or
 - (b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (E)(1) or (2), or (E)(1) and (3)(a) of this section are met. P
- (4) If a FOOD EMPLOYEE was diagnosed with an infection from ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING ESCHERICHIA COLI and EXCLUDED as specified under Subparagraph 2-201.12(A)(2):
 - (a) RESTRICT the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT not serving a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (F)(1) or (2) of this section are met: P or
 - (b) Retain the EXCLUSION for the FOOD EMPLOYEE, who is ASYMPTOMATIC for at least 24 hours and works in a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION, until the conditions for reinstatement as specified under Subparagraphs (F)(1) or (2) are met. P

serving HSP

hepatitis A virus or jaundice diagnosis removing exclusions

- (B) Reinstate a FOOD EMPLOYEE who was EXCLUDED as specified under ¶ 2-201.12(B) if the PERSON IN CHARGE obtains APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met;
 - (1) The FOOD EMPLOYEE has been jaundiced for more than 7 calendar days:
 - (2) The anicteric FOOD EMPLOYEE has been symptomatic with symptoms other than jaundice for more than 14 calendar days; or
 - (3) The FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of a hepatitis A virus infection. P

S. Typhi diagnosis removing exclusions

- (C) Reinstate a FOOD EMPLOYEE who was EXCLUDED as specified under ¶ 2-201.12(C) if:
 - (1) The PERSON IN CHARGE obtains APPROVAL from the REGULATORY AUTHORITY; and
 - (2) The FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER that states the FOOD EMPLOYEE is free from S. Typhi infection. P

Norovirus diagnosis removing exclusion or restriction

- (D) Reinstate a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraphs 2-201.12(A)(2) or (D)(1) who was RESTRICTED under Subparagraph 2-201.12(D)(2) if the PERSON IN CHARGE obtains APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:
 - (1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of a Norovirus infection:
 - (2) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED after symptoms of vomiting or diarrhea resolved, and more than 48 hours have passed since the FOOD EMPLOYEE

became ASYMPTOMATIC; P or

(3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 48 hours have passed since the FOOD EMPLOYEE was diagnosed. P

Shigella spp. diagnosis - removing exclusion or restriction

- (E) Reinstate a FOOD EMPLOYEE who was EXCLUDED as specified under Subparagraphs 2-201.12(A)(2) or (E)(1) or who was RESTRICTED under Subparagraph 2-201.12(E)(2) if the PERSON IN CHARGE obtains APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:
 - (1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of a *Shigella* spp. infection based on test results showing 2 consecutive negative stool specimen cultures that are taken:
 - (a) Not earlier than 48 hours after discontinuance of antibiotics, ^P and
 - (b) At least 24 hours apart; P
 - (2) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED after symptoms of vomiting or diarrhea resolved, and more than 7 calendar days have passed since the FOOD EMPLOYEE became ASYMPTOMATIC: P or
 - (3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 7 calendar days have passed since the FOOD EMPLOYEE was diagnosed. P

EHEC or STEC diagnosis - removing exclusion or restriction

- (F) Reinstate a FOOD EMPLOYEE who was EXCLUDED or RESTRICTED as specified under Subparagraphs 2-201.12(A)(2) or (F)(1) or who was RESTRICTED under Subparagraph 2-201.12(F)(2) if the PERSON IN CHARGE obtains APPROVAL from the REGULATORY AUTHORITY and one of the following conditions is met:
 - (1) The EXCLUDED or RESTRICTED FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE is free of an infection from ENTEROHEMORRHAGIC or SHIGA TOXIN-PRODUCING

ESCHERICHIA COLI based on test results that show 2 consecutive negative stool specimen cultures that are taken:

- (a) Not earlier than 48 hours after discontinuance of antibiotics; P and
- (b) At least 24 hours apart; P
- (2) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED after symptoms of vomiting or diarrhea resolved and more than 7 calendar days have passed since the FOOD EMPLOYEE became ASYMPTOMATIC: P or
- (3) The FOOD EMPLOYEE was EXCLUDED or RESTRICTED and did not develop symptoms and more than 7 days have passed since the FOOD EMPLOYEE was diagnosed. P

sore throat with fever removing exclusion or restriction

- (G) Reinstate a FOOD EMPLOYEE who was EXCLUDED or RESTRICTED as specified under Subparagraphs 2-201.12(G)(1) or (2) if the FOOD EMPLOYEE provides to the PERSON IN CHARGE written medical documentation from a HEALTH PRACTITIONER stating that the FOOD EMPLOYEE meets one of the following conditions:
- (1) Has received antibiotic therapy for *Streptococcus* pyogenes infection for more than 24 hours; P
 - (2) Has at least one negative throat specimen culture for *Streptococcus pyogenes* infection; or
 - (3) Is otherwise determined by a HEALTH PRACTITIONER to be free of a *Streptococcus pyogenes* infection. P

uncovered infected wound or pustular boil - removing restriction

- (H) Reinstate a FOOD EMPLOYEE who was RESTRICTED as specified under ¶ 2-201.12(H) if the skin, infected wound, cut, or pustular boil is properly covered with one of the following:
 - (1) An impermeable cover such as a finger cot or stall and a SINGLE-USE glove over the impermeable cover if the infected wound or pustular boil is on the hand, finger, or wrist; P
- (2) An impermeable cover on the arm if the infected wound

or pustular boil is on the arm; Por

(3) A dry, durable, tight-fitting bandage if the infected wound or pustular boil is on another part of the body. P

exposure to foodborne pathogen and works in food establishment serving HSP – removing restriction (I) Reinstate a FOOD EMPLOYEE who was RESTRICTED as specified under ¶ 2-201.12(I) and was exposed to one of the following pathogens as specified under Subparagraph 2-201.11(A)(4) or (5):

Norovirus

- (1) Norovirus and one of the following conditions is met:
 - (a) More than 48 hours have passed since the last day the FOOD EMPLOYEE was potentially exposed; P or
 - (b) More than 48 hours have passed since the FOOD EMPLOYEE'S household contact became ASYMPTOMATIC. P

Shigella spp., EHEC, or STEC

- (2) Shigella spp. or Enterohemorrhagic or Shiga Toxin-PRODUCING ESCHERICHIA COLI and one of the following conditions is met:
 - (a) More than 3 calendar days have passed since the last day the FOOD EMPLOYEE was potentially exposed; P or
 - (b) More than 3 calendar days have passed since the FOOD EMPLOYEE'S household contact became ASYMPTOMATIC. P

S. Typhi

- (3) S. Typhi and one of the following conditions is met:
 - (a) More than 14 calendar days have passed since the last day the FOOD EMPLOYEE was potentially exposed; or
 - (b) More than 14 calendar days have passed since the FOOD EMPLOYEE'S household contact became ASYMPTOMATIC. P

hepatitis A

(4) Hepatitis A virus and one of the following conditions is met:

- (a) The FOOD EMPLOYEE is immune to hepatitis A virus infection because of a prior illness from hepatitis A; P
- (b) The FOOD EMPLOYEE is immune to hepatitis A virus infection because of vaccination against hepatitis A;
- (c) The FOOD EMPLOYEE is immune to hepatitis A virus infection because of IgG administration; P
- (d) More than 30 calendar days have passed since the last day the FOOD EMPLOYEE was potentially exposed; P
- (e) More than 30 calendar days have passed since the FOOD EMPLOYEE'S household contact became jaundiced; P or
- (f) The FOOD EMPLOYEE does not use an alternative procedure that allows bare hand contact with READY-TO-EAT FOOD until at least 30 days after the potential exposure, as specified in Subparagraphs (I)(4)(d) and (e) of this section, and the FOOD EMPLOYEE receives additional training about:
 - (i) Hepatitis A symptoms and preventing the transmission of infection, P
- (ii) Proper handwashing procedures, P and
 - (iii) Protecting READY-TO-EAT FOOD from contamination introduced by bare hand contact. P

2-3 PERSONAL CLEANLINESS Subparts 2-301 Hands and Arms 2-302 Fingernails 2-303 Jewelry 2-304 Outer Clothing

Hands and Arms 2-301.11 Clean Condition.

FOOD EMPLOYEES shall keep their hands and exposed portions of their arms clean. P

2-301.12 Cleaning Procedure.

- (A) Except as specified in ¶ (D) of this section, FOOD EMPLOYEES shall clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands or arms for at least 20 seconds, using a cleaning compound in a HANDWASHING SINK that is equipped as specified under § 5-202.12 and Subpart 6-301. P
- (B) FOOD EMPLOYEES shall use the following cleaning procedure in the order stated to clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands and arms:
- (1) Rinse under clean, running warm water; P
- (2) Apply an amount of cleaning compound recommended by the cleaning compound manufacturer; P
- (3) Rub together vigorously for at least 10 to 15 seconds while:
 - (a) Paying particular attention to removing soil from underneath the fingernails during the cleaning procedure, ^P and
 - (b) Creating friction on the surfaces of the hands and arms or surrogate prosthetic devices for hands and arms, finger tips, and areas between the fingers; P
- (4) Thoroughly rinse under clean, running warm water; P and
- (5) Immediately follow the cleaning procedure with thorough drying using a method as specified under § 6-301.12.
- (C) To avoid recontaminating their hands or surrogate prosthetic devices, FOOD EMPLOYEES may use disposable paper towels or similar clean barriers when touching surfaces such as manually operated faucet handles on a HANDWASHING SINK or the handle of a restroom door.

(D) If APPROVED and capable of removing the types of soils encountered in the FOOD operations involved, an automatic handwashing facility may be used by FOOD EMPLOYEES to clean their hands or surrogate prosthetic devices.

2-301.13 Special Handwash Procedures.

Reserved.

2-301.14 When to Wash.

FOOD EMPLOYEES shall clean their hands and exposed portions of their arms as specified under § 2-301.12 immediately before engaging in FOOD preparation including working with exposed FOOD, clean EQUIPMENT and UTENSILS, and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES and:

- (A) After touching bare human body parts other than clean hands and clean, exposed portions of arms; P
 - (B) After using the toilet room; P
- (C) After caring for or handling SERVICE ANIMALS or aquatic animals as specified in ¶ 2-403.11(B); P
- (D) Except as specified in ¶ 2-401.11(B), after coughing, sneezing, using a handkerchief or disposable tissue, using tobacco, eating, or drinking; P
 - (E) After handling soiled EQUIPMENT or UTENSILS; P
- (F) During FOOD preparation, as often as necessary to remove soil and contamination and to prevent cross contamination when changing tasks; P
- (G) When switching between working with raw FOOD and working with READY-TO-EAT FOOD; P
- (H) Before donning gloves for working with FOOD; P and
- (I) After engaging in other activities that contaminate the hands. P

2-301.15 Where to Wash.

FOOD EMPLOYEES shall clean their hands in a HANDWASHING SINK OR APPROVED automatic handwashing facility and may not clean their hands in a sink used for FOOD preparation or WAREWASHING, or in a service sink or a curbed cleaning facility used for the disposal of mop water and similar liquid waste. Pf

2-301.16 Hand Antiseptics.

- (A) A hand antiseptic used as a topical application, a hand antiseptic solution used as a hand dip, or a hand antiseptic soap shall:
 - (1) Comply with one of the following:
 - (a) Be an APPROVED drug that is listed in the FDA publication **Approved Drug Products with Therapeutic Equivalence Evaluations** as an APPROVED drug based on safety and effectiveness; ^{Pf} or
 - (b) Have active antimicrobial ingredients that are listed in the FDA monograph for OTC Health-Care Antiseptic Drug Products as an antiseptic handwash, ^{Pf} and
 - (2) Comply with one of the following:
 - (a) Have components that are exempted from the requirement of being listed in federal FOOD ADDITIVE regulations as specified in 21 CFR 170.39 Threshold of regulation for substances used in food-contact articles;^{Pf} or
 - (b) Comply with and be listed in:
 - (i) 21 CFR 178 Indirect Food Additives: Adjuvants, Production Aids, and Sanitizers as regulated for use as a FOOD ADDITIVE with conditions of safe use, Pf or
 - (ii) 21 CFR 182 Substances Generally Recognized as Safe, 21 CFR 184 - Direct Food Substances Affirmed as Generally Recognized as Safe, or 21 CFR 186 -Indirect Food Substances Affirmed as Generally Recognized as Safe for use in contact with food. Pf and

- (3) Be applied only to hands that are cleaned as specified under § 2-301.12. Pf
- (B) If a hand antiseptic or a hand antiseptic solution used as a hand dip does not meet the criteria specified under Subparagraph (A)(2) of this section, use shall be:
- (1) Followed by thorough hand rinsing in clean water before hand contact with FOOD or by the use of gloves; Pf or
- (2) Limited to situations that involve no direct contact with FOOD by the bare hands. Pf
- (C) A hand antiseptic solution used as a hand dip shall be maintained clean and at a strength equivalent to at least 100 Mg/L chlorine. Pf

Fingernails

2-302.11 Maintenance.

- (A) FOOD EMPLOYEES shall keep their fingernails trimmed, filed, and maintained so the edges and surfaces are cleanable and not rough. Pf
- (B) *Unless wearing intact gloves in good repair*, a FOOD EMPLOYEE may not wear fingernail polish or artificial fingernails when working with exposed FOOD. Pf

Jewelry

2-303.11 Prohibition.

Except for a plain ring such as a wedding band, while preparing FOOD, FOOD EMPLOYEES may not wear jewelry including medical information jewelry on their arms and hands.

Outer Clothing

2-304.11 Clean Condition.

FOOD EMPLOYEES shall wear clean outer clothing to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

2-4 HYGIENIC PRACTICES

Subparts

2-401	Food Contamination Prevention
2-402	Hair Restraints
2-403	Animals

Food Contamination Prevention

2-401.11 Eating, Drinking, or Using Tobacco.

- (A) Except as specified in ¶ (B) of this section, an EMPLOYEE shall eat, drink, or use any form of tobacco only in designated areas where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can not result.
- (B) A FOOD EMPLOYEE may drink from a closed BEVERAGE container if the container is handled to prevent contamination of:
- (1) The EMPLOYEE'S hands;
 - (2) The container; and
- (3) Exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

2-401.12 Discharges from the Eyes, Nose, and Mouth.

FOOD EMPLOYEES experiencing persistent sneezing, coughing, or a runny nose that causes discharges from the eyes, nose, or mouth may not work with exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE or SINGLE-USE ARTICLES.

Hair Restraints

2-402.11 Effectiveness.

(A) Except as provided in ¶ (B) of this section, FOOD EMPLOYEES shall wear hair restraints such as hats, hair coverings or nets, beard restraints, and clothing that covers body hair, that are designed and worn to effectively keep their hair from contacting exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

(B) This section does not apply to FOOD EMPLOYEES such as counter staff who only serve BEVERAGES and wrapped or PACKAGED FOODS, hostesses, and wait staff if they present a minimal RISK of contaminating exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

Animals

2-403.11 Handling Prohibition.

- (A) Except as specified in ¶ (B) of this section, FOOD EMPLOYEES may not care for or handle animals that may be present such as patrol dogs, SERVICE ANIMALS, or pets that are allowed as specified in Subparagraphs 6-501.115(B)(2)-(5). Pf
- (B) FOOD EMPLOYEES with SERVICE ANIMALS may handle or care for their SERVICE ANIMALS and FOOD EMPLOYEES may handle or care for FISH in aquariums or MOLLUSCAN SHELLFISH or crustacea in display tanks if they wash their hands as specified under § 2-301.12 and ¶ 2-301.14(C).

Chapter Food

Parts

3-1	CHARACTERISTICS	
3-2	SOURCES, SPECIFICATIONS, AND ORIGINAL CONTAINERS AND	
	RECORDS	
3-3	PROTECTION FROM CONTAMINATION AFTER RECEIVING	
3-4	DESTRUCTION OF ORGANISMS OF PUBLIC HEALTH CONCERN	
3-5	LIMITATION OF GROWTH OF ORGANISMS OF PUBLIC HEALTH	
	CONCERN	
3-6	FOOD IDENTITY, PRESENTATION, AND ON-PREMISES	
	LABELING	
3-7	CONTAMINATED FOOD	
3-8	SPECIAL REQUIREMENTS FOR HIGHLY SUSCEPTIBLE	
	POPULATIONS	

3-1 CHARACTERISTICS Subparts 3-101 Condition

Condition 3-101.11 Safe, Unadulterated, and Honestly Presented.

FOOD shall be safe, unadulterated, and, as specified under \S 3-601.12, honestly presented. $^{\text{P}}$

3-2 SOURCES, SPECIFICATIONS, AND ORIGINAL CONTAINERS AND RECORDS

Subparts

3-201 Sources

3-202 Specifications for Receiving

3-203 Original Containers and Records

Sources

3-201.11 Compliance with Food Law.

- (A) FOOD shall be obtained from sources that comply with LAW. Food from FOOD ESTABLISHMENTS in states adjacent to North Carolina may be sold within North Carolina if the FOOD ESTABLISHMENTS are under jurisdiction of the local or state enforcement body in that state and approved by the REGULATORY AUTHORITY in North Carolina. To determine the extent of compliance with this Code, the REGULATORY AUTHORITY shall obtain reports regarding compliance and compliance history from responsible authorities in other jurisdictions where the FOOD ESTABLISHMENTS are located.
- (B) FOOD prepared in a private home may not be used or offered for human consumption in a FOOD ESTABLISHMENT. P
- (C) PACKAGED FOOD shall be labeled as specified in LAW, including 21 CFR 101 FOOD Labeling, 9 CFR 317 Labeling, Marking Devices, and Containers, and 9 CFR 381 Subpart N Labeling and Containers, and as specified under §§ 3-202.17 and 3-202.18. Pf
- (D) FISH, other than those specified in paragraph 3-402.11(B), that are intended for consumption in raw or undercooked form and allowed as specified in Subparagraph 3-401.11(D), may be offered for sale or service if they are obtained from a supplier that freezes the FISH as specified under § 3-402.11; or if they are frozen on the PREMISES as specified under § 3-402.11 and records are retained as specified under § 3-402.12.
- (E) WHOLE-MUSCLE, INTACT BEEF steaks that are intended for consumption in an undercooked form without a CONSUMER advisory as specified in ¶ 3-401.11(C) shall be:
 - (1) Obtained from a FOOD PROCESSING PLANT that, upon

request by the purchaser, packages the steaks and labels them, to indicate that the steaks meet the definition of WHOLE-MUSCLE, INTACT BEEF, $^{\rm Pf}$ or

- (2) Deemed acceptable by the REGULATORY AUTHORITY based on other evidence, such as written buyer specifications or invoices, that indicates that the steaks meet the definition of WHOLE-MUSCLE, INTACT BEEF, Pf and
- (3) If individually cut in a FOOD ESTABLISHMENT:
 - (a) Cut from WHOLE-MUSCLE INTACT BEEF that is labeled by a FOOD PROCESSING PLANT as specified in Subparagraph (E)(1) of this section or identified as specified in Subparagraph (E)(2) of this section, Pf
 - (b) Prepared so they remain intact, Pf and
 - (c) If PACKAGED for undercooking in a FOOD ESTABLISHMENT, labeled as specified in Subparagraph (E)(1) of this section or identified as specified in (E)(2) of this section. Pf
- (F) MEAT and POULTRY that is not a READY-TO-EAT FOOD and is in a PACKAGED form when it is offered for sale or otherwise offered for consumption, shall be labeled to include safe handling instructions as specified in LAW, including 9 CFR 317.2(I) and 9 CFR 381.125(b).
- (G) EGGS that have not been specifically treated to destroy all viable *Salmonellae* shall be labeled to include safe handling instructions as specified in LAW, including 21 CFR 101.17(h).

3-201.12 Food in a Hermetically Sealed Container.

FOOD in a HERMETICALLY SEALED CONTAINER shall be obtained from a FOOD PROCESSING PLANT that is regulated by the FOOD regulatory agency that has jurisdiction over the plant. P

3-201.13 Fluid Milk and Milk Products.

Fluid milk and milk products shall be obtained from sources that comply with GRADE A STANDARDS as specified in LAW. P

3-201.14 Fish.

- (A) FISH that are received for sale or service shall be:
 - (1) Commercially and legally caught or harvested; P or
 - (2) APPROVED for sale or service. P
- (B) MOLLUSCAN SHELLFISH that are recreationally caught may not be received for sale or service. P

3-201.15 Molluscan Shellfish.

- (A) MOLLUSCAN SHELLFISH shall be obtained from sources according to LAW and the requirements specified in the U.S. Department of Health and Human Services, Public Health Service, Food and Drug Administration, National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish.
- (B) MOLLUSCAN SHELLFISH received in interstate commerce shall be from sources that are listed in the Interstate Certified Shellfish Shippers List. P

3-201.16 Wild Mushrooms.

- (A) Except as specified in ¶ (B) of this section, mushroom species picked in the wild shall be obtained from sources where each mushroom is individually inspected and found to be safe by an APPROVED mushroom identification expert. P
- (B) This section does not apply to:
 - (1) Cultivated wild mushroom species that are grown, harvested, and processed in an operation that is regulated by the FOOD regulatory agency that has jurisdiction over the operation; or
 - (2) Wild mushroom species if they are in packaged form and are the product of a FOOD PROCESSING PLANT that is regulated by the FOOD regulatory agency that has jurisdiction over the plant.

3-201.17 Game Animals.

- (A) If GAME ANIMALS are received for sale or service they shall be:
 - (1) Commercially raised for FOOD P and:
 - (a) Raised, slaughtered, and processed under a voluntary inspection program that is conducted by the agency that has animal health jurisdiction, ^P or
 - (b) Under a routine inspection program conducted by a regulatory agency other than the agency that has animal health jurisdiction, ^P and
 - (c) Raised, slaughtered, and processed according to:
 - (i) LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program, P and
 - (ii) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an APPROVED veterinarian or veterinarian's designee; P
 - (2) Under a voluntary inspection program administered by the USDA for game animals such as exotic animals (reindeer, elk, deer, antelope, water buffalo, or bison) that are "inspected and APPROVED" in accordance with 9 CFR 352 Exotic animals; voluntary inspection or rabbits that are "inspected and certified" in accordance with 9 CFR 354 voluntary inspection of rabbits and edible products thereof; P
 - (3) As allowed by LAW, for wild GAME ANIMALS that are live-caught:
 - (a) Under a routine inspection program conducted by a regulatory agency such as the agency that has animal health jurisdiction, ^P and

- (b) Slaughtered and processed according to:
 - (i) LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program, P and
 - (ii) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an APPROVED veterinarian or veterinarian's designee; Por
- (4) As allowed by LAW, for field-dressed wild GAME ANIMALS under a routine inspection program that ensures the animals:
 - (a) Receive a postmortem examination by an APPROVED veterinarian or veterinarian's designee, P or
 - (b) Are field-dressed and transported according to requirements specified by the agency that has animal health jurisdiction and the agency that conducts the inspection program, ^P and
 - (c) Are processed according to LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program. P
- (B) A GAME ANIMAL may not be received for sale or service if it is a species of wildlife that is listed in 50 CFR 17 Endangered and threatened wildlife and plants.

Specifications for Receiving

3-202.11 Temperature.

- (A) Except as specified in ¶ (B) of this section, refrigerated, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be at a temperature of 5°C (41°F) or below when received. P
- (B) If a temperature other than 5°C (41°F) for a POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD)

is specified in LAW governing its distribution, such as LAWS governing milk and MOLLUSCAN SHELLFISH, the FOOD may be received at the specified temperature.

- (C) Raw EGGS shall be received in refrigerated equipment that maintains an ambient air temperature of 7°C (45°F) or less. P
- (D) POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is cooked to a temperature and for a time specified under §§ 3-401.11 3-401.13 and received hot shall be at a temperature of 57°C (135°F) or above. P
- (E) A FOOD that is labeled frozen and shipped frozen by a FOOD PROCESSING PLANT shall be received frozen. Pf
- (F) Upon receipt, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be free of evidence of previous temperature abuse. Pf

3-202.12 Additives.

FOOD may not contain unAPPROVED FOOD ADDITIVES or ADDITIVES that exceed amounts specified in 21 CFR 170-180 relating to FOOD ADDITIVES, generally recognized as safe or prior sanctioned substances that exceed amounts specified in 21 CFR 181-186, substances that exceed amounts specified in 9 CFR Subpart C Section 424.21(b) Food ingredients and sources of radiation, or pesticide residues that exceed provisions specified in 40 CFR 180 Tolerances for pesticides chemicals in food, and exceptions. P

3-202.13 Eggs.

EGGS shall be received clean and sound and may not exceed the restricted EGG tolerances for U.S. Consumer Grade B as specified in United States Standards, Grades, and Weight Classes for Shell Eggs, AMS 56.200 *et seq.*, administered by the Agricultural Marketing Service of USDA.

3-202.14 Eggs and Milk Products, Pasteurized.

(A) EGG PRODUCTS shall be obtained pasteurized. P

- (B) Fluid and dry milk and milk products shall:
- (1) Be obtained pasteurized; P and
- (2) Comply with GRADE A STANDARDS as specified in LAW. P
- (C) Frozen milk products, such as ice cream, shall be obtained pasteurized as specified in 21 CFR 135 Frozen desserts. P
- (D) Cheese shall be obtained pasteurized *unless alternative* procedures to pasteurization are specified in the CFR, such as 21 CFR 133 Cheeses and related cheese products, for curing certain cheese varieties. P

3-202.15 Package Integrity.

FOOD packages shall be in good condition and protect the integrity of the contents so that the FOOD is not exposed to ADULTERATION or potential contaminants. Pf

3-202.16 lce.

Ice for use as a FOOD or a cooling medium shall be made from DRINKING WATER. P

3-202.17 Shucked Shellfish, Packaging and Identification.

- (A) Raw SHUCKED SHELLFISH shall be obtained in nonreturnable packages which bear a legible label that identifies the: Pf
- (1) Name, address, and CERTIFICATION NUMBER of the shucker, packer or repacker of the MOLLUSCAN SHELLFISH; Pf and
 - (2) The "sell by" or "best if used by" date for packages with a capacity of less than 1.89 L (one-half gallon) or the date shucked for packages with a capacity of 1.89 L (one-half gallon) or more. Pf
- (B) A package of raw SHUCKED SHELLFISH that does not bear a label or which bears a label which does not contain all the information as specified under ¶ (A) of this section shall be subject to a hold order, as allowed by LAW, or seizure and

destruction in accordance with 21 CFR Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d) Molluscan shellfish.

3-202.18 Shellstock Identification.

- (A) SHELLSTOCK shall be obtained in containers bearing legible source identification tags or labels that are affixed by the harvester or DEALER that depurates, ships, or reships the SHELLSTOCK, as specified in the National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish, and that list: Pf
- (1) Except as specified under ¶ (C) of this section, on the harvester's tag or label, the following information in the following order: Pf
 - (a) The harvester's identification number that is assigned by the SHELLFISH CONTROL AUTHORITY, Pf
 - (b) The date of harvesting, Pf
 - (c) The most precise identification of the harvest location or aquaculture site that is practicable based on the system of harvest area designations that is in use by the SHELLFISH CONTROL AUTHORITY and including the abbreviation of the name of the state or country in which the shellfish are harvested. Pf
 - (d) The type and quantity of shellfish, Pf and
 - (e) The following statement in bold, capitalized type: "This tag is required to be attached until container is empty or retagged and thereafter kept on file for 90 days"; ^{Pf} and
- (2) Except as specified in ¶ (D) of this section, on each DEALER'S tag or label, the following information in the following order: Pf
 - (a) The DEALER'S name and address, and the CERTIFICATION NUMBER assigned by the SHELLFISH CONTROL AUTHORITY, Pf
 - (b) The original shipper's CERTIFICATION NUMBER including the abbreviation of the name of the state or country in

which the shellfish are harvested. Pf

- (c) The same information as specified for a harvester's tag under Subparagraphs (A)(1)(b)-(d) of this section, ^{Pf} and
- (d) The following statement in bold, capitalized type: "This tag is required to be attached until container is empty and thereafter kept on file for 90 days." Pf
- (B) A container of SHELLSTOCK that does not bear a tag or label or that bears a tag or label that does not contain all the information as specified under ¶ (A) of this section shall be subject to a hold order, as allowed by LAW, or seizure and destruction in accordance with 21 CFR Subpart D Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d).
- (C) If a place is provided on the harvester's tag or label for a DEALER's name, address, and CERTIFICATION NUMBER, the DEALER's information shall be listed first.
- (D) If the harvester's tag or label is designed to accommodate each DEALER's identification as specified under Subparagraphs (A)(2)(a) and (b) of this section, individual DEALER tags or labels need not be provided.

3-202.19 Shellstock, Condition.

When received by a FOOD ESTABLISHMENT, SHELLSTOCK shall be reasonably free of mud, dead shellfish, and shellfish with broken shells. Dead shellfish or SHELLSTOCK with badly broken shells shall be discarded.

3-202.110 Juice Treated.

Commercially Processed

Pre-PACKAGED JUICE shall:

- (A) Be obtained from a processor with a HACCP system as specified in 21 CFR Part 120 Hazard Analysis and Critical Control (HACCP) Systems; ^{Pf} and
- (B) Be obtained pasteurized or otherwise treated to attain a5-log reduction of the most resistant microorganism of public

health significance as specified in 21 CFR Part 120.24 Process Controls. P

3-203.11 Molluscan Shellfish, Original Container.

(A) Except as specified in $\P\P$ (B) - (D) of this section, MOLLUSCAN SHELLFISH may not be removed from the container in which they are received other than immediately before sale or preparation for service.

Original Containers and Records

- (B) For display purposes, SHELLSTOCK may be removed from the container in which they are received, displayed on drained ice, or held in a display container, and a quantity specified by a CONSUMER may be removed from the display or display container and provided to the CONSUMER if:
- (1) The source of the SHELLSTOCK on display is identified as specified under § 3-202.18 and recorded as specified under § 3-203.12; and
- (2) The SHELLSTOCK are protected from contamination.
- (C) Shucked shellfish may be removed from the container in which they were received and held in a display container from which individual servings are dispensed upon a CONSUMER'S request if:
- The labeling information for the shellfish on display as specified under § 3-202.17 is retained and correlated to the date when, or dates during which, the shellfish are sold or served; and
 - (2) The shellfish are protected from contamination.
- (D) Shucked shellfish may be removed from the container in which they were received and repacked in Consumer self service containers where allowed by LAW if:
- (1) The labeling information for the shellfish is on each CONSUMER self service container as specified under § 3-202.17 and ¶¶ 3-602.11(A) and (B)(1) (5);
- (2) The labeling information as specified under § 3-202.17 is retained and correlated with the date when, or dates during which, the shellfish are sold or served;

- (3) The labeling information and dates specified under Subparagraph (D)(2) of this section are maintained for 90 days; and
- (4) The shellfish are protected from contamination.

3-203.12 Shellstock, Maintaining Identification.

- (A) Except as specified under Subparagraph (C) (2) of this section, SHELLSTOCK tags or labels shall remain attached to the container in which the SHELLSTOCK are received until the container is empty. Pf
- (B) The date when the last SHELLSTOCK from the container is sold or served shall be recorded on the tag or label. Pf
- (C) The identity of the source of SHELLSTOCK that are sold or served shall be maintained by retaining SHELLSTOCK tags or labels for 90 calendar days from the date that is recorded on the tag or label, as specified under ¶ B of this section, by: Pf
 - (1) Using an APPROVED record keeping system that keeps the tags or labels in chronological order correlated to the date that is recorded on the tag or label, as specified under ¶ B of this section: Pf and
 - (2) If SHELLSTOCK are removed from its tagged or labeled container:
 - (a) Preserving source identification by using a record keeping system as specified under Subparagraph (C)(1) of this section, Pf and
 - (b) Ensuring that SHELLSTOCK from one tagged or labeled container are not COMMINGLED with SHELLSTOCK from another container with different CERTIFICATION NUMBERS; different harvest dates; or different growing areas as identified on the tag or label before being ordered by the CONSUMER. Pf

3-3	PROTECTION FROM CONTAMINATION AFTER RECEIVING		
	Subparts		
	3-301	Preventing Contamination by Employees	
	3-302	Preventing Food and Ingredient Contamination	
	3-303	Preventing Contamination from Ice Used as a Coolant	
	3-304	Preventing Contamination from Equipment,	
	3-305	Preventing Contamination from the Premises	
	3-306	Preventing Contamination by Consumers	
	3-307	Preventing Contamination from Other Sources	

Preventing Contamination by Employees

3-301.11 Preventing Contamination from Hands.

- (A) FOOD EMPLOYEES shall wash their hands as specified under § 2-301.12.
- (B) Except when washing fruits and vegetables as specified under Section 3-302.15 or as specified in <u>Paragraphs (D) and (E)</u> of this section, FOOD EMPLOYEES may not contact exposed, READY-TO-EAT FOOD with their bare hands and shall use suitable UTENSILS such as deli tissue, spatulas, tongs, SINGLE-USE gloves, or dispensing EQUIPMENT. P
- (C) FOOD EMPLOYEES shall minimize bare hand and arm contact with exposed FOOD that is not in a READY-TO-EAT form. Pf
- (D) Paragraph (B) of this section does not apply to a FOOD EMPLOYEE who contacts exposed, READY-TO-EAT FOOD with bare hands at the time the READY-TO-EAT FOOD is being added as an ingredient to a FOOD that is to be cooked in the FOOD ESTABLISHMENT to heat all parts of the FOOD to a temperature of at least 74° C (165° F).
- (E) FOOD EMPLOYEES not serving a HIGHLY SUSCEPTIBLE POPULATION may contact exposed, READY-TO-EAT FOOD with their bare hands if:
 - (1) The PERMIT HOLDER obtains prior APPROVAL from the REGULATORY AUTHORITY;
 - (2) Written procedures are maintained in the FOOD ESTABLISHMENT and made available to the REGULATORY

AUTHORITY upon request that include:

- (a) For each bare hand contact procedure, a listing of the specific READY-TO-EAT FOODS that are touched by bare hands,
- (b) Diagrams and other information showing that handwashing facilities, installed, located, equipped, and maintained as specified under §§ 5-203.11, 5-204.11, 5-205.11, 6-301.11, 6-301.12, and 6-301.14, are in an easily accessible location and in close proximity to the work station where the bare hand contact procedure is conducted:
- (3) A written EMPLOYEE health policy that details how the FOOD ESTABLISHMENT complies with §§ 2-201.11, 2-201.12, and 2-201.13 including:
 - (a) Documentation that FOOD EMPLOYEES and CONDITIONAL EMPLOYEES acknowledge that they are informed to report information about their health and activities as they relate to gastrointestinal symptoms and diseases that are transmittable through FOOD as specified under ¶2-201.11(A),
 - (b) Documentation that FOOD EMPLOYEES and CONDITIONAL EMPLOYEES acknowledge their responsibilities as specified under ¶ 2-201.11(E) and (F), and
 - (c) Documentation that the PERSON IN CHARGE acknowledges the responsibilities as specified under ¶¶ 2-201.11(B), (C) and (D), and §§ 2-201.12 and 2-201.13;
- (4) Documentation that FOOD EMPLOYEES acknowledge that they have received training in:
 - (a) The RISKS of contacting the specific READY-TO-EAT FOODS with bare hands,
 - (b) Proper handwashing as specified under § 2-301.12,
 - (c) When to wash their hands as specified under § 2-301.14,

- (d) Where to wash their hands as specified under § 2-301.15,
- (e) Proper fingernail maintenance as specified under § 2-302.11,
- (f) Prohibition of jewelry as specified under § 2-303.11, and
- (g) Good hygienic practices as specified under §§2-401.11 and 2-401.12;
- (5) Documentation that hands are washed before FOOD preparation and as necessary to prevent cross contamination by FOOD EMPLOYEES as specified under §§ 2-301.11, 2-301.12, 2-301.14, and 2-301.15 during all hours of operation when the specific READY-TO-EAT FOODS are prepared;
- (6) Documentation that FOOD EMPLOYEES contacting READY-TO-EAT FOOD with bare hands use two or more of the following control measures to provide additional safeguards to HAZARDS associated with bare hand contact.
 - (a) Double handwashing,
 - (b) Nail brushes,
 - (c) A hand antiseptic after handwashing as specified under § 2-301.16,
 - (d) Incentive programs such as paid sick leave that assist or encourage FOOD EMPLOYEES not to work when they are ill, or
 - (e) Other control measures APPROVED by the REGULATORY AUTHORITY; and
- (7) Documentation that corrective action is taken when Subparagraphs (E) (1) (6) of this section are not followed.

3-301.12 Preventing Contamination When Tasting.

A FOOD EMPLOYEE may not use a UTENSIL more than once to taste FOOD that is to be sold or served. P

Preventing Food and Ingredient Contamination

3-302.11 Packaged and Unpackaged Food - Separation, Packaging, and Segregation.

- (A) FOOD shall be protected from cross contamination by:
 - (1) Except as specified in (1)(c) below, separating raw animal FOODS during storage, preparation, holding, and display from:
 - (a) Raw READY-TO-EAT FOOD including other raw animal FOOD such as FISH for sushi or MOLLUSCAN SHELLFISH, or other raw READY-TO-EAT FOOD such as fruits and vegetables, P and
 - (b) Cooked READY-TO-EAT FOOD; P
 - (c) Frozen, commercially processed and packaged raw animal FOOD may be stored or displayed with or above frozen, commercially processed and packaged, ready-to-eat food.
 - (2) Except when combined as ingredients, separating types of raw animal FOODS from each other such as beef, FISH, lamb, pork, and POULTRY during storage, preparation, holding, and display by:
 - (a) Using separate EQUIPMENT for each type, P or
 - (b) Arranging each type of FOOD in EQUIPMENT so that cross contamination of one type with another is prevented, $^{\rm P}$ and
 - (c) Preparing each type of FOOD at different times or in separate areas; P
 - (3) Cleaning EQUIPMENT and UTENSILS as specified under ¶ 4-602.11(A) and SANITIZING as specified under § 4-703.11;
 - (4) Except as specified under Subparagraph 3-501.15(B)(2) and in ¶ (B) of this section, storing the FOOD in packages, covered containers, or wrappings;
 - (5) Cleaning HERMETICALLY SEALED CONTAINERS of FOOD of

visible soil before opening;

- (6) Protecting FOOD containers that are received packaged together in a case or overwrap from cuts when the case or overwrap is opened;
- (7) Storing damaged, spoiled, or recalled FOOD being held in the FOOD ESTABLISHMENT as specified under § 6-404.11; and
- (8) Separating fruits and vegetables, before they are washed as specified under § 3-302.15 from READY-TO-EAT FOOD.
- (B) Subparagraph (A)(4) of this section does not apply to:
 - (1) Whole, uncut, raw fruits and vegetables and nuts in the shell, that require peeling or hulling before consumption;
 - (2) PRIMAL CUTS, quarters, or sides of raw MEAT or slab bacon that are hung on clean, SANITIZED hooks or placed on clean, SANITIZED racks;
 - (3) Whole, uncut, processed MEATS such as country hams, and smoked or cured sausages that are placed on clean, SANITIZED racks;
 - (4) FOOD being cooled as specified under Subparagraph 3-501.15(B)(2); or
 - (5) SHELLSTOCK.

3-302.12 Food Storage Containers, Identified with Common Name of Food.

Except for containers holding FOOD that can be readily and unmistakably recognized such as dry pasta, working containers holding FOOD or FOOD ingredients that are removed from their original packages for use in the FOOD ESTABLISHMENT, such as cooking oils, flour, herbs, potato flakes, salt, spices, and sugar shall be identified with the common name of the FOOD.

3-302.13 Pasteurized Eggs, Substitute for Raw Eggs for Certain Recipes.

Pasteurized EGGS or EGG PRODUCTS shall be substituted for raw EGGS in the preparation of FOODS such as Caesar salad, hollandaise or Béarnaise sauce, mayonnaise, meringue, eggnog, ice cream, and EGG-fortified BEVERAGES that are not: P

- (A) Cooked as specified under Subparagraphs 3-401.11(A)(1) or (2); P or
- (B) Included in ¶ 3-401.11(D). P

3-302.14 Protection from Unapproved Additives.

- (A) FOOD shall be protected from contamination that may result from the addition of, as specified in § 3-202.12:
 - (1) Unsafe or unapproved food or color additives; P and
 - (2) Unsafe or unapproved levels of approved food and color additives. P
- (B) A FOOD EMPLOYEE may not:
 - (1) Apply sulfiting agents to fresh fruits and vegetables intended for raw consumption or to a FOOD considered to be a good source of vitamin B₁; ^P or
 - (2) Except for grapes, serve or sell FOOD specified under Subparagraph (B)(1) of this section that is treated with sulfiting agents before receipt by the FOOD ESTABLISHMENT. P

3-302.15 Washing Fruits and Vegetables.

- (A) Except as specified in ¶ (B) of this section and except for whole, raw fruits and vegetables that are intended for washing by the CONSUMER before consumption, raw fruits and vegetables shall be thoroughly washed in water to remove soil and other contaminants before being cut, combined with other ingredients, cooked, served, or offered for human consumption in READY-TO-EAT form.
- (B) Fruits and vegetables may be washed by using chemicals as specified under § 7-204.12.

Preventing Contamination from Ice Used as a Coolant

3-303.11 Ice Used as Exterior Coolant, Prohibited as Ingredient.

After use as a medium for cooling the exterior surfaces of FOOD such as melons or FISH, PACKAGED FOODS such as canned BEVERAGES, or cooling coils and tubes of EQUIPMENT, ice may not be used as FOOD. P

3-303.12 Storage or Display of Food in Contact with Water or Ice.

- (A) PACKAGED FOOD may not be stored in direct contact with ice or water if the FOOD is subject to the entry of water because of the nature of its packaging, wrapping, or container or its positioning in the ice or water.
- ((B) Except as specified in $\P\P$ (C) and (D) of this section, unpackaged food may not be stored in direct contact with undrained ice.
- (C) Whole, raw fruits or vegetables; cut, raw vegetables such as celery or carrot sticks or cut potatoes; and tofu may be immersed in ice or water.
- (D) Raw poultry and raw FISH that are received immersed in ice in shipping containers may remain in that condition while in storage awaiting preparation, display, service, or sale.

Preventing Contamination from Equipment, Utensils, and Linens

3-304.11 Food Contact with Equipment and Utensils.

FOOD shall only contact surfaces of:

- (A) EQUIPMENT and UTENSILS that are cleaned as specified under Part 4-6 of this Code and SANITIZED as specified under Part 4-7 of this Code: P or
- (B) SINGLE-SERVICE and SINGLE-USE ARTICLES. P

3-304.12 In-Use Utensils, Between-Use Storage.

During pauses in FOOD preparation or dispensing, FOOD preparation and dispensing UTENSILS shall be stored:

- (A) Except as specified under ¶ (B) of this section, in the FOOD with their handles above the top of the FOOD and the container;
- (B) In FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) with their handles above the top of the FOOD within containers or EQUIPMENT that can be closed, such as bins of sugar, flour, or cinnamon:
- (C) On a clean portion of the FOOD preparation table or cooking EQUIPMENT only if the in-use UTENSIL and the FOOD-CONTACT surface of the FOOD preparation table or cooking EQUIPMENT are cleaned and SANITIZED at a frequency specified under §§ 4-602.11 and 4-702.11;
- (D) In running water of sufficient velocity to flush particulates to the drain, if used with moist FOOD such as ice cream or mashed potatoes;
- (E) In a clean, protected location if the UTENSILS, such as ice scoops, are used only with a FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD); or
- (F) In a container of water if the water is maintained at a temperature of at least 57°C (135°F) and the container is cleaned at a frequency specified under Subparagraph 4-602.11(D)(7).

3-304.13 Linens and Napkins, Use Limitation.

LINENS and napkins may not be used in contact with FOOD unless they are used to line a container for the service of FOODS and the LINENS and napkins are replaced each time the container is refilled for a new CONSUMER.

3-304.14 Wiping Cloths, Use Limitation.

(A) Cloths in-use for wiping FOOD spills from TABLEWARE and carry-out containers that occur as FOOD is being served shall be:

- (1) Maintained dry; and
- (2) Used for no other purpose.
- (B) Cloths in-use for wiping counters and other EQUIPMENT surfaces shall be:
 - (1) Held between uses in a chemical sanitizer solution at a concentration specified under § 4-501.114; and
 - (2) Laundered daily as specified under ¶ 4-802.11(D).
- (C) Cloths in-use for wiping surfaces in contact with raw animal FOODS shall be kept separate from cloths used for other purposes.
- (D) Dry wiping cloths and the chemical sanitizing solutions specified in Subparagraph (B)(1) of this section in which wet wiping cloths are held between uses shall be free of FOOD debris and visible soil.
- (E) Containers of chemical sanitizing solutions specified in Subparagraph (B)(1) of this section in which wet wiping cloths are held between uses shall be stored off the floor and used in a manner that prevents contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, SINGLE-SERVICE, or SINGLE-USE ARTICLES.
- (F) SINGLE-USE disposable sanitizer wipes shall be used in accordance with EPA-approved manufacturer's label use instructions.

3-304.15 Gloves, Use Limitation.

- (A) If used, SINGLE-USE gloves shall be used for only one task such as working with READY-TO-EAT FOOD or with raw animal FOOD, used for no other purpose, and discarded when damaged or soiled, or when interruptions occur in the operation. P
- (B) Except as specified in ¶ (C) of this section, slash-resistant gloves that are used to protect the hands during operations requiring cutting shall be used in direct contact only with FOOD that is subsequently cooked as specified under Part 3-4 such as frozen FOOD or a PRIMAL CUT of MEAT.

(C) Slash-resistant gloves may be used with READY-TO-EAT FOOD that will not be subsequently cooked if the slash-resistant gloves have a SMOOTH, durable, and nonabsorbent outer surface; or if

the slash-resistant gloves are covered with a SMOOTH, durable, nonabsorbent glove, or a SINGLE-USE glove.

(D) Cloth gloves may not be used in direct contact with FOOD unless the FOOD is subsequently cooked as required under Part 3-4 such as frozen FOOD or a PRIMAL CUT of MEAT.

3-304.16 Using Clean Tableware for Second Portions and Refills.

- (A) Except for refilling a CONSUMER'S drinking cup or container without contact between the pouring UTENSIL and the lipcontact area of the drinking cup or container, FOOD EMPLOYEES may not use TABLEWARE, including SINGLE-SERVICE ARTICLES, soiled by the CONSUMER, to provide second portions or refills.
- (B) Except as specified in ¶ (C) of this section, self-service CONSUMERS may not be allowed to use soiled TABLEWARE, including SINGLE-SERVICE ARTICLES, to obtain additional FOOD from the display and serving EQUIPMENT.
- (C) Drinking cups and containers may be reused by self-service CONSUMERS if refilling is a contamination-free process as specified under ¶¶ 4-204.13(A), (B), and (D).

3-304.17 Refilling Returnables.

- (A) A take-home FOOD container returned to a FOOD ESTABLISHMENT may not be refilled at a FOOD ESTABLISHMENT with a POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD).
- (B) Except as specified in ¶ (C), a take-home FOOD container refilled with FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be cleaned as specified under ¶ 4-603.17(B).
- (C) Personal take-out BEVERAGE containers, such as thermally insulated bottles, nonspill coffee cups, and promotional BEVERAGE glasses, may be refilled by EMPLOYEES or the

CONSUMER if refilling is a contamination-free process as specified under $\P\P$ 4-204.13(A), (B), and (D).

Preventing Contamination from the Premises

3-305.11 Food Storage.

- (A) Except as specified in ¶¶ (B) and (C) of this section, FOOD shall be protected from contamination by storing the FOOD:
 - (1) In a clean, dry location;
 - (2) Where it is not exposed to splash, dust, or other contamination; and
 - (3) At least 15 cm (6 inches) above the floor.
- (B) FOOD in packages and working containers may be stored less than 15 cm (6 inches) above the floor on case lot handling EQUIPMENT as specified under § 4-204.122.
- (C) Pressurized BEVERAGE containers, cased FOOD in waterproof containers such as bottles or cans, and milk containers in plastic crates may be stored on a floor that is clean and not exposed to floor moisture.

3-305.12 Food Storage, Prohibited Areas.

FOOD may not be stored:

- (A) In locker rooms;
- (B) In toilet rooms;
- (C) In dressing rooms;
- (D) In garbage rooms;
- (E) In mechanical rooms;
- (F) Under sewer lines that are not shielded to intercept potential drips;
- (G) Under leaking water lines, including leaking automatic fire sprinkler heads, or under lines on which water has

condensed;

- (H) Under open stairwells; or
- (I) Under other sources of contamination.

3-305.13

DELETED

3-305.14 Food Preparation.

During preparation, unpackaged food shall be protected from environmental sources of contamination.

Preventing Contamination by Consumers

3-306.11 Food Display.

Except for nuts in the shell and whole, raw fruits and vegetables that are intended for hulling, peeling, or washing by the CONSUMER before consumption, FOOD on display shall be protected from contamination by the use of PACKAGING; counter, service line, or salad bar FOOD guards; display cases; or other effective means. P

3-306.12 Condiments, Protection.

(A) Condiments shall be protected from contamination by being kept in dispensers that are designed to provide protection, protected FOOD displays provided with the proper UTENSILS, original containers designed for dispensing, or individual PACKAGES or portions.

(B) DELETED

3-306.13 Consumer Self-Service Operations.

- (A) Raw, unpackaged animal food, such as beef, lamb, pork, POULTRY, and FISH may not be offered for CONSUMER self-service. P This paragraph does not apply to:
 - (1) CONSUMER self-service of READY-TO-EAT FOODS at buffets

or salad bars that serve FOODS such as sushi or raw shellfish;

- (2) Ready-to-cook individual portions for immediate cooking and consumption on the PREMISES such as CONSUMER-cooked MEATS or CONSUMER-selected ingredients for Mongolian barbecue; or
- (3) Raw, frozen, shell-on shrimp, or lobster.
- (B) CONSUMER self-service operations for READY-TO-EAT FOODS shall be provided with suitable UTENSILS or effective dispensing methods that protect the FOOD from contamination. Pf
- (C) Consumer self-service operations such as buffets and salad bars shall be monitored by FOOD EMPLOYEES trained in safe operating procedures. Pf

3-306.14 Returned Food and Re-Service of Food.

- (A) Except as specified in ¶ (B) of this section, after being served or sold and in the possession of a CONSUMER, FOOD that is unused or returned by the CONSUMER may not be offered as FOOD for human consumption. P
- (B) Except as specified under ¶ 3-801.11(G), a container of FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) may be RE-SERVED from one CONSUMER to another if:
- (1) The FOOD is dispensed so that it is protected from contamination and the container is closed between uses, such as a narrow-neck bottle containing catsup, steak sauce, or wine; or
- (2) The FOOD, such as crackers, salt, or pepper, is in an unopened original PACKAGE and is maintained in sound condition.

Preventing Contamination from Other Sources

3-307.11 Miscellaneous Sources of Contamination.

FOOD shall be protected from contamination that may result from a factor or source not specified under Subparts 3-301 - 3-306.

3-4	DESTRUCTION OF ORGANISMS OF PUBLIC HEALTH CONCERN	
	Subparts	
	3-401 3-402 3-403 3-404	Cooking Freezing Reheating Other Methods

Cooking 3-401.11 Raw Animal Foods.

- (A) Except as specified under ¶ (B) and in ¶¶ (C) and (D) of this section, raw animal FOODS such as EGGS, FISH, MEAT, POULTRY, and FOODS containing these raw animal FOODS, shall be cooked to heat all parts of the FOOD to a temperature and for a time that complies with one of the following methods based on the FOOD that is being cooked:
 - (1) 63°C (145°F) or above for 15 seconds for: P
 - (a) Raw EGGS that are broken and prepared in response to a CONSUMER'S order and for immediate service, ^P and
 - (b) Except as specified under Subparagraphs (A)(2) and (A)(3) and \P (B), and in \P (C) of this section, FISH and MEAT including GAME ANIMALS commercially raised for FOOD as specified under Subparagraph 3-201.17(A)(1) and GAME ANIMALS under a voluntary inspection program as specified under Subparagraph 3-201.17(A)(2);

(2) 68°C (155°F) for 15 seconds or the temperature specified in the following chart that corresponds to the holding time for RATITES, MECHANICALLY TENDERIZED, and INJECTED MEATS; the following if they are COMMINUTED: FISH, MEAT, GAME ANIMALS commercially raised for FOOD as specified under Subparagraph 3-201.17(A)(1), and GAME ANIMALS under a voluntary inspection program as specified under Subparagraph 3-201.17(A)(2); and raw EGGS that are not prepared as specified under Subparagraph (A)(1)(a) of this section:

Minimum				
Temperature °C (°F)	Time			
63 (145)	3 minutes			
66 (150)	1 minute			
70 (158)	< 1 second (instantaneous)			

;or

- (3) 74°C (165°F) or above for 15 seconds for POULTRY, BALUTS, wild GAME ANIMALS as specified under Subparagraphs 3-201.17(A)(3) and (4), stuffed FISH, stuffed MEAT, stuffed pasta, stuffed POULTRY, stuffed RATITES, or stuffing containing FISH, MEAT, POULTRY, or RATITES. P
- (B) Whole MEAT roasts including beef, corned beef, lamb, pork, and cured pork roasts such as ham shall be cooked:
 - (1) In an oven that is preheated to the temperature specified for the roast's weight in the following chart and that is held at that temperature: Pf

Oven Type	Oven Temperature Based on Roast Weight		
	Less than 4.5 kg (10 lbs)	4.5 kg (10 lbs) or More	
Still Dry	177°C (350°F) or more 121°C (250°F) o		
Convection	163°C (325°F) or more	121°C (250°F) or more	
High Humidity ¹	121°C (250°F) or less	121°C (250°F) or less	

¹Relative humidity greater than 90% for at least 1 hour as measured in the cooking chamber or exit of the oven; or in a moisture-impermeable bag that provides 100% humidity.

;and

(2) As specified in the following chart, to heat all parts of the FOOD to a temperature and for the holding time that corresponds to that temperature: P

Temperature °C (°F)	Time ¹ in Minutes	Temperature °C (°F)	Time ¹ in Seconds
54.4 (130)	112	63.9 (147)	134
55.0 (131)	89	65.0 (149)	85
56.1 (133)	56	66.1 (151)	54
57.2 (135)	36	67.2 (153)	34
57.8 (136)	28	68.3 (155)	22
58.9 (138)	18	69.4 (157)	14
60.0 (140)	12	70.0 (158)	0
61.1 (142)	8		
62.2 (144)	5		
62.8 (145)	4		
¹ Holding time may include postoven heat rise.			

- (C) A raw or undercooked WHOLE-MUSCLE, INTACT BEEF steak may be served or offered for sale in a READY-TO-EAT form if:
- (1) The FOOD ESTABLISHMENT serves a population that is not a HIGHLY SUSCEPTIBLE POPULATION,
- (2) The steak is labeled to indicate that it meets the definition of "WHOLE-MUSCLE, INTACT BEEF" as specified under

¶ 3-201.11(E), and

- (3) The steak is cooked on both the top and bottom to a surface temperature of 63°C (145°F) or above and a cooked color change is achieved on all external surfaces.
- (D) A raw animal FOOD such as raw EGG, raw FISH, raw-marinated FISH, raw MOLLUSCAN SHELLFISH, or steak tartare; or a partially cooked FOOD such as lightly cooked FISH, soft cooked EGGS, or rare MEAT other than WHOLE-MUSCLE, INTACT BEEF steaks as specified in ¶ (C) of this section, may be served or offered for sale upon CONSUMER request or selection in a READY-TO-EAT form if:
- (1) As specified under ¶¶ 3-801.11(C)(1) and (2), the FOOD ESTABLISHMENT serves a population that is not a HIGHLY SUSCEPTIBLE POPULATION;
- (2) The FOOD, if served or offered for service by CONSUMER selection from a children's menu, does not contain COMMINUTED MEAT; Pf and
 - (3) The CONSUMER is informed as specified under § 3-603.11 that to ensure its safety, the FOOD should be cooked as specified under \P (A) or (B) of this section; or
- (4) The REGULATORY AUTHORITY grants a VARIANCE from ¶ (A) or (B) of this section as specified in § 8-103.10 based on a HACCP PLAN that:
 - (a) Is submitted by the PERMIT HOLDER and APPROVED as specified under § 8-103.11,
 - (b) Documents scientific data or other information showing that a lesser time and temperature regimen results in a safe FOOD, and
 - (c) Verifies that EQUIPMENT and procedures for FOOD preparation and training of FOOD EMPLOYEES at the FOOD ESTABLISHMENT meet the conditions of the VARIANCE.

3-401.12 Microwave Cooking.

Raw animal FOODS cooked in a microwave oven shall be:

- (A) Rotated or stirred throughout or midway during cooking to compensate for uneven distribution of heat;
- (B) Covered to retain surface moisture;
- (C) Heated to a temperature of at least 74°C (165°F) in all parts of the FOOD; and
- (D) Allowed to stand covered for 2 minutes after cooking to obtain temperature equilibrium.

3-401.13 Plant Food Cooking for Hot Holding.

Fruits and vegetables that are cooked for hot holding shall be cooked to a temperature of 57°C (135°F). Pf

3-401.14 Non-Continuous Cooking of Raw Animal Foods.

Raw animal FOODS that are cooked using a NON-CONTINUOUS COOKING process shall be:

- (A) Subject to an initial heating process that is no longer than sixty minutes in duration; P
- (B) Immediately after initial heating, cooled according to the time and temperature parameters specified for cooked POTENTIALLY HAZARDOUS FOOD (TIME /TEMPERATURE CONTROL FOR SAFETY FOOD) under ¶ 3-501.14(A); P
- (C) After cooling, held frozen or cold, as specified for POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) under ¶ 3-501.16(A)(2); P
- (D) Prior to sale or service, cooked using a process that heats all parts of the FOOD to a temperature of at least 74°C (165°F) for 15 seconds; P

- (E) Cooled according to the time and temperature parameters specified for cooked POTENTIALLY HAZARDOUS FOOD (TIME /TEMPERATURE CONTROL FOR SAFETY FOOD) under ¶ 3-501.14(A) if not either hot held as specified under ¶3-501.16(A), served immediately, or held using time as a public health control as specified under §3-501.19 after complete cooking; P and
- (F) Prepared and stored according to written procedures that:
 - (1) Have obtained prior APPROVAL from the REGULATORY AUTHORITY: Pf
 - (2) Are maintained in the FOOD ESTABLISHMENT and are available to the REGULATORY AUTHORITY upon request; $^{\rm Pf}$
 - (3) Describe how the requirements specified under ¶ (A)-(E) of this Section are to be monitored and documented by the PERMIT HOLDER and the corrective actions to be taken if the requirements are not met; Pf
 - (4) Describe how the FOODS, after initial heating, but prior to complete cooking, are to be marked or otherwise identified as FOODS that must be cooked as specified under ¶ (D) of this section prior to being offered for sale or service; Pf and
 - (5) Describe how the FOODS, after initial heating but prior to cooking as specified under $\P(D)$ of this section, are to be separated from READY-TO-EAT FOODS as specified under \P 3-302.11 (D). Pf

Freezing 3-402.11 Parasite Destruction.

- (A) Except as specified in ¶ (B) of this section, before service or sale in READY-TO-EAT form, raw, raw-marinated, partially cooked, or marinated-partially cooked FISH shall be:
- (1) Frozen and stored at a temperature of -20°C (-4°F) or below for a minimum of 168 hours (7 days) in a freezer; P
- (2) Frozen at -35°C (-31°F) or below until solid and stored at -35°C (-31°F) or below for a minimum of 15 hours; P or
- (3) Frozen at -35°C (-31°F) or below until solid and stored at

- -20°C (-4°F) or below for a minimum of 24 hours. P
- (B) Paragraph (A) of this section does not apply to:
- (1) MOLLUSCAN SHELLFISH;
- (2) Tuna of the species Thunnus alalunga, Thunnus albacares (Yellowfin tuna), Thunnus atlanticus, Thunnus maccoyii (Bluefin tuna, Southern), Thunnus obesus (Bigeye tuna), or Thunnus thynnus (Bluefin tuna, Northern); or
- (3) Aquacultured FISH, such as salmon, that.
 - (a) If raised in open water, are raised in net-pens, or
 - (b) Are raised in land-based operations such as ponds or tanks, and
 - (c) Are fed formulated feed, such as pellets, that contains no live parasites infective to the aquacultured FISH.
- (4) FISH eggs that have been removed from the skein and rinsed.

3-402.12 Records, Creation and Retention.

- (A) Except as specified in ¶ 3-402.11(B) and ¶ (B) of this section, if raw, raw-marinated, partially cooked, or marinated-partially cooked FISH are served or sold in READY-TO-EAT form, the PERSON IN CHARGE shall record the freezing temperature and time to which the FISH are subjected and shall retain the records of the FOOD ESTABLISHMENT for 90 calendar days beyond the time of service or sale of the FISH.
- (B) If the FISH are frozen by a supplier, a written agreement or statement from the supplier stipulating that the FISH supplied are frozen to a temperature and for a time specified under \S 3-402.11 may substitute for the records specified under \P (A) of this section.
- (C) If raw, raw-marinated, partially cooked, or marinated-partially cooked FISH are served or sold in READY-TO-EAT form, and the FISH are raised and fed as specified in Subparagraph 3-402.11(B)(3), a written agreement or statement from the supplier or aquaculturist stipulating that the FISH were raised and

fed as specified in Subparagraph 3-402.11(B)(3) shall be obtained by the PERSON IN CHARGE and retained in the records of the FOOD ESTABLISHMENT for 90 calendar days beyond the time of service or sale of the FISH. Pf

3-403.10 Preparation for Immediate Service.

Cooked and refrigerated FOOD that is prepared for immediate service in response to an individual CONSUMER order, such as a roast beef sandwich au jus, may be served at any temperature.

Reheating

3-403.11 Reheating for Hot Holding.

- (A) Except as specified under ¶¶ (B) and (C) and in ¶ (E) of this section, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is cooked, cooled, and reheated for hot holding shall be reheated so that all parts of the FOOD reach a temperature of at least 74°C (165°F) for 15 seconds. P
- (B) Except as specified under ¶ (C) of this section, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) reheated in a microwave oven for hot holding shall be reheated so that all parts of the FOOD reach a temperature of at least 74°C (165°F) and the FOOD is rotated or stirred, covered, and allowed to stand covered for 2 minutes after reheating. P
- (C) READY-TO-EAT FOOD taken from a commercially processed, HERMETICALLY SEALED CONTAINER, or from an intact PACKAGE from a FOOD PROCESSING PLANT that is inspected by the FOOD REGULATORY AUTHORITY that has jurisdiction over the plant, shall be heated to a temperature of at least 57°C (135°F) for hot holding. P
- (D) Reheating for hot holding as specified under Paragraphs (A) through (C) of this section shall be <u>completed within 2 hours</u> and the time the FOOD is between 5°C (41°F) <u>or 7°C (45°F)</u> and the temperatures specified under Paragraphs (A) through (C) of this section may not exceed 2 hours. P
- (E) Remaining unsliced portions of MEAT roasts that are cooked as specified under ¶ 3-401.11(B) may be reheated for hot holding using the oven parameters and minimum time and temperature conditions specified under ¶ 3-401.11(B).

Other Methods 3-404.11 Treating Juice.

JUICE PACKAGED IN A FOOD ESTABLISHMENT shall be:

- (A) Treated under a HACCP PLAN as specified in
- ¶¶ 8-201.14(B) (E) to attain a 5-log reduction, which is equal to a 99.999% reduction, of the most resistant microorganism of public health significance; P or
- (B) Labeled, if not treated to yield a 5-log reduction of the most resistant microorganism of public health significance: Pf
 - (1) As specified under § 3-602.11, Pf and
 - (2) As specified in 21 CFR 101.17(g) Food labeling, warning, notice, and safe handling statements, JUICES that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens with the following, "WARNING: This product has not been pasteurized and, therefore, may contain harmful bacteria that can cause serious illness in children, the elderly, and persons with weakened immune systems." Pf

3-5 LIMITATION OF GROWTH OF ORGANISMS OF PUBLIC HEALTH CONCERN

Subparts

3-501 Temperature and Time Control3-502 Specialized Processing Methods

Temperature and Time Control

3-501.11 Frozen Food.

Stored frozen FOODS shall be maintained frozen.

3-501.12 Potentially Hazardous Food (Time/Temperature Control for Safety Food), Slacking.

Frozen POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is slacked to moderate the

temperature shall be held:

- (A) Under refrigeration that maintains the FOOD temperature at 5°C (41°F) or less, or at 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2)(b).
- (B) At any temperature if the FOOD remains frozen.

3-501.13 Thawing.

Except as specified in ¶ (D) of this section, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be thawed:

- (A) Under refrigeration that maintains the FOOD temperature at 5°C (41°F) or less, or at 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2)(b).
- (B) Completely submerged under running water:
 - (1) At a water temperature of 21°C (70°F) or below,
 - (2) With sufficient water velocity to agitate and float off loose particles in an overflow.
 - (3) Such that for READY-TO-EAT FOOD, the temperature of thawed portions do not rise above 5°C (41°F), or 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2)(b), and
 - (4) Such that for raw animal FOOD requiring cooking as specified under Paragraph 3-401.11(A) or (B), thawed portions are not above 5°C (41°F), or 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2)(b), for more than 4 hours including:
 - (a) The time the FOOD is exposed to the running water and the time needed for preparation for cooking, or
 - (b) The time it takes under refrigeration to lower the FOOD temperature to 5°C (41°F), or 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2)(b);
- (C) As part of a cooking process if the FOOD that is frozen is:

- (1) Cooked as specified under ¶ 3-401.11(A) or (B) or § 3-401.12, or
- (2) Thawed in a microwave oven and immediately transferred to conventional cooking EQUIPMENT, with no interruption in the process; or
- (D) Using any procedure if a portion of frozen READY-TO-EAT FOOD is thawed and prepared for immediate service in response to an individual CONSUMER'S order.

3-501.14 Cooling.

- (A) Cooked POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be cooled:
 - (1) Within 2 hours from 57°C (135°F) to 21°C (70°F); P and
 - (2) Within a total of 6 hours from 57°C (135°F) to 5°C (41°F) or less, or to 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2)(b). P
- (B) POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be cooled within 4 hours to 5°C (41°F) or less, or to 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2)(b) if prepared from ingredients at ambient temperature such as reconstituted FOODS and canned tuna. P
- (C) Except as specified under \P (D) of this section, a POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) received in compliance with LAWS allowing a temperature above 5°C (41°F) during shipment from the supplier as specified in \P 3-202.11(B), shall be cooled within 4 hours to 5°C (41°F) or less.
- (D) Raw EGGS shall be received as specified under ¶ 3-202.11(C) and immediately placed in refrigerated EQUIPMENT that maintains an ambient air temperature of 7°C (45°F) or less. P

3-501.15 Cooling Methods.

(A) Cooling shall be accomplished in accordance with the time

and temperature criteria specified under § 3-501.14 by using one or more of the following methods based on the type of FOOD being cooled:

- (1) Placing the FOOD in shallow pans; Pf
- (2) Separating the FOOD into smaller or thinner portions; Pf
 - (3) Using rapid cooling EQUIPMENT; Pf
- (4) Stirring the FOOD in a container placed in an ice water bath;
 - (5) Using containers that facilitate heat transfer; Pf
 - (6) Adding ice as an ingredient; Pf or
 - (7) Other effective methods. Pf
- (B) When placed in cooling or cold holding EQUIPMENT, FOOD containers in which FOOD is being cooled shall be:
- (1) Arranged in the EQUIPMENT to provide maximum heat transfer through the container walls; and
- (2) Loosely covered, or uncovered if protected from overhead contamination as specified under Subparagraph 3-305.11(A)(2), during the cooling period to facilitate heat transfer from the surface of the FOOD.

3-501.16 Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding.

- (A) Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under §3-501.19, and except as specified under ¶ (B) and in ¶ (C) of this section, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be maintained:
 - (1) At 57°C (135°F) or above, except that roasts cooked to a temperature and for a time specified in ¶ 3-401.11(B) or reheated as specified in ¶ 3-403.11(E) may be held at a temperature of 54°C (130°F) or above; P or

- (2) At a temperature specified in the following:
 - (a) 5°C (41°F) or less; P or
 - (b) 7°C (45°F) or between 5°C (41°F) and 7°C (45°F) in existing refrigeration EQUIPMENT that is not capable of maintaining the FOOD at 5°C (41°F) or less if: P
 - (i) The EQUIPMENT is in place and in use in the FOOD ESTABLISHMENT; and
 - (ii) On or before January 1, 2019, the EQUIPMENT is upgraded or replaced to maintain FOOD at a temperature of 5°C (41°F) or less.
- (B) EGGS that have not been treated to destroy all viable **Salmonellae** shall be stored in refrigerated EQUIPMENT that maintains an ambient air temperature of 7°C (45°F) or less. P
- (C) POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) in a homogenous liquid form *may be* maintained outside of the temperature control requirements, as specified under ¶ (A) of this section, while contained within specially designed EQUIPMENT that complies with the design and construction requirements as specified under ¶ 4-204.13(E).
- 3-501.17 Ready-to-Eat, Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking.

on-premises preparation • prepare and hold cold

- (A) Except when PACKAGING FOOD using a REDUCED OXYGEN PACKAGING method as specified under Section 3-502.12, and except as specified in Paragraphs (D) and (E) of this section, refrigerated, READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) prepared and held in a FOOD ESTABLISHMENT for more than 24 hours shall be marked to indicate the date or day by which the FOOD shall be consumed on the PREMISES, sold, or discarded, based on the temperature and time combinations specified below. The day of preparation shall be counted as Day 1.
 - (1) 5°C (41°F) or less for a maximum of 7 days; Pf or

- (2) <u>7°C (45°F) or between 5°C (41°F) and 7°C (45°F) for a maximum of 4 days in existing refrigeration EQUIPMENT that is not capable of maintaining the FOOD at 5°C (41°F) or less if: Pf</u>
 - (a) The EQUIPMENT is in place and in use in the FOOD ESTABLISHMENT, and
 - (b) On or before January 1, 2019, the EQUIPMENT is upgraded or replaced to maintain FOOD at a temperature of 5°C (41°F) or less.

<u>commercially</u> <u>processed</u> food

- open and hold cold
- (B) Except as specified in ¶¶ (D) (F) of this section, refrigerated, READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) prepared and PACKAGED by a FOOD PROCESSING PLANT shall be clearly marked, at the time the original container is opened in a FOOD ESTABLISHMENT and if the FOOD is held for more than 24 hours, to indicate the date or day by which the FOOD shall be consumed on the PREMISES, sold, or discarded, based on the temperature and time combinations specified in ¶ (A) of this section and: Pf
 - (1) The day the original container is opened in the FOOD ESTABLISHMENT shall be counted as Day 1; Pf and
 - (2) The day or date marked by the FOOD ESTABLISHMENT may not exceed a manufacturer's use-by date if the manufacturer determined the use-by date based on FOOD safety. Pf
- (C) A refrigerated, READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) ingredient or a portion of a refrigerated, READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is subsequently combined with additional ingredients or portions of FOOD shall retain the date marking of the earliest-prepared or first-prepared ingredient. Pf
- (D) A date marking system that meets the criteria stated in $\P\P$ (A) and (B) of this section may include:
 - (1) Using a method APPROVED by the REGULATORY AUTHORITY for refrigerated, READY-TO-EAT POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is

frequently rewrapped, such as lunchmeat or a roast, or for which date marking is impractical, such as soft serve mix or milk in a dispensing machine;

- (2) Marking the date or day of preparation, with a procedure to discard the FOOD on or before the last date or day by which the FOOD must be consumed on the premises, sold, or discarded as specified under \P (A) of this section;
- (3) Marking the date or day the original container is opened in a FOOD ESTABLISHMENT, with a procedure to discard the FOOD on or before the last date or day by which the FOOD must be consumed on the premises, sold, or discarded as specified under \P (B) of this section; or
- (4) Using calendar dates, days of the week, color-coded marks, or other effective marking methods, provided that the marking system is disclosed to the REGULATORY AUTHORITY upon request.
- (E) Paragraphs (A) and (B) of this section do not apply to individual meal portions served or repackaged for sale from a bulk container upon a consumer's request.
- (F) Paragraph (B) of this section does not apply to the following FOODS prepared and PACKAGED by a FOOD PROCESSING PLANT inspected by a REGULATORY AUTHORITY:
 - (1) Deli salads, such as ham salad, seafood salad, chicken salad, egg salad, pasta salad, potato salad, and macaroni salad, manufactured in accordance with 21 CFR 110 Current good manufacturing practice in manufacturing, packing, or holding human food;
 - (2) Hard cheeses containing not more than 39% moisture as defined in 21 CFR 133 Cheeses and related cheese products, such as cheddar, gruyere, parmesan and reggiano, and romano;
 - (3) Semi-soft cheeses containing more than 39% moisture, but not more than 50% moisture, as defined in 21 CFR 133 Cheeses and related cheese products, such as blue, edam, gorgonzola, gouda, and monterey jack;
 - (4) Cultured dairy products as defined in 21 CFR 131 Milk and cream, such as yogurt, sour cream, and buttermilk;

- (5) Preserved FISH products, such as pickled herring and dried or salted cod, and other acidified FISH products defined in 21 CFR 114 Acidified foods;
- (6) Shelf stable, dry fermented sausages, such as pepperoni and Genoa salami that are not labeled "Keep Refrigerated" as specified in 9 CFR 317 Labeling, marking devices, and containers, and which retain the original CASING on the product; and
- (7) Shelf stable salt-cured products such as prosciutto and Parma (ham) that are not labeled "Keep Refrigerated" as specified in 9 CFR 317 Labeling, marking devices, and containers.

3-501.18 Ready-to-Eat, Potentially Hazardous Food (Time/Temperature Control for Safety Food), Disposition.

- (A) A FOOD specified in ¶ 3-501.17(A) or (B) shall be discarded if it:
 - (1) Exceeds the temperature and time combination specified in ¶ 3-501.17(A), except time that the product is frozen; P
 - (2) Is in a container or PACKAGE that does not bear a date or day; P or
 - (3) Is appropriately marked with a date or day that exceeds a temperature and time combination as specified in ¶ 3-501.17(A). P
- (B) Refrigerated, READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) prepared in a FOOD ESTABLISHMENT and dispensed through a VENDING MACHINE with an automatic shutoff control shall be discarded if it exceeds a temperature and time combination as specified in ¶ 3-501.17(A). P

3-501.19 Time as a Public Health Control.

(A) Except as specified under \P (D) of this section, if time without temperature control is used as the public health control

for a working supply of POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) before cooking, or for READY-TO-EAT POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is displayed or held for sale or service:

- (1) Written procedures shall be prepared in advance, maintained in the FOOD ESTABLISHMENT and made available to the REGULATORY AUTHORITY upon request that specify: Pf
 - (a) Methods of compliance with Subparagraphs (B)(1)-(3) or C)(1)-(5) of this section; Pf and
 - (b) Methods of compliance with § 3-501.14 for FOOD that is prepared, cooked, and refrigerated before time is used as a public health control. Pf

Time – maximum up to 4 hours

- (B) If time <u>without</u> temperature control is used as the public health control up to a maximum of 4 hours:
 - (1) The FOOD shall have an initial temperature of 5°C (41°F) or less, or 7°C (45°F) or less when removed from cold holding temperature control, or 57°C (135°F) or greater when removed from hot holding temperature control; P
 - (2) The FOOD shall be marked or otherwise identified to indicate the time that is 4 hours past the point in time when the FOOD is removed from temperature control; Pf
 - (3) The FOOD shall be cooked and served, served at any temperature if READY-TO-EAT, or discarded, within 4 hours from the point in time when the FOOD is removed from temperature control; P and
 - (4) The FOOD in unmarked containers or PACKAGES, or marked to exceed a 4-hour limit shall be discarded. P

Time – maximum up to 6 hours

- (C) If time without temperature control is used as the public health control up to a maximum of 6 hours:
 - (1) The FOOD shall have an initial temperature of 5°C (41°F) or less when removed from temperature control and the FOOD temperature may not exceed 21°C (70°F) within a maximum time period of 6 hours; ^P

- (2) The FOOD shall be monitored to ensure the warmest portion of the FOOD does not exceed 21°C (70°F) during the 6-hour period, unless an ambient air temperature is maintained that ensures the FOOD does not exceed 21°C (70°F) during the 6-hour holding period; Pf
- (3) The FOOD shall be marked or otherwise identified to indicate: Pf
 - (a) The time when the FOOD is removed from 5°C (41°F) or less cold holding temperature control, Pf and
 - (b) The time that is 6 hours past the point in time when the FOOD is removed from cold holding temperature control: Pf
- (4) The FOOD shall be:
 - (a) Discarded if the temperature of the FOOD exceeds 21°C (70°F), P or
 - (b) Cooked and served, served at any temperature if READY-TO-EAT, or discarded within a maximum of 6 hours from the point in time when the FOOD is removed from 5°C (41°F) or less cold holding temperature control; P and
- (5) The FOOD in unmarked containers or PACKAGES, or marked with a time that exceeds the 6-hour limit shall be discarded. P
- (D) A FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION may not use time as specified under $\P\P$ (A), (B) or (C) of this section as the public health control for raw EGGS.

Specialized Processing Methods

3-502.11 Variance Requirement.

A FOOD ESTABLISHMENT shall obtain a VARIANCE from the REGULATORY AUTHORITY as specified in § 8-103.10 and under § 8-103.11 before: Pf

- (A) Smoking FOOD as a method of FOOD preservation rather than as a method of flavor enhancement: Pf
- (B) Curing FOOD; Pf

- (C) Using FOOD ADDITIVES or adding components such as vinegar: Pf
 - (1) As a method of FOOD preservation rather than as a method of flavor enhancement, ^{Pf} or
 - (2) To render a FOOD so that it is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL OF SAFETY FOOD); Pf
- (D) Packaging FOOD using a REDUCED OXYGEN PACKAGING method except where the growth of and toxin formation by Clostridium botulinum and the growth of Listeria monocytogenes are controlled as specified under § 3-502.12; Pf
- (E) Operating a MOLLUSCAN SHELLFISH life-support system display tank used to store or display shellfish that are offered for human consumption; Pf
- (F) Custom processing animals that are for personal use as FOOD and not for sale or service in a FOOD ESTABLISHMENT: Pf
- (G) Preparing FOOD by another method that is determined by the REGULATORY AUTHORITY to require a VARIANCE: Pf or
- (H) Sprouting seeds or beans. Pf

Clostridium botulinum and Listeria monocytogen es Controls

3-502.12 Reduced Oxygen Packaging Without a Variance, Criteria.

- (A) Except for a FOOD ESTABLISHMENT that obtains a VARIANCE as specified under § 3-502.11, a FOOD ESTABLISHMENT that PACKAGES POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) using a REDUCED OXYGEN PACKAGING method shall control the growth and toxin formation of *Clostridium botulinum* and the growth of *Listeria monocytogenes*. P
- (B) A FOOD ESTABLISHMENT that PACKAGES POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) using a REDUCED OXYGEN PACKAGING method shall have a HACCP PLAN that contains the information specified under ¶ 8-201.14(D) and that: Pf

- (1) Identifies the FOOD to be PACKAGED; Pf
- (2) Except as specified under ¶¶ (C) (E) of this section, requires that the PACKAGED FOOD shall be maintained at 5°C (41°F) or less and meet at least one of the following criteria:
 - (a) Has an Aw of 0.91 or less, Pf
 - (b) Has a PH of 4.6 or less, Pf
 - (c) Is a MEAT or POULTRY product cured at a FOOD PROCESSING PLANT regulated by the USDA using substances specified in 9 CFR 424.21, Use of food ingredients and sources of radiation, and is received in an intact PACKAGE, Pf or
 - (d) Is a FOOD with a high level of competing organisms such as raw MEAT, raw POULTRY, or raw vegetables; Pf
 - (3) Describes how the PACKAGE shall be prominently and conspicuously labeled on the principal display panel in bold type on a contrasting background, with instructions to: Pf
 - (a) Maintain the FOOD at 5°C (41°F) or below, Pf and
 - (b) Discard the FOOD if within 14 calendar days of its PACKAGING it is not served for on-PREMISES consumption, or consumed if served or sold for off-PREMISES consumption; Pf
 - (4) Limits the refrigerated shelf life to no more than 14 calendar days from PACKAGING to consumption, except the time the product is maintained frozen, or the original manufacturer's "sell by" or "use by" date, whichever occurs first: P
 - (5) Includes operational procedures that:
 - (a) Prohibit contacting READY-TO-EAT FOOD with bare hands as specified under ¶ 3-301.11(B), Pf
 - (b) Identify a designated work area and the method by which: Pf
 - (i) Physical barriers or methods of separation of raw

FOODS and READY-TO-EAT FOODS minimize cross contamination, Pf and

- (ii) Access to the processing EQUIPMENT is limited to responsible trained personnel familiar with the potential HAZARDS of the operation, Pf and
- (c) Delineate cleaning and SANITIZATION procedures for FOOD-CONTACT SURFACES; Pf and
- (6) Describes the training program that ensures that the individual responsible for the REDUCED OXYGEN PACKAGING operation understands the: Pf
 - (a) Concepts required for a safe operation, Pf
 - (b) EQUIPMENT and facilities, Pf and
 - (c) Procedures specified under Subparagraph (B)(5) of this section and ¶ 8-201.14(D). Pf

Fish

(C) Except for FISH that is frozen before, during, and after PACKAGING, a FOOD ESTABLISHMENT may not PACKAGE FISH using a REDUCED OXYGEN PACKAGING method. P

Cook-Chill or Sous Vide

- (D) Except as specified under ¶ (C) of this section, a FOOD ESTABLISHMENT that PACKAGES FOOD using a cook-chill or sous vide process shall:
 - (1) Implement a HACCP PLAN that contains the information as specified under ¶ 8-201.14(D); Pf
 - (2) Ensure the FOOD is:
 - (a) Prepared and consumed on the PREMISES, or prepared and consumed off the PREMISES but within the same business entity with no distribution or sale of the PACKAGED product to another business entity or the CONSUMER, Pf
 - (b) Cooked to heat all parts of the FOOD to a temperature and for a time as specified under § 3-401.11, ^P
 - (c) Protected from contamination before and after cooking as specified under Parts 3-3 and 3-4, ^P

- (d) Placed in a PACKAGE with an oxygen barrier and sealed before cooking, or placed in a PACKAGE and sealed immediately after cooking and before reaching a temperature below 57°C (135°F), P
- (e) Cooled to 5°C (41°F) in the sealed PACKAGE or bag as specified under § 3-501.14 and subsequently: P
 - (i) Cooled to 1°C (34°F) within 48 hours of reaching 5°C (41°F) and held at that temperature until consumed or discarded within 30 days after the date of PACKAGING: P
 - (ii) Cooled to 1°C (34°F) within 48 hours of reaching 5°C (41°F), removed from refrigeration equipment that maintains a 1°C (34°F) food temperature and then held at 5°C (41°F) or less for no more than 72 hours, at which time the FOOD must be consumed or discarded: P
 - (iii) Cooled to 3°C (38°F) or less within 24 hours of reaching 5°C (41°F) and held there for no more than 72 hours from PACKAGING, at which time the food must be consumed or discarded; P or
 - (iv) Held frozen with no shelf life restriction while frozen until consumed or used. P
- (f) Held in a refrigeration unit that is equipped with an electronic system that continuously monitors time and temperature and is visually examined for proper operation twice daily, Pf
- (g) If transported off-site to a satellite location of the same business entity, equipped with verifiable electronic monitoring devices to ensure that times and temperatures are monitored during transportation, ^{Pf} and
- (h) Labeled with the product name and the date PACKAGED: Pf and
- (3) Maintain the records required to confirm that cooling and cold holding refrigeration time/temperature parameters are required as part of the HACCP PLAN and:
 - (a) Make such records available to the REGULATORY

AUTHORITY upon request, Pf and

- (b) Hold such records for at least 6 months; Pf and
- (4) Implement written operational procedures as specified under Subparagraph (B)(5) of this section and a training program as specified under Subparagraph (B)(6) of this section. Pf

Cheese

- (E) A FOOD ESTABLISHMENT that PACKAGES cheese using a REDUCED OXYGEN PACKAGING method shall:
 - (1) Limit the cheeses PACKAGED to those that are commercially manufactured in a FOOD PROCESSING PLANT with no ingredients added in the FOOD ESTABLISHMENT and that meet the Standards of Identity as specified in 21 CFR 133.150 Hard cheeses, 21 CFR 133.169 Pasteurized process cheese or 21 CFR 133.187 Semisoft cheeses; P
 - (2) Have a HACCP PLAN that contains the information specified under \P 8-201.14(D) and as specified under $\P\P$ (B)(1), (B)(3)(a), (B)(5) and (B)(6) of this section; Pf
 - (3) Labels the PACKAGE on the principal display panel with a "use by" date that does not exceed 30 days from its packaging or the original manufacturer's "sell by" or "use by" date, whichever occurs first; ^{Pf} and
 - (4) Discards the REDUCED OXYGEN PACKAGED cheese if it is not sold for off-PREMISES consumption or consumed within 30 calendar days of its PACKAGING. Pf

3-6 FOOD IDENTITY, PRESENTATION, AND ON-PREMISES LABELING

Subparts

3-601	Accurate Representation
3-602	Labeling
3-603	Consumer Advisory

Accurate Representation

3-601.11 Standards of Identity.

PACKAGED FOOD shall comply with standard of identity

requirements in 21 CFR 131-169 and 9 CFR 319 Definitions and standards of identity or composition, and the general requirements in 21 CFR 130 – Food Standards: General and 9 CFR 319 Subpart A – General.

3-601.12 Honestly Presented.

- (A) FOOD shall be offered for human consumption in a way that does not mislead or misinform the CONSUMER.
- (B) FOOD or COLOR ADDITIVES, colored overwraps, or lights may not be used to misrepresent the true appearance, color, or quality of a FOOD.

Labeling 3-602.11 Food Labels.

- (A) FOOD PACKAGED in a FOOD ESTABLISHMENT, shall be labeled as specified in LAW, including 21 CFR 101 Food labeling, and 9 CFR 317 Labeling, marking devices, and containers.
- (B) Label information shall include:
- (1) The common name of the FOOD, or absent a common name, an adequately descriptive identity statement;
 - (2) If made from two or more ingredients, a list of ingredients in descending order of predominance by weight, including a declaration of artificial color or flavor and chemical preservatives, if contained in the FOOD;
 - (3) An accurate declaration of the quantity of contents;
 - (4) The name and place of business of the manufacturer, packer, or distributor; and
- (5) The name of the FOOD source for each MAJOR FOOD ALLERGEN contained in the FOOD unless the FOOD source is already part of the common or usual name of the respective ingredient (Effective January 1, 2006). Pf
 - (6) Except as exempted in the Federal Food, Drug, and Cosmetic Act § 403(Q)(3) (5), nutrition labeling as specified in 21 CFR 101 Food Labeling and 9 CFR 317 Subpart B Nutrition Labeling.

- (7) For any salmonid FISH containing canthaxanthin as a COLOR ADDITIVE, the labeling of the bulk FISH container, including a list of ingredients, displayed on the retail container or by other written means, such as a counter card, that discloses the use of canthaxanthin.
- (C) Bulk FOOD that is available for CONSUMER self-dispensing shall be prominently labeled with the following information in plain view of the CONSUMER:
- The manufacturer's or processor's label that was provided with the FOOD; or
 - (2) A card, sign, or other method of notification that includes the information specified under Subparagraphs (B)(1), (2), and (5) of this section.
- (D) Bulk, unpackaged foods such as bakery products and unpackaged foods that are portioned to Consumer specification need not be labeled if:
 - (1) A health, nutrient content, or other claim is not made;
 - (2) There are no state or local LAWS requiring labeling; and
- (3) The FOOD is manufactured or prepared on the PREMISES of the FOOD ESTABLISHMENT or at another FOOD ESTABLISHMENT or a FOOD PROCESSING PLANT that is owned by the same PERSON and is regulated by the FOOD regulatory agency that has jurisdiction.

3-602.12 Other Forms of Information.

- (A) If required by LAW, CONSUMER warnings shall be provided.
- (B) FOOD ESTABLISHMENT or manufacturers' dating information on FOODS may not be concealed or altered.

Consumer Advisory

3-603.11 Consumption of Animal Foods that are Raw, Undercooked, or Not Otherwise Processed to Eliminate Pathogens.

- (A) Except as specified in \P 3-401.11(C) and Subparagraph 3-401.11(D)(4) and under \P 3-801.11(C), if an animal FOOD such as beef, EGGS, FISH, lamb, milk, pork, POULTRY, or shellfish is served or sold raw, undercooked, or without otherwise being processed to eliminate pathogens, either in READY-TO-EAT form or as an ingredient in another READY-TO-EAT FOOD, the PERMIT HOLDER shall inform CONSUMERS of the significantly increased RISK of consuming such FOODS by way of a DISCLOSURE and REMINDER, as specified in $\P\P$ (B) and (C) of this section using brochures, deli case or menu advisories, label statements, table tents, placards, or other effective written means.
- (B) DISCLOSURE shall include:
 - (1) A description of the animal-derived FOODS, such as "oysters on the half shell (raw oysters)," "raw-EGG Caesar salad," and "hamburgers (can be cooked to order)"; ^{Pf} or
 - (2) Identification of the animal-derived FOODS by asterisking them to a footnote that states that the items are served raw or undercooked, or contain (or may contain) raw or undercooked ingredients. Pf
- (C) REMINDER shall include asterisking the animal-derived FOODS requiring DISCLOSURE to a footnote that states:
 - (1) Regarding the safety of these items, written information is available upon request; Pf
 - (2) Consuming raw or undercooked MEATS, POULTRY, seafood, shellfish, or EGGS may increase your RISK of foodborne illness; Pf or

(3) Consuming raw or undercooked MEATS, POULTRY, seafood, shellfish, or EGGS may increase your RISK of foodborne illness, especially if you have certain medical conditions. Pf

3-7 CONTAMINATED FOOD

Subpart

3-701 Disposition

Disposition

3-701.11 Discarding or Reconditioning Unsafe, Adulterated, or Contaminated Food.

- (A) A FOOD that is unsafe, ADULTERATED, or not honestly presented as specified under § 3-101.11 shall be discarded or reconditioned according to an APPROVED procedure. P
- (B) FOOD that is not from an APPROVED source as specified under §§ 3-201.11 .17 shall be discarded. P
- (C) READY-TO-EAT FOOD that may have been contaminated by an EMPLOYEE who has been RESTRICTED or EXCLUDED as specified under § 2-201.12 shall be discarded. P
- (D) FOOD that is contaminated by FOOD EMPLOYEES, CONSUMERS, or other PERSONS through contact with their hands, bodily discharges, such as nasal or oral discharges, or other means shall be discarded. P

3-8 SPECIAL REQUIREMENTS FOR HIGHLY SUSCEPTIBLE POPULATIONS

Subpart

3-801 Additional Safeguards

Additional Safeguards

3-801.11 Pasteurized Foods, Prohibited Re-Service, and Prohibited Food.

In a FOOD ESTABLISHMENT that serves a HIGHLY SUSCEPTIBLE POPULATION:

- (A) The following criteria apply to JUICE:
 - (1) For the purposes of this paragraph only, children who are age 9 or less and receive FOOD in a school, day care setting, or similar facility that provides custodial care are included as HIGHLY SUSCEPTIBLE POPULATIONS;
 - (2) Prepackaged Juice or a prepackaged beverage containing Juice, that bears a warning label as specified in 21 CFR, 101.17(g) Food labeling, warning, notice, and safe handling statements, Juices that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens, or a Packaged Juice or Beverage containing Juice, that bears a warning label as specified under ¶ 3-404.11(B) may not be served or offered for sale: P and
 - (3) Unpackaged juice that is prepared on the premises for service or sale in a ready-to-eat form shall be processed under a HACCP plan that contains the information specified under ¶¶ 8-201.14(B) (E) and as specified in 21 CFR Part 120 Hazard Analysis and Critical Control Point (HACCP) Systems, Subpart B Pathogen Reduction, 120.24 Process controls. P
 - (B) Pasteurized EGGS or EGG PRODUCTS shall be substituted for raw EGGS in the preparation of: P
 - (1) FOODS such as Caesar salad, hollandaise or Béarnaise sauce, mayonnaise, meringue, EGGnog, ice cream, and EGG-fortified BEVERAGES, Pand

- (2) Except as specified in ¶ (F) of this section, recipes in which more than one EGG is broken and the EGGS are combined; P
- (C) The following FOODS may not be served or offered for sale in a READY-TO-EAT form: P
 - (1) Raw animal FOODS such as raw FISH, raw-marinated FISH, raw MOLLUSCAN SHELLFISH, and steak tartare, P
 - (2) A partially cooked animal FOOD such as lightly cooked FISH, rare MEAT, soft-cooked EGGS that are made from raw EGGS, and meringue: P and
 - (3) Raw seed sprouts. P
- (D) FOOD EMPLOYEES may not contact READY-TO-EAT FOOD as specified under Paragraphs 3-301.11(B) and (E).
- (E) Time only, as the public health control as specified under ¶ 3-501.19(D), may not be used for raw EGGS. P
- (F) Subparagraph (B)(2) of this section does not apply if:
 - (1) The raw EGGS are combined immediately before cooking for one CONSUMER'S serving at a single meal, cooked as specified under Subparagraph 3-401.11(A)(1), and served immediately, such as an omelet, soufflé, or scrambled EGGS;
 - (2) The raw EGGS are combined as an ingredient immediately before baking and the EGGS are thoroughly cooked to a READY-TO-EAT form, such as a cake, muffin, or bread; or
 - (3) The preparation of the food is conducted under a HACCP PLAN that:
 - (a) Identifies the FOOD to be prepared,
 - (b) Prohibits contacting READY-TO-EAT FOOD with bare hands,

- (c) Includes specifications and practices that ensure:
 - (i) **Salmonella Enteritidis** growth is controlled before and after cooking, and
 - (ii) **Salmonella Enteritidis** is destroyed by cooking the EGGS according to the temperature and time specified in Subparagraph 3-401.11(A)(2),
- (d) Contains the information specified under ¶8-201.14(D) including procedures that:
 - (i) Control cross contamination of READY-TO-EAT FOOD with raw EGGS, and
 - (ii) Delineate cleaning and SANITIZATION procedures for FOOD-CONTACT SURFACES, and
- (e) Describes the training program that ensures that the FOOD EMPLOYEE responsible for the preparation of the FOOD understands the procedures to be used.

Re-service of Food

(G) Except as specified in paragraph (H) of this section, FOOD may be re-served as specified under Subparagraph 3-306.14(B)(1) and (2).

Prohibited Re-service of Food

- (H) FOOD may not be re-served under the following conditions:
 - Any FOOD served to patients or clients who are under contact precautions in medical isolation or quarantine, or protective environment isolation may not be reserved to others outside.
 - (2) Packages of FOOD from any patients, clients, or other CONSUMERS should not be re-served to PERSONS in protective environment isolation.

Chapter

4 Equipment, Utensils, and Linens

Parts

4-1	MATERIALS FOR CONSTRUCTION AND REPAIR
4-2	DESIGN AND CONSTRUCTION
4-3	NUMBERS AND CAPACITIES
4-4	LOCATION AND INSTALLATION
4-5	MAINTENANCE AND OPERATION
4-6	CLEANING OF EQUIPMENT AND UTENSILS
4-7	SANITIZATION OF EQUIPMENT AND UTENSILS
4-8	LAUNDERING
4-9	PROTECTION OF CLEAN ITEMS

4-1 MATERIALS FOR CONSTRUCTION AND REPAIR

Subparts

4-101 Multiuse 4-102 Single-Service and Single-Use

Multiuse 4-101.11 Characteristics.

Materials that are used in the construction of UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT may not allow the migration of deleterious substances or impart colors, odors, or tastes to FOOD and under normal use conditions shall be: P

- (A) Safe; P
- (B) Durable, CORROSION-RESISTANT, and nonabsorbent;
- (C) Sufficient in weight and thickness to withstand repeated WAREWASHING;
- (D) Finished to have a SMOOTH, EASILY CLEANABLE surface; and

(E) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition.

4-101.12 Cast Iron, Use Limitation.

- (A) Except as specified in ¶¶ (B) and (C) of this section, cast iron may not be used for UTENSILS or FOOD-CONTACT SURFACES of EQUIPMENT.
- (B) Cast iron may be used as a surface for cooking.
- (C) Cast iron may be used in UTENSILS for serving FOOD if the UTENSILS are used only as part of an uninterrupted process from cooking through service.

4-101.13 Lead, Use Limitation.

(A) Ceramic, china, and crystal UTENSILS, and decorative UTENSILS such as hand painted ceramic or china that are used in contact with FOOD shall be lead-free or contain levels of lead not exceeding the limits of the following UTENSIL categories: P

UTENSIL Category	Ceramic Article Description	Maximum Lead мg/L
Beverage Mugs, Cups, Pitchers	Coffee Mugs	0.5
Large Hollowware (excluding pitchers)	Bowls ≥ 1.1 Liter (1.16 Quart)	1
Small Hollowware (excluding cups & mugs)	Bowls < 1.1 Liter (1.16 Quart)	2.0
Flat TABLEWARE	Plates, Saucers	3.0

- (B) Pewter alloys containing lead in excess of 0.05% may not be used as a FOOD-CONTACT SURFACE. P
- (C) Solder and flux containing lead in excess of 0.2% may not be used as a FOOD-CONTACT SURFACE.

4-101.14 Copper, Use Limitation.

- (A) Except as specified in ¶ (B) of this section, copper and copper alloys such as brass may not be used in contact with a FOOD that has a pH below 6 such as vinegar, fruit JUICE, or wine or for a fitting or tubing installed between a backflow prevention device and a carbonator. P
- (B) Copper and copper alloys may be used in contact with beer brewing ingredients that have a pH below 6 in the prefermentation and fermentation steps of a beer brewing operation such as a brewpub or microbrewery.

4-101.15 Galvanized Metal, Use Limitation.

Galvanized metal may not be used for UTENSILS or FOOD-CONTACT SURFACES of EQUIPMENT that are used in contact with acidic FOOD. P

4-101.16 Sponges, Use Limitation.

Sponges may not be used in contact with cleaned and SANITIZED or in-use FOOD-CONTACT SURFACES.

4-101.17 Wood, Use Limitation.

- (A) Except as specified in ¶¶ (B), (C), and (D) of this section, wood and wood wicker may not be used as a FOOD-CONTACT SURFACE.
- (B) Hard maple or an equivalently hard, close-grained wood may be used for:
- (1) Cutting boards; cutting blocks; bakers' tables; and UTENSILS such as rolling pins, doughnut dowels, salad bowls, and chopsticks; and
- (2) Wooden paddles used in confectionery operations for pressure scraping kettles when manually preparing confections at a temperature of 110°C (230°F) or above.

- (C) Whole, uncut, raw fruits and vegetables, and nuts in the shell may be kept in the wood shipping containers in which they were received, until the fruits, vegetables, or nuts are used.
- (D) If the nature of the FOOD requires removal of rinds, peels, husks, or shells before consumption, the whole, uncut, raw FOOD may be kept in:
 - (1) Untreated wood containers; or
- (2) Treated wood containers if the containers are treated with a preservative that meets the requirements specified in 21 CFR 178.3800 Preservatives for wood.

4-101.18 Nonstick Coatings, Use Limitation.

Multiuse KITCHENWARE such as frying pans, griddles, sauce pans, cookie sheets, and waffle bakers that have a perfluorocarbon resin coating shall be used with nonscoring or nonscratching UTENSILS and cleaning aids.

4-101.19 Nonfood-Contact Surfaces.

NonFOOD-CONTACT SURFACES of EQUIPMENT that are exposed to splash, spillage, or other FOOD soiling or that require frequent cleaning shall be constructed of a CORROSION-RESISTANT, nonabsorbent, and SMOOTH material.

Single-Service and Single-Use

4-102.11 Characteristics.

Materials that are used to make SINGLE-SERVICE and SINGLE-USE ARTICLES:

- (A) May not:
 - (1) Allow the migration of deleterious substances, P or
 - (2) Impart colors, odors, or tastes to FOOD; and

- (B) Shall be:
 - (1) Safe, P and
- (2) Clean.

4-2 DESIGN AND CONSTRUCTION

Subparts

4-201	Durability and Strength
4-202	Cleanability
4-203	Accuracy
4-204	Functionality
4-205	Acceptability

Durability and Strength

4-201.11 Equipment and Utensils.

EQUIPMENT and UTENSILS shall be designed and constructed to be durable and to retain their characteristic qualities under normal use conditions.

4-201.12 Food Temperature Measuring Devices.

FOOD TEMPERATURE MEASURING DEVICES may not have sensors or stems constructed of glass, except that thermometers with glass sensors or stems that are encased in a shatterproof coating such as candy thermometers may be used. P

Cleanability 4-202.11 Food-Contact Surfaces.

- (A) Multiuse FOOD-CONTACT SURFACES shall be:
 - (1) SMOOTH; Pf
 - (2) Free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; $^{\rm Pf}$
 - (3) Free of sharp internal angles, corners, and crevices; Pf
 - (4) Finished to have SMOOTH welds and joints; Pf and
- (5) Except as specified in \P (B) of this section, accessible for

cleaning and inspection by one of the following methods:

- (a) Without being disassembled, Pf
- (b) By disassembling without the use of tools, Pf or
- (c) By easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, open-end wrenches, and Allen wrenches. Pf
- (B) Subparagraph (A)(5) of this section does not apply to cooking oil storage tanks, distribution lines for cooking oils, or BEVERAGE syrup lines or tubes.

4-202.12 CIP Equipment.

- (A) CIP EQUIPMENT shall meet the characteristics specified under § 4-202.11 and shall be designed and constructed so that:
- (1) Cleaning and SANITIZING solutions circulate throughout a fixed system and contact all interior FOOD-CONTACT SURFACES, Pf and
- (2) The system is self-draining or capable of being completely drained of cleaning and SANITIZING solutions; and
- (B) CIP EQUIPMENT that is not designed to be disassembled for cleaning shall be designed with inspection access points to ensure that all interior FOOD-CONTACT SURFACES throughout the fixed system are being effectively cleaned.

4-202.13 "V" Threads, Use Limitation.

Except for hot oil cooking or filtering EQUIPMENT, "V" type threads may not be used on FOOD-CONTACT SURFACES.

4-202.14 Hot Oil Filtering Equipment.

Hot oil filtering EQUIPMENT shall meet the characteristics specified under § 4-202.11 or § 4-202.12 and shall be readily accessible for filter replacement and cleaning of the filter.

4-202.15 Can Openers.

Cutting or piercing parts of can openers shall be readily removable for cleaning and for replacement.

4-202.16 Nonfood-Contact Surfaces.

NonFOOD-CONTACT SURFACES shall be free of unnecessary ledges, projections, and crevices, and designed and constructed to allow easy cleaning and to facilitate maintenance.

4-202.17 Kick Plates, Removable.

Kick plates shall be designed so that the areas behind them are accessible for inspection and cleaning by being:

- (A) Removable by one of the methods specified under Subparagraph 4-202.11(A)(5) or capable of being rotated open; and
- (B) Removable or capable of being rotated open without unlocking EQUIPMENT doors.

4-202.18 Ventilation Hood Systems, Filters.

Filters or other grease extracting EQUIPMENT shall be designed to be readily removable for cleaning and replacement if not designed to be cleaned in place.

Accuracy 4-203.11 Temperature Measuring Devices, Food.

- (A) FOOD TEMPERATURE MEASURING DEVICES that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to $\pm 1^{\circ}$ C in the intended range of use. ^{Pf}
- (B) FOOD TEMPERATURE MEASURING DEVICES that are scaled only in Fahrenheit shall be accurate to ±2°F in the intended range of use. Pf

4-203.12 Temperature Measuring Devices, Ambient Air and Water.

- (A) Ambient air and water TEMPERATURE MEASURING DEVICES that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to $\pm 1.5^{\circ}$ C in the intended range of use. ^{Pf}
- (B) Ambient air and water TEMPERATURE MEASURING DEVICES that are scaled only in Fahrenheit shall be accurate to ±3°F in the intended range of use. Pf

4-203.13 Pressure Measuring Devices, Mechanical Warewashing Equipment.

Pressure measuring devices that display the pressures in the water supply line for the fresh hot water SANITIZING rinse shall have increments of 7 kilopascals (1 pound per square inch) or smaller and shall be accurate to ±14 kilopascals (±2 pounds per square inch) in the range indicated on the manufacturer's data plate.

Functionality 4-204.11 Ventilation Hood Systems, Drip Prevention.

Exhaust ventilation hood systems in FOOD preparation and WAREWASHING areas including components such as hoods, fans, guards, and ducting shall be designed to prevent grease or condensation from draining or dripping onto FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

4-204.12 Equipment Openings, Closures and Deflectors.

- (A) A cover or lid for EQUIPMENT shall overlap the opening and be sloped to drain.
- (B) An opening located within the top of a unit of EQUIPMENT that is designed for use with a cover or lid shall be flanged upward at least 5 millimeters (two-tenths of an inch).
- (C) Except as specified under ¶ (D) of this section, fixed piping, TEMPERATURE MEASURING DEVICES, rotary shafts, and other parts extending into EQUIPMENT shall be provided with a watertight joint at the point where the item enters the EQUIPMENT.

- (D) If a watertight joint is not provided:
- (1) The piping, TEMPERATURE MEASURING DEVICES, rotary shafts, and other parts extending through the openings shall be equipped with an apron designed to deflect condensation, drips, and dust from openings into the FOOD; and
- (2) The opening shall be flanged as specified under ¶ (B) of this section.

4-204.13 Dispensing Equipment, Protection of Equipment and Food.

In EQUIPMENT that dispenses or vends liquid FOOD or ice in unpackaged form:

- (A) The delivery tube, chute, orifice, and splash surfaces directly above the container receiving the FOOD shall be designed in a manner, such as with barriers, baffles, or drip aprons, so that drips from condensation and splash are diverted from the opening of the container receiving the FOOD;
- (B) The delivery tube, chute, and orifice shall be protected from manual contact such as by being recessed;
- (C) The delivery tube or chute and orifice of EQUIPMENT used to vend liquid FOOD or ice in unpackaged form to self-service Consumers shall be designed so that the delivery tube or chute and orifice are protected from dust, insects, rodents, and other contamination by a self-closing door if the EQUIPMENT is:
 - Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment, or
 - (2) Available for self-service during hours when it is not under the full-time supervision of a FOOD EMPLOYEE; and
- (D) The dispensing EQUIPMENT actuating lever or mechanism and filling device of CONSUMER self-service BEVERAGE dispensing EQUIPMENT shall be designed to prevent contact with the lipcontact surface of glasses or cups that are refilled.
 - (E) Dispensing EQUIPMENT in which POTENTIALLY HAZARDOUS

FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) in a homogenous liquid form is maintained outside of the temperature control requirements as specified under §3-501.16(A) shall:

- (1) be specifically designed and equipped to maintain the commercial sterility of aseptically PACKAGED FOOD in a homogenous liquid form for a specified duration from the time of opening the PACKAGING within the EQUIPMENT; P and
- (2) conform to the requirements for this EQUIPMENT as specified in *NSF/ANSI 18-2006- Manual Food and Beverage Dispensing Equipment.* P

4-204.14

DELETED

4-204.15 Bearings and Gear Boxes, Leakproof.

EQUIPMENT containing bearings and gears that require lubricants shall be designed and constructed so that the lubricant cannot leak, drip, or be forced into FOOD or onto FOOD-CONTACT SURFACES.

4-204.16 Beverage Tubing, Separation.

Except for cold plates that are constructed integrally with an ice storage bin, BEVERAGE tubing and cold-plate BEVERAGE cooling devices may not be installed in contact with stored ice.

4-204.17 Ice Units, Separation of Drains.

Liquid waste drain lines may not pass through an ice machine or ice storage bin.

4-204.18 Condenser Unit, Separation.

If a condenser unit is an integral component of EQUIPMENT, the condenser unit shall be separated from the FOOD and FOOD storage space by a dustproof barrier.

4-204.19

DELETED

4-204.110 Molluscan Shellfish Tanks.

- (A) Except as specified under \P (B) of this section, MOLLUSCAN SHELLFISH life support system display tanks may not be used to store or display shellfish that are offered for human consumption and shall be conspicuously marked so that it is obvious to the CONSUMER that the shellfish are for display only.
- (B) MOLLUSCAN SHELLFISH life-support system display tanks that are used to store or display shellfish that are offered for human consumption shall be operated and maintained in accordance with a VARIANCE granted by the REGULATORY AUTHORITY as specified in § 8-103.10 and a HACCP PLAN that: Pf
- (1) Is submitted by the PERMIT HOLDER and APPROVED as specified under § 8-103.11; Pf and
 - (2) Ensures that:
 - (a) Water used with FISH other than MOLLUSCAN SHELLFISH does not flow into the molluscan tank. Pf
 - (b) The safety and quality of the shellfish as they were received are not compromised by the use of the tank, ^{Pf} and
 - (c) The identity of the source of the SHELLSTOCK is retained as specified under § 3-203.12. Pf

4-204.111

DELETED

4-204.112 Temperature Measuring Devices.

(A) In a mechanically refrigerated or hot FOOD storage unit, the sensor of a TEMPERATURE MEASURING DEVICE shall be located to measure the air temperature or a simulated product temperature in the warmest part of a mechanically refrigerated unit and in the

coolest part of a hot FOOD storage unit.

- (B) Except as specified in ¶ (C) of this section, cold or hot holding EQUIPMENT used for POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be designed to include and shall be equipped with at least one integral or permanently affixed TEMPERATURE MEASURING DEVICE that is located to allow easy viewing of the device's temperature display.
- (C) Paragraph (B) of this section does not apply to EQUIPMENT for which the placement of a TEMPERATURE MEASURING DEVICE is not a practical means for measuring the ambient air surrounding the FOOD because of the design, type, and use of the EQUIPMENT, such as calrod units, heat lamps, cold plates, bainmaries, steam tables, insulated FOOD transport containers, and salad bars.
- (D) TEMPERATURE MEASURING DEVICES shall be designed to be easily readable.
- (E) FOOD TEMPERATURE MEASURING DEVICES and water TEMPERATURE MEASURING DEVICES on WAREWASHING machines shall have a numerical scale, printed record, or digital readout in increments no greater than 1°C or 2°F in the intended range of use. Pf

4-204.113 Warewashing Machine, Data Plate Operating Specifications.

A WAREWASHING machine shall be provided with an easily accessible and readable data plate affixed to the machine by the manufacturer that indicates the machine's design and operation specifications including the:

- (A) Temperatures required for washing, rinsing, and SANITIZING;
- (B) Pressure required for the fresh water SANITIZING rinse unless the machine is designed to use only a pumped SANITIZING rinse; and
- (C) Conveyor speed for conveyor machines or cycle time for stationary rack machines.

4-204.114 Warewashing Machines, Internal Baffles.

Warewashing machine wash and rinse tanks shall be equipped with baffles, curtains, or other means to minimize internal cross contamination of the solutions in wash and rinse tanks.

4-204.115 Warewashing Machines, Temperature Measuring Devices.

A WAREWASHING machine shall be equipped with a TEMPERATURE MEASURING DEVICE that indicates the temperature of the water:

- (A) In each wash and rinse tank; Pf and
- (B) As the water enters the hot water SANITIZING final rinse manifold or in the chemical SANITIZING solution tank. Pf

4-204.116 Manual Warewashing Equipment, Heaters and Baskets.

If hot water is used for Sanitization in manual Warewashing operations, the Sanitizing compartment of the sink shall be:

- (A) Designed with an integral heating device that is capable of maintaining water at a temperature not less than 77°C (171°F); Pf and
- (B) Provided with a rack or basket to allow complete immersion of equipment and utensils into the hot water. Pf

4-204.117 Warewashing Machines, Automatic Dispensing of Detergents and Sanitizers.

A WAREWASHING machine that is installed after adoption of this Code by the REGULATORY AUTHORITY, shall be equipped to:

- (A) Automatically dispense detergents and SANITIZERS; Pf and
- (B) Incorporate a visual means to verify that detergents and SANITIZERS are delivered or a visual or audible alarm to signal if the detergents and SANITIZERS are not delivered to the respective washing and SANITIZING cycles. Pf

4-204.118 Warewashing Machines, Flow Pressure Device.

- (A) Warewashing machines that provide a fresh hot water Sanitizing rinse shall be equipped with a pressure gauge or similar device such as a transducer that measures and displays the water pressure in the supply line immediately before entering the Warewashing machine; and
- (B) If the flow pressure measuring device is upstream of the fresh hot water SANITIZING rinse control valve, the device shall be mounted in a 6.4 millimeter or one-fourth inch Iron Pipe Size (IPS) valve.
- (C) Paragraphs (A) and (B) of this section do not apply to a machine that uses only a pumped or recirculated SANITIZING rinse.

4-204.119 Warewashing Sinks and Drainboards, Self-Draining.

Sinks and drainboards of WAREWASHING sinks and machines shall be self-draining.

4-204.120 Equipment Compartments, Drainage.

EQUIPMENT compartments that are subject to accumulation of moisture due to conditions such as condensation, FOOD or BEVERAGE drip, or water from melting ice shall be sloped to an outlet that allows complete draining.

4-204.121

DELETED

4-204.122 Case Lot Handling Apparatuses, Moveability.

Apparatuses, such as dollies, pallets, racks, and skids used to store and transport large quantities of PACKAGED FOODS received from a supplier in a cased or overwrapped lot, shall be designed to be moved by hand or by conveniently available apparatuses such as hand trucks and forklifts.

4-204.123

DELETED

Acceptability 4-205.10 Food Equipment, Certification and Classification.

Except for toasters, mixers, microwave ovens, water heaters, and hoods, FOOD EQUIPMENT shall be used in accordance with the manufacturer's intended use and certified or classified for sanitation by an American National Standards Institute (ANSI)-accredited certification program. If the EQUIPMENT is not certified or classified for sanitation, the EQUIPMENT shall meet Parts 4-1 and 4-2 of the Food Code as amended by this Rule. Nonabsorbent wooden shelves that are in GOOD REPAIR may be used in dry storage areas.

4-3 NUMBERS AND CAPACITIES

Subparts

4-301 Equipment4-302 Utensils, Temperature Measuring Devices, and Testing Devices

Equipment

4-301.11 Cooling, Heating, and Holding Capacities.

EQUIPMENT for cooling and heating FOOD, and holding cold and hot FOOD, shall be sufficient in number and capacity to provide FOOD temperatures as specified under Chapter 3. Pf

4-301.12 Manual Warewashing, Sink Compartment Requirements.

(A) Except as specified in ¶ (C) of this section, a sink with at least 3 compartments shall be provided for manually washing, rinsing, and SANITIZING EQUIPMENT and UTENSILS. Pf

- (B) Sink compartments shall be large enough to accommodate immersion of the largest EQUIPMENT and UTENSILS. If EQUIPMENT or UTENSILS are too large for the WAREWASHING sink, a WAREWASHING machine or alternative EQUIPMENT as specified in ¶ (C) of this section shall be used. Pf
- (C) Alternative manual WAREWASHING EQUIPMENT may be used when there are special cleaning needs or constraints and its use is APPROVED. Alternative manual WAREWASHING EQUIPMENT may include:
 - (1) High-pressure detergent sprayers;
 - (2) Low- or line-pressure spray detergent foamers;
 - (3) Other task-specific cleaning EQUIPMENT;
 - (4) Brushes or other implements;
- (5) 2-compartment sinks as specified under $\P\P$ (D) and (E) of this section; or
- (6) Receptacles that substitute for the compartments of a multicompartment sink.
- (D) Before a 2-compartment sink is used:
 - (1) The PERMIT HOLDER shall have its use APPROVED; and
- (2) The PERMIT HOLDER shall limit the number of KITCHENWARE items cleaned and SANITIZED in the 2-compartment sink, and shall limit WAREWASHING to batch operations for cleaning KITCHENWARE such as between cutting one type of raw MEAT and another or cleanup at the end of a shift, and shall:
 - (a) Make up the cleaning and SANITIZING solutions immediately before use and drain them immediately after use, and
 - (b) Use a detergent-SANITIZER to SANITIZE and apply the detergent-SANITIZER in accordance with the manufacturer's label instructions and as specified under § 4-501.115, or
 - (c) Use a hot water SANITIZATION immersion step as specified under ¶ 4-603.16(C).

(E) A 2-compartment sink may not be used for WAREWASHING operations where cleaning and SANITIZING solutions are used for a continuous or intermittent flow of KITCHENWARE or TABLEWARE in an ongoing WAREWASHING process.

4-301.13 Drainboards.

Drainboards, UTENSIL racks, or tables large enough to accommodate all soiled and cleaned items that may accumulate during hours of operation shall be provided for necessary UTENSIL holding before cleaning and after SANITIZING.

4-301.14 Ventilation Hood Systems, Adequacy.

Ventilation hood systems and devices shall prevent grease or condensation from collecting on EQUIPMENT, walls, and ceilings.

4-301.15 Clothes Washers and Dryers.

- (A) Except as specified in ¶ (B) of this section, if work clothes or LINENS are laundered on the PREMISES, a mechanical clothes washer and dryer shall be provided and used.
- (B) If on-PREMISES laundering is limited to wiping cloths intended to be used moist, or wiping cloths are air-dried as specified under § 4-901.12, a mechanical clothes washer and dryer need not be provided.

Utensils, Temperature Measuring Devices, and Testing Devices

4-302.11 Utensils, Consumer Self-Service.

A FOOD dispensing UTENSIL shall be available for each container displayed at a CONSUMER self-service unit such as a buffet or salad bar. Pf

4-302.12 Food Temperature Measuring Devices.

- (A) FOOD TEMPERATURE MEASURING DEVICES shall be provided and readily accessible for use in ensuring attainment and maintenance of FOOD temperatures as specified under Chapter 3. Pf
- (B) A TEMPERATURE MEASURING DEVICE with a suitable small-diameter probe that is designed to measure the temperature of thin masses shall be provided and readily accessible to accurately measure the temperature in thin FOODS such as MEAT patties and FISH filets. Pf

4-302.13 Temperature Measuring Devices, Manual Warewashing.

In manual WAREWASHING operations, a TEMPERATURE MEASURING DEVICE shall be provided and readily accessible for frequently measuring the washing and SANITIZING temperatures.

4-302.14 Sanitizing Solutions, Testing Devices.

A test kit or other device that accurately measures the concentration in MG/L of SANITIZING solutions shall be provided. Pf

4-4 LOCATION AND INSTALLATION

Subparts

4-401 Location 4-402 Installation

Location

4-401.11 Equipment, Clothes Washers and Dryers, and Storage Cabinets, Contamination Prevention.

(A) Except as specified in ¶ (B) of this section, EQUIPMENT, a cabinet used for the storage of FOOD, or a cabinet that is used to store cleaned and SANITIZED EQUIPMENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES may not be located:

- (1) In locker rooms;
- (2) In toilet rooms;
- (3) In garbage rooms;
- (4) In mechanical rooms;
- (5) Under sewer lines that are not shielded to intercept potential drips;
- (6) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed:
 - (7) Under open stairwells; or
 - (8) Under other sources of contamination.
- (B) A storage cabinet used for LINENS or SINGLE-SERVICE or SINGLE-USE ARTICLES may be stored in a locker room.
- (C) If a mechanical clothes washer or dryer is provided, it shall be located so that the washer or dryer is protected from contamination and only where there is no exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

Installation

4-402.11 Fixed Equipment, Spacing or Sealing.

- (A) EQUIPMENT that is fixed because it is not EASILY MOVABLE shall be installed so that it is:
- Spaced to allow access for cleaning along the sides, behind, and above the EQUIPMENT;
- (2) Spaced from adjoining EQUIPMENT, walls, and ceilings a distance of not more than 1 millimeter or one thirty-second inch: or
- (3) SEALED to adjoining EQUIPMENT or walls, if the EQUIPMENT is exposed to spillage or seepage.

- (B) COUNTER-MOUNTED EQUIPMENT that is not EASILY MOVABLE shall be installed to allow cleaning of the EQUIPMENT and areas underneath and around the EQUIPMENT by being:
- (1) SEALED; or
 - (2) Elevated on legs as specified under ¶ 4-402.12(D).

4-402.12 Fixed Equipment, Elevation or Sealing.

- (A) Except as specified in ¶¶ (B) and (C) of this section, floor-mounted EQUIPMENT that is not EASILY MOVABLE shall be SEALED to the floor or elevated on legs that provide at least a 15 centimeter (6 inch) clearance between the floor and the EQUIPMENT.
- (B) If no part of the floor under the floor-mounted EQUIPMENT is more than 15 centimeters (6 inches) from the point of cleaning access, the clearance space may be only 10 centimeters (4 inches).
- (C) This section does not apply to display shelving units, display refrigeration units, and display freezer units located in the CONSUMER shopping areas of a retail FOOD store, if the floor under the units is maintained clean.
- (D) Except as specified in ¶ (E) of this section, COUNTER-MOUNTED EQUIPMENT that is not EASILY MOVABLE shall be elevated on legs that provide at least a 10 centimeter (4 inch) clearance between the table and the EQUIPMENT.
- (E) The clearance space between the table and COUNTER-MOUNTED EQUIPMENT may be:
- (1) 7.5 centimeters (3 inches) if the horizontal distance of the table top under the EQUIPMENT is no more than 50 centimeters (20 inches) from the point of access for cleaning; or
- (2) 5 centimeters (2 inches) if the horizontal distance of the table top under the EQUIPMENT is no more than 7.5 centimeters (3 inches) from the point of access for cleaning

4-5 MAINTENANCE AND OPERATION

Subparts

4-501 Equipment

4-502 Utensils and Temperature and Pressure

Measuring Devices

Equipment

4-501.11 Good Repair and Proper Adjustment.

- (A) EQUIPMENT shall be maintained in a state of repair and condition that meets the requirements specified under Parts 4-1 and 4-2.
- (B) EQUIPMENT components such as doors, seals, hinges, fasteners, and kick plates shall be kept intact, tight, and adjusted in accordance with manufacturer's specifications.
- (C) Cutting or piercing parts of can openers shall be kept sharp to minimize the creation of metal fragments that can contaminate FOOD when the container is opened.

4-501.12 Cutting Surfaces.

Surfaces such as cutting blocks and boards that are subject to scratching and scoring shall be resurfaced if they can no longer be effectively cleaned and SANITIZED, or discarded if they are not capable of being resurfaced.

4-501.13 Microwave Ovens.

Microwave ovens shall meet the safety standards specified in 21 CFR 1030.10 Microwave ovens.

4-501.14 Warewashing Equipment, Cleaning Frequency.

A WAREWASHING machine; the compartments of sinks, basins, or other receptacles used for washing and rinsing EQUIPMENT, UTENSILS, or raw FOODS, or laundering wiping cloths; and drainboards or other EQUIPMENT used to substitute for drainboards as specified under § 4-301.13 shall be cleaned:

(A) Before use;

- (B) Throughout the day at a frequency necessary to prevent recontamination of EQUIPMENT and UTENSILS and to ensure that the EQUIPMENT performs its intended function; and
- (C) If used, at least every 24 hours.

4-501.15 Warewashing Machines, Manufacturers' Operating Instructions.

- (A) A WAREWASHING machine and its auxiliary components shall be operated in accordance with the machine's data plate and other manufacturer's instructions.
- (B) A WAREWASHING machine's conveyor speed or automatic cycle times shall be maintained accurately timed in accordance with manufacturer's specifications.

4-501.16 Warewashing Sinks, Use Limitation.

- (A) A WAREWASHING sink may not be used for handwashing as specified under § 2-301.15.
- (B) If a WAREWASHING sink is used to wash wiping cloths, wash produce, or thaw FOOD, the sink shall be cleaned as specified under § 4-501.14 before and after each time it is used to wash wiping cloths or wash produce or thaw FOOD. Sinks used to wash or thaw FOOD shall be SANITIZED as specified under Part 4-7 before and after using the sink to wash produce or thaw FOOD.

4-501.17 Warewashing Equipment, Cleaning Agents.

When used for WAREWASHING, the wash compartment of a sink, mechanical warewasher, or wash receptacle of alternative manual WAREWASHING EQUIPMENT as specified in ¶ 4-301.12(C), shall contain a wash solution of soap, detergent, acid cleaner, alkaline cleaner, degreaser, abrasive cleaner, or other cleaning agent according to the cleaning agent manufacturer's label instructions. Pf

4-501.18 Warewashing Equipment, Clean Solutions.

The wash, rinse, and SANITIZE solutions shall be maintained clean.

4-501.19 Manual Warewashing Equipment, Wash Solution Temperature.

The temperature of the wash solution in manual WAREWASHING EQUIPMENT shall be maintained at not less than 43°C (110°F) or the temperature specified on the cleaning agent manufacturer's label instructions. Pf

4-501.110 Mechanical Warewashing Equipment, Wash Solution Temperature.

- (A) The temperature of the wash solution in spray type warewashers that use hot water to SANITIZE may not be less than:
- (1) For a stationary rack, single temperature machine, 74°C (165°F); Pf
- (2) For a stationary rack, dual temperature machine, 66°C (150°F); Pf
- (3) For a single tank, conveyor, dual temperature machine, 71°C (160°F); Pf or
- (4) For a multitank, conveyor, multitemperature machine, 66°C (150°F). Pf

(B) The temperature of the wash solution in spray-type warewashers that use chemicals to SANITIZE may not be less than 49°C (120°F). Pf

4-501.111 Manual Warewashing Equipment, Hot Water Sanitization Temperatures.

If immersion in hot water is used for SANITIZING in a manual operation, the temperature of the water shall be maintained at 77°C (171°F) or above. P

4-501.112 Mechanical Warewashing Equipment, Hot Water Sanitization Temperatures.

- (A) Except as specified in \P (B) of this section, in a mechanical operation, the temperature of the fresh hot water SANITIZING rinse as it enters the manifold may not be more than 90° C (194° F), or less than:
- (1) For a stationary rack, single temperature machine, 74°C (165°F); Pf or
 - (2) For all other machines, 82°C (180°F). Pf
- (B) The maximum temperature specified under ¶ (A) of this section, does not apply to the high pressure and temperature systems with wand-type, hand-held, spraying devices used for the in-place cleaning and SANITIZING of EQUIPMENT such as meat saws.

4-501.113 Mechanical Warewashing Equipment, Sanitization Pressure.

The flow pressure of the fresh hot water SANITIZING rinse in a WAREWASHING machine, as measured in the water line immediately downstream or upstream from the fresh hot water SANITIZING rinse control value, shall be within the range specified on the machine manufacturer's data plate and may not be less than 35 kilopascals (5 pounds per square inch) or more than 200 kilopascals (30 pounds per square inch).

4-501.114 Manual and Mechanical Warewashing Equipment, Chemical Sanitization - Temperature, pH, Concentration, and Hardness.

A chemical Sanitizer used in a Sanitizing solution for a manual or mechanical operation at contact times specified under ¶ 4-703.11(C) shall meet the criteria specified under § 7-204.11 Sanitizers, Criteria, shall be used in accordance with the EPA-registered label use instructions, and shall be used as follows P:

(A) A chlorine solution shall have a minimum temperature based on the concentration and PH of the solution as listed in the following chart; P

Concentration Range	Minimum Te	emperature
MG/L	PH 10 or less °C (°F)	PH 8 or less °C (°F)
25 – 49	49 (120)	49 (120)
50 – 99	38 (100)	24 (75)
100	13 (55)	13 (55)

- (B) An iodine solution shall have a:
 - (1) Minimum temperature of 20°C (68°F), P
 - (2) PH of 5.0 or less or a PH no higher than the level for which the manufacturer specifies the solution is effective, P and
 - (3) Concentration between 12.5 Mg/L and 25 Mg/L; P
- (C) A quaternary ammonium compound solution shall:
 - (1) Have a minimum temperature of 24°C (75°F), P
 - (2) Have a concentration as specified under § 7-204.11 and as indicated by the manufacturer's use directions included in the labeling, ^P and

- (3) Be used only in water with 500 MG/L hardness or less or in water having a hardness no greater than specified by the EPA-registered label use instructions: P
- (D) If another solution of a chemical specified under ¶¶ (A) (C) of this section is used, the PERMIT HOLDER shall demonstrate to the REGULATORY AUTHORITY that the solution achieves SANITIZATION and the use of the solution shall be APPROVED;

 P or
- (E) If a chemical SANITIZER other than chlorine, iodine, or a quaternary ammonium compound is used, it shall be applied in accordance with the EPA-registered label use instructions. P

4-501.115 Manual Warewashing Equipment, Chemical Sanitization Using Detergent-Sanitizers.

If a detergent-Sanitizer is used to Sanitize in a cleaning and Sanitizing procedure where there is no distinct water rinse between the washing and Sanitizing steps, the agent applied in the Sanitizing step shall be the same detergent-Sanitizer that is used in the washing step.

4-501.116 Warewashing Equipment, Determining Chemical Sanitizer Concentration.

Concentration of the SANITIZING solution shall be accurately determined by using a test kit or other device. Pf

Utensils and Temperature and Pressure Measuring Devices

4-502.11 Good Repair and Calibration.

- (A) UTENSILS shall be maintained in a state of repair or condition that complies with the requirements specified under Parts 4-1 and 4-2 or shall be discarded.
- (B) FOOD TEMPERATURE MEASURING DEVICES shall be calibrated in accordance with manufacturer's specifications as necessary to ensure their accuracy. Pf
- (C) Ambient air temperature, water pressure, and water TEMPERATURE MEASURING DEVICES shall be maintained in good repair and be accurate within the intended range of use.

4-502.12 Single-Service and Single-Use Articles, Required Use.

A FOOD ESTABLISHMENT without facilities specified under Parts 4-6 and 4-7 for cleaning and Sanitizing Kitchenware and Tableware shall provide only Single-USE Kitchenware, Single-Service articles, and Single-USE articles for use by FOOD EMPLOYEES AND SINGLE-SERVICE ARTICLES for use by CONSUMERS. P

4-502.13 Single-Service and Single-Use Articles, Use Limitation.

- (A) SINGLE-SERVICE and SINGLE-USE ARTICLES may not be reused.
- (B) The bulk milk container dispensing tube shall be cut on the diagonal leaving no more than one inch protruding from the chilled dispensing head.

4-502.14 Shells, Use Limitation.

Mollusk and crustacea shells may not be used more than once as serving containers.

4-6	CLEANING OF EQUIPMENT AND UTENSILS	
	Subparts	
	4-601 4-602 4-603	Objective Frequency Methods

Objective 4-601.11 Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils.

(A) Equipment food-contact surfaces and utensils shall be clean to sight and touch. $^{\rm Pf}$

- (B) The FOOD-CONTACT SURFACES of cooking EQUIPMENT and pans shall be kept free of encrusted grease deposits and other soil accumulations.
- (C) NonFOOD-CONTACT SURFACES of EQUIPMENT shall be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.

Frequency

4-602.11 Equipment Food-Contact Surfaces and Utensils.

- (A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be cleaned:
- (1) Except as specified in ¶ (B) of this section, before each use with a different type of raw animal FOOD such as beef, FISH, lamb, pork, or POULTRY; P
- (2) Each time there is a change from working with raw FOODS to working with READY-TO-EAT FOODS; P
- (3) Between uses with raw fruits and vegetables and with POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD); P
- (4) Before using or storing a FOOD TEMPERATURE MEASURING DEVICE: P and
- (5) At any time during the operation when contamination may have occurred. P
- (B) Subparagraph (A)(1) of this section does not apply if the FOOD-CONTACT SURFACE or UTENSIL is in contact with a succession of different raw animal FOODS each requiring a higher cooking temperature as specified under § 3-401.11 than the previous FOOD, such as preparing raw FISH followed by cutting raw poultry on the same cutting board.
- (C) Except as specified in ¶ (D) of this section, if used with POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD), EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be cleaned throughout the day at least every 4 hours. P
- (D) Surfaces of UTENSILS and EQUIPMENT contacting POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) may be cleaned less frequently than every 4 hours if:

- (1) In storage, containers of POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) and their contents are maintained at temperatures specified under Chapter 3 and the containers are cleaned when they are empty;
- (2) UTENSILS and EQUIPMENT are used to prepare FOOD in a refrigerated room or area that is maintained at one of the temperatures in the following chart and:
 - (a) The UTENSILS and EQUIPMENT are cleaned at the frequency in the following chart that corresponds to the temperature; and

Temperature	Cleaning Frequency
5.0°C (41°F) or less	24 hours
>5.0°C - 7.2°C (>41°F - 45°F)	20 hours
>7.2°C - 10.0°C (>45°F - 50°F)	16 hours
>10.0°C - 12.8°C (>50°F - 55°F)	10 hours

- (b) The cleaning frequency based on the ambient temperature of the refrigerated room or area is documented in the FOOD ESTABLISHMENT.
- (3) Containers in serving situations such as salad bars, delis, and cafeteria lines hold READY-TO-EAT POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) that is maintained at the temperatures specified under Chapter 3, are intermittently combined with additional supplies of the same FOOD that is at the required temperature, and the containers are cleaned at least every 24 hours;
- (4) TEMPERATURE MEASURING DEVICES are maintained in contact with FOOD, such as when left in a container of deli FOOD or in

- a roast, held at temperatures specified under Chapter 3;
- (5) EQUIPMENT is used for storage of PACKAGED or unPACKAGED FOOD such as a reach-in refrigerator and the EQUIPMENT is cleaned at a frequency necessary to preclude accumulation of soil residues:
- (6) The cleaning schedule is APPROVED based on consideration of:
 - (a) Characteristics of the EQUIPMENT and its use,
 - (b) The type of FOOD involved,
 - (c) The amount of FOOD residue accumulation, and
 - (d) The temperature at which the FOOD is maintained during the operation and the potential for the rapid and progressive multiplication of pathogenic or toxigenic microorganisms that are capable of causing foodborne disease; or
- (7) In-use UTENSILS are intermittently stored in a container of water in which the water is maintained at 57°C (135°F) or more and the UTENSILS and container are cleaned at least every 24 hours or at a frequency necessary to preclude accumulation of soil residues.
- (E) Except when dry cleaning methods are used as specified under § 4-603.11, surfaces of UTENSILS and EQUIPMENT contacting FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) shall be cleaned:
 - (1) At any time when contamination may have occurred;
 - (2) At least every 24 hours for iced tea dispensers and CONSUMER self-service UTENSILS such as tongs, scoops, or ladles;
 - (3) Before restocking CONSUMER self-service EQUIPMENT and UTENSILS such as condiment dispensers and display containers; and
- (4) In EQUIPMENT such as ice bins and BEVERAGE dispensing nozzles and enclosed components of EQUIPMENT such as ice makers, cooking oil storage tanks and distribution lines,

BEVERAGE and syrup dispensing lines or tubes, coffee bean grinders, and water vending EQUIPMENT:

- (a) At a frequency specified by the manufacturer, or
- (b) Absent manufacturer specifications, at a frequency necessary to preclude accumulation of soil or mold.

4-602.12 Cooking and Baking Equipment.

- (A) The FOOD-CONTACT SURFACES of cooking and baking EQUIPMENT shall be cleaned at least every 24 hours. *This section does not apply to hot oil cooking and filtering EQUIPMENT if it is cleaned as specified in Subparagraph 4-602.11(D)(6).*
- (B) The cavities and door seals of microwave ovens shall be cleaned at least every 24 hours by using the manufacturer's recommended cleaning procedure.

4-602.13 Nonfood-Contact Surfaces.

NonFOOD-CONTACT SURFACES of EQUIPMENT shall be cleaned at a frequency necessary to preclude accumulation of soil residues.

Methods 4-603.11

- 4-603.11 Dry Cleaning.
- (A) If used, dry cleaning methods such as brushing, scraping, and vacuuming shall contact only SURFACES that are soiled with dry FOOD residues that are not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD).
- (B) Cleaning EQUIPMENT used in dry cleaning FOOD-CONTACT SURFACES may not be used for any other purpose.

4-603.12 Precleaning.

- (A) FOOD debris on EQUIPMENT and UTENSILS shall be scrapped over a waste disposal unit or garbage receptacle or shall be removed in a WAREWASHING machine with a prewash cycle.
- (B) If necessary for effective cleaning, UTENSILS and EQUIPMENT shall be preflushed, presoaked, or scrubbed with abrasives.

4-603.13 Loading of Soiled Items, Warewashing Machines.

Soiled items to be cleaned in a WAREWASHING machine shall be loaded into racks, trays, or baskets or onto conveyors in a position that:

- (A) Exposes the items to the unobstructed spray from all cycles; and
- (B) Allows the items to drain.

4-603.14 Wet Cleaning.

- (A) EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be effectively washed to remove or completely loosen soils by using the manual or mechanical means necessary such as the application of detergents containing wetting agents and emulsifiers; acid, alkaline, or abrasive cleaners; hot water; brushes; scouring pads; high-pressure sprays; or ultrasonic devices.
- (B) The washing procedures selected shall be based on the type and purpose of the EQUIPMENT or UTENSIL, and on the type of soil to be removed.

4-603.15 Washing, Procedures for Alternative Manual Warewashing Equipment.

If washing in sink compartments or a WAREWASHING machine is impractical such as when the EQUIPMENT is fixed or the UTENSILS are too large, washing shall be done by using alternative manual WAREWASHING EQUIPMENT as specified in ¶ 4-301.12(C) in accordance with the following procedures:

- (A) EQUIPMENT shall be disassembled as necessary to allow access of the detergent solution to all parts;
- (B) EQUIPMENT components and UTENSILS shall be scrapped or rough cleaned to remove FOOD particle accumulation; and
- (C) EQUIPMENT and UTENSILS shall be washed as specified under

¶ 4-603.14(A).

4-603.16 Rinsing Procedures.

Washed UTENSILS and EQUIPMENT shall be rinsed so that abrasives are removed and cleaning chemicals are removed or diluted through the use of water or a detergent-sanitizer solution by using one of the following procedures:

- (A) Use of a distinct, separate water rinse after washing and before SANITIZING if using:
 - (1) A 3-compartment sink,
 - (2) Alternative manual WAREWASHING EQUIPMENT equivalent to a 3-compartment sink as specified in ¶ 4-301.12(C), or
 - (3) A 3-step washing, rinsing, and SANITIZING procedure in a WAREWASHING system for CIP EQUIPMENT;
- (B) Use of a detergent-SANITIZER as specified under § 4-501.115 if using:
 - (1) Alternative WAREWASHING EQUIPMENT as specified in ¶ 4-301.12(C) that is APPROVED for use with a detergent-SANITIZER, or
 - (2) A WAREWASHING system for CIP EQUIPMENT;
- (C) Use of a nondistinct water rinse that is integrated in the hot water SANITIZATION immersion step of a 2-compartment sink operation;
- (D) If using a WAREWASHING machine that does not recycle the SANITIZING solution as specified under ¶ (E) of this section, or alternative manual WAREWASHING EQUIPMENT such as sprayers, use of a nondistinct water rinse that is:
 - (1) Integrated in the application of the SANITIZING solution, and
 - (2) Wasted immediately after each application; or
- (E) If using a WAREWASHING machine that recycles the SANITIZING

solution for use in the next wash cycle, use of a nondistinct water rinse that is integrated in the application of the SANITIZING solution.

4-603.17 Returnables, Cleaning for Refilling.

- (A) Except as specified in $\P\P$ (B) and (C) of this section, returned empty containers intended for cleaning and refilling with FOOD shall be cleaned and refilled in a regulated FOOD PROCESSING PLANT. P
- (B) A FOOD-specific container for BEVERAGES may be refilled at a FOOD ESTABLISHMENT if:
- (1) Only a BEVERAGE that is not a POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) is used as specified under ¶ 3-304.17(A);
- (2) The design of the container and of the rinsing EQUIPMENT and the nature of the BEVERAGE, when considered together, allow effective cleaning at home or in the FOOD ESTABLISHMENT;
- (3) Facilities for rinsing before refilling returned containers with fresh, hot water that is under pressure and not recirculated are provided as part of the dispensing system;
- (4) The CONSUMER-owned container returned to the FOOD ESTABLISHMENT for refilling is refilled for sale or service only to the same CONSUMER; and
 - (5) The container is refilled by:
 - (a) An EMPLOYEE of the FOOD ESTABLISHMENT, or
 - (b) The owner of the container if the BEVERAGE system includes a contamination-free transfer process that cannot be bypassed by the container owner.
- (C) Consumer-owned containers that are not FOOD-specific may be filled at a water VENDING MACHINE or system.

4-7 SANITIZATION OF EQUIPMENT AND UTENSILS

Subparts

4-701	Objective
4-702	Frequency
4-703	Methods

Objective 4-701.10 Food-Contact Surfaces and Utensils.

EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be SANITIZED.

Frequency 4-702.11 Before Use After Cleaning.

UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT shall be SANITIZED before use after cleaning. P

Methods 4-703.11 Hot Water and Chemical.

After being cleaned, EQUIPMENT FOOD-CONTACT SURFACES and UTENSILS shall be SANITIZED in:

- (A) Hot water manual operations by immersion for at least 30 seconds and as specified under § 4-501.111; ^P
- (B) Hot water mechanical operations by being cycled through EQUIPMENT that is set up as specified under §§ 4-501.15, 4-501.112, and 4-501.113 and achieving a UTENSIL surface temperature of 71°C (160°F) as measured by an irreversible registering temperature indicator; ^P or
- (C) Chemical manual or mechanical operations, including the application of SANITIZING chemicals by immersion, manual swabbing, brushing, or pressure spraying methods, using a solution as specified under § 4-501.114. Contact times shall be consistent with those on EPA-registered label use instructions by providing:
 - (1) Except as specified under Subparagraph (C)(2) of this section, a contact time of at least 10 seconds for a chlorine solution specified under ¶ 4-501.114(A), P

- (2) A contact time of at least 7 seconds for a chlorine solution of 50 MG/L that has a PH of 10 or less and a temperature of at least 38°C (100°F) or a PH of 8 or less and a temperature of at least 24°C (75°F), P
 - (3) A contact time of at least 30 seconds for other chemical Sanitizing solutions, ^P or
- (4) A contact time used in relationship with a combination of temperature, concentration, and PH that, when evaluated for efficacy, yields SANITIZATION as defined in \$\Psi\$ 1-201.10(B). \(^P\)

4-8 LAUNDERING

Subparts

4-801	Objective
4-802	Frequency
4-803	Methods

Objective

4-801.11 Clean Linens.

Clean LINENS shall be free from FOOD residues and other soiling matter.

Frequency

4-802.11 Specifications.

- (A) LINENS that do not come in direct contact with FOOD shall be laundered between operations if they become wet, sticky, or visibly soiled.
- (B) Cloth gloves used as specified in ¶ 3-304.15(D) shall be laundered before being used with a different type of raw animal FOOD such as beef, FISH, lamb, pork or POULTRY.
- (C) LINENS and napkins that are used as specified under § 3-304.13 and cloth napkins shall be laundered between each use.
- (D) Wet wiping cloths shall be laundered daily.

(E) Dry wiping cloths shall be laundered as necessary to prevent contamination of FOOD and clean serving UTENSILS.

Methods

4-803.11 Storage of Soiled Linens.

Soiled LINENS shall be kept in clean, nonabsorbent receptacles or clean, washable laundry bags and stored and transported to prevent contamination of FOOD, clean EQUIPMENT, clean UTENSILS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

4-803.12 Mechanical Washing.

- (A) Except as specified in \P (B) of this section, LINENS shall be mechanically washed.
- (B) In FOOD ESTABLISHMENTS in which only wiping cloths are laundered as specified in ¶ 4-301.15(B), the wiping cloths may be laundered in a mechanical washer, sink designated only for laundering wiping cloths, or a WAREWASHING or FOOD preparation sink that is cleaned as specified under § 4-501.14.

4-803.13 Use of Laundry Facilities.

- (A) Except as specified in ¶ (B) of this section, laundry facilities on the PREMISES of a FOOD ESTABLISHMENT shall be used only for the washing and drying of items used in the operation of the establishment.
- (B) Separate laundry facilities located on the PREMISES for the purpose of general laundering such as for institutions providing boarding and lodging may also be used for laundering FOOD ESTABLISHMENT items.

4-9 PROTECTION OF CLEAN ITEMS Subparts 4-901 Drying 4-902 Lubricating and Reassembling 4-903 Storing 4-904 Preventing Contamination

Drying 4-901.11 Equipment and Utensils, Air-Drying Required.

After cleaning and SANITIZING, EQUIPMENT and UTENSILS:

- (A) Shall be air-dried or used after adequate draining as specified in the first paragraph of 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (food-contact surface SANITIZING solutions), before contact with FOOD; and
- (B) May not be cloth dried except that UTENSILS that have been air-dried may be polished with cloths that are maintained clean and dry.

4-901.12 Wiping Cloths, Air-Drying Locations.

Wiping cloths laundered in a FOOD ESTABLISHMENT that does not have a mechanical clothes dryer as specified in ¶ 4-301.15(B) shall be air-dried in a location and in a manner that prevents contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES and the wiping cloths. This section does not apply if wiping cloths are stored after laundering in a SANITIZING solution as specified under § 4-501.114.

Lubricating and Reassembling

4-902.11 Food-Contact Surfaces.

Lubricants as specified under § 7-205.11 shall be applied to FOOD-CONTACT SURFACES that require lubrication in a manner that does not contaminate FOOD-CONTACT SURFACES.

4-902.12 **Equipment.**

EQUIPMENT shall be reassembled so that FOOD-CONTACT SURFACES are not contaminated.

Storing

4-903.11 Equipment, Utensils, Linens, and Single-Service and Single-Use Articles.

- (A) Except as specified in ¶ (D) of this section, cleaned EQUIPMENT and UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored:
 - (1) In a clean, dry location;
- (2) Where they are not exposed to splash, dust, or other contamination; and
 - (3) At least 15 cm (6 inches) above the floor.
- (B) Clean EQUIPMENT and UTENSILS shall be stored as specified under ¶ (A) of this section and shall be stored:
 - (1) In a self-draining position that allows air drying; and
 - (2) Covered or inverted.
- (C) SINGLE-SERVICE and SINGLE-USE ARTICLES shall be stored as specified under ¶ (A) of this section and shall be kept in the original protective PACKAGE or stored by using other means that afford protection from contamination until used.
- (D) Items that are kept in closed PACKAGES may be stored less than 15 cm (6 inches) above the floor on dollies, pallets, racks, and skids that are designed as specified under § 4-204.122.

4-903.12 Prohibitions.

- (A) Except as specified in ¶ (B) of this section, cleaned and SANITIZED EQUIPMENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES may not be stored:
 - (1) In locker rooms;
 - (2) In toilet rooms;

- (3) In garbage rooms;
- (4) In mechanical rooms;
- (5) Under sewer lines that are not shielded to intercept potential drips;
- (6) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed;
 - (7) Under open stairwells; or
 - (8) Under other sources of contamination.
- (B) Laundered LINENS and SINGLE-SERVICE and SINGLE-USE ARTICLES that are PACKAGED or in a facility such as a cabinet may be stored in a locker room.

Preventing Contamination

4-904.11 Kitchenware and Tableware.

- (A) SINGLE-SERVICE and SINGLE-USE ARTICLES and cleaned and SANITIZED UTENSILS shall be handled, displayed, and dispensed so that contamination of FOOD- and lip-contact surfaces is prevented.
- (B) Knives, forks, and spoons that are not prewrapped shall be presented so that only the handles are touched by EMPLOYEES and by CONSUMERS if CONSUMER self-service is provided.
- (C) Except as specified under ¶ (B) of this section, SINGLE-SERVICE ARTICLES that are intended for FOOD- or lip-contact shall be furnished for CONSUMER self-service with the original individual wrapper intact or from an APPROVED dispenser.

4-904.12 Soiled and Clean Tableware.

Soiled TABLEWARE shall be removed from CONSUMER eating and drinking areas and handled so that clean TABLEWARE is not contaminated.

4-904.13 Preset Tableware.

- (A) Except as specified in ¶ (B) of this section, TABLEWARE that is preset shall be protected from contamination by being wrapped, covered, or inverted.
- (B) Preset TABLEWARE may be exposed if:
- (1) Unused settings are removed when a CONSUMER is seated; or
- (2) Settings not removed when a CONSUMER is seated are cleaned and SANITIZED before further use.

4-904.14 Rinsing Equipment and Utensils after Cleaning and Sanitizing.

After being cleaned and SANITIZED, EQUIPMENT and UTENSILS shall not be rinsed before air drying or use unless:

- (A) The rinse is applied directly from a potable water supply by a warewashing machine that is maintained and operated as specified under Subparts 4-204 and 4-501; and
- (B) The rinse is applied only after the EQUIPMENT and UTENSILS have been SANITIZED by the application of hot water or by the application of a chemical SANITIZER solution whose EPA-registered label use instructions call for rinsing off the SANITIZER after it is applied in a commercial WAREWASHING machine.

Chapter

5

Water, Plumbing, and Waste

Parts

5-1	WATER
5-2	PLUMBING SYSTEM
5-3	MOBILE WATER TANK AND MOBILE FOOD ESTABLISHMENT
	WATER TANK
5-4	SEWAGE, OTHER LIQUID WASTE, AND RAINWATER
5-5	REFUSE, RECYCLABLES, AND RETURNABLES

5-1 WATER

Subparts

5-101	Source
5-102	Quality
5-103	Quantity and Availability
5-104	Distribution, Delivery, and Retention

Source 5-101.11 Approved System.

DRINKING WATER shall be obtained from an APPROVED source that is:

- (A) A PUBLIC WATER SYSTEM; P or
- (B) A nonpublic water system that is constructed, maintained, and operated according to Law. $^{\rm P}$

5-101.12 System Flushing and Disinfection.

A DRINKING WATER system shall be flushed and disinfected before being placed in service after construction, repair, or modification and after an emergency situation, such as a flood, that may introduce contaminants to the system. P

5-101.13 Bottled Drinking Water.

BOTTLED DRINKING WATER used or sold in a FOOD ESTABLISHMENT shall be obtained from APPROVED sources in accordance with 21 CFR 129 - Processing and Bottling of Bottled DRINKING WATER. P

Quality 5-102.11 Standards.

Except as specified under § 5-102.12:

- (A) Water from a PUBLIC WATER SYSTEM shall meet 40 CFR 141 National Primary Drinking Water Regulations and state DRINKING WATER quality standards; P and
- (B) Water from a nonpublic water system shall meet state DRINKING WATER quality standards. P

5-102.12 Nondrinking Water.

- (A) A nondrinking water supply shall be used only if its use is APPROVED. P
- (B) Nondrinking water shall be used only for nonculinary purposes such as air conditioning, nonfood equipment cooling, and fire protection. P

5-102.13 Sampling.

Except when used as specified under § 5-102.12, water from a nonPublic water system shall be sampled and tested at least annually and as required by state water quality regulations. Pf

5-102.14 Sample Report.

The most recent sample report for the nonPUBLIC WATER SYSTEM shall be retained on file in the FOOD ESTABLISHMENT or the report shall be maintained as specified by state water quality regulations.

Quantity and Availability

5-103.11 Capacity.

- (A) The water source and system shall be of sufficient capacity to meet the peak water demands of the FOOD ESTABLISHMENT. Pf
- (B) Hot water generation and distribution systems shall be sufficient to meet the peak hot water demands throughout the FOOD ESTABLISHMENT. Pf

5-103.12 Pressure.

Water under pressure shall be provided to all fixtures, EQUIPMENT, and nonFOOD EQUIPMENT that are required to use water except that water supplied as specified under ¶¶ 5-104.12(A) and (B) to a TEMPORARY FOOD ESTABLISHMENT or in response to a temporary interruption of a water supply need not be under pressure. Pf

Distribution, Delivery, and Retention

5-104.11 System.

Water shall be received from the source through the use of:

- (A) An APPROVED public water main; Pf or
- (B) One or more of the following that shall be constructed, maintained, and operated according to LAW: Pf
 - (1) Nonpublic water main, water pumps, pipes, hoses, connections, and other appurtenances, Pf
 - (2) Water transport vehicles, Pf or
 - (3) Water containers. Pf

5-104.12 Alternative Water Supply.

Water meeting the requirements specified under Subparts 5-101, 5-102, and 5-103 shall be made available for a mobile facility, for a TEMPORARY FOOD ESTABLISHMENT without a permanent water supply, and for a FOOD ESTABLISHMENT with a temporary interruption of its water supply through:

- (A) A supply of containers of commercially BOTTLED DRINKING WATER: $^{\text{Pf}}$
- (B) One or more closed portable water containers; Pf
- (C) An enclosed vehicular water tank; Pf
- (D) An on-PREMISES water storage tank; Pf or
- (E) Piping, tubing, or hoses connected to an adjacent APPROVED source. Pf

5-2	PLUMBING SYSTEM	
	Subparts	
	5-201 5-202 5-203 5-204 5-205	Materials Design, Construction, and Installation Numbers and Capacities Location and Placement Operation and Maintenance

Materials 5-201.11 Approved.

- (A) A PLUMBING SYSTEM and hoses conveying water shall be constructed and repaired with APPROVED materials according to LAW. P
- (B) A water filter shall be made of SAFE MATERIALS. P

Design, Construction, and Installation

5-202.11 Approved System and Cleanable Fixtures.

(A) A PLUMBING SYSTEM shall be designed, constructed, and installed according to LAW. $^{\rm P}$

(B) A PLUMBING FIXTURE such as a HANDWASHING SINK, toilet, or urinal shall be EASILY CLEANABLE.

5-202.12 Handwashing Sink, Installation.

- (A) A HANDWASHING SINK shall be equipped to provide water at a temperature of at least 38°C (100°F) through a mixing valve or combination faucet. Pf
- (B) A steam mixing valve may not be used at a HANDWASHING SINK.
- (C) A self-closing, slow-closing, or metering faucet shall provide a flow of water for at least 15 seconds without the need to reactivate the faucet.
- (D) An automatic handwashing facility shall be installed in accordance with manufacturer's instructions.

5-202.13 Backflow Prevention, Air Gap.

An air gap between the water supply inlet and the flood level rim of the PLUMBING FIXTURE, EQUIPMENT, or nonFOOD EQUIPMENT shall be at least twice the diameter of the water supply inlet and may not be less than 25 mm (1 inch). P

5-202.14 Backflow Prevention Device, Design Standard.

A backflow or backsiphonage prevention device installed on a water supply system shall meet American Society of Sanitary Engineering (A.S.S.E.) standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device. ^P

5-202.15 Conditioning Device, Design.

A water filter, screen, and other water conditioning device installed on water lines shall be designed to facilitate disassembly for periodic servicing and cleaning. A water filter element shall be of the replaceable type.

Numbers and Capacities

5-203.11 Handwashing Sinks.

- (A) Except as specified in ¶¶ (B) and (C) of this section, at least 1 HANDWASHING SINK, a number of HANDWASHING SINKS necessary for their convenient use by EMPLOYEES in areas specified under § 5-204.11, and not fewer than the number of HANDWASHING SINKS required by LAW shall be provided. Pf
- (B) If APPROVED and capable of removing the types of soils encountered in the FOOD operations involved, automatic handwashing facilities may be substituted for HANDWASHING SINKS in a FOOD ESTABLISHMENT that has at least 1 HANDWASHING SINK.

(C) <u>DELETED</u>

5-203.12 Toilets and Urinals.

At least 1 toilet and not fewer than the toilets required by LAW shall be provided. If authorized by LAW and urinals are substituted for toilets, the substitution shall be done as specified in LAW.

5-203.13 Service Sink.

- (A) At least 1 service sink or 1 curbed cleaning facility equipped with a floor drain shall be provided and conveniently located for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid waste.
- (B) Toilets and urinals may not be used as a service sink for the disposal of mop water and similar liquid waste.

5-203.14 Backflow Prevention Device, When Required.

A PLUMBING SYSTEM shall be installed to preclude backflow of a solid, liquid, or gas contaminant into the water supply system at each point of use at the FOOD ESTABLISHMENT, including on a hose bibb if a hose is attached or on a hose bibb if a hose is not attached and backflow prevention is required by LAW, by:

- (A) Providing an air gap as specified under § 5-202.13 P; or
- (B) Installing an APPROVED backflow prevention device as specified under § 5-202.14. P

5-203.15 Backflow Prevention Device, Carbonator.

- (A) If not provided with an air gap as specified under § 5-202.13, a dual check valve with an intermediate vent preceded by a screen of not less than 100 mesh to 25.4 mm (100 mesh to 1 inch) shall be installed upstream from a carbonating device and downstream from any copper in the water supply line.
- (B) A dual check valve attached to the carbonator need not be of the vented type if an air gap or vented backflow prevention device has been otherwise provided as specified under \P (A) of this section.

Location and Placement

5-204.11 Handwashing Sinks.

A HANDWASHING SINK shall be located:

- (A) To allow convenient use by EMPLOYEES in FOOD preparation, FOOD dispensing, and WAREWASHING areas; Pf and
- (B) In, or immediately adjacent to, toilet rooms. Pf

5-204.12 Backflow Prevention Device, Location.

A backflow prevention device shall be located so that it may be serviced and maintained.

5-204.13 Conditioning Device, Location.

A water filter, screen, and other water conditioning device installed on water lines shall be located to facilitate disassembly for periodic servicing and cleaning.

Operation and Maintenance

5-205.11 Using a Handwashing Sink.

- (A) A HANDWASHING SINK shall be maintained so that it is accessible at all times for EMPLOYEE use. Pf
- (B) A HANDWASHING SINK may not be used for purposes other than handwashing. Pf

(C) An automatic handwashing facility shall be used in accordance with manufacturer's instructions. Pf

5-205.12 Prohibiting a Cross Connection.

- (A) A PERSON may not create a cross connection by connecting a pipe or conduit between the DRINKING WATER system and a nondrinking water system or a water system of unknown quality. P
- (B) The piping of a nondrinking water system shall be durably identified so that it is readily distinguishable from piping that carries DRINKING WATER. Pf

5-205.13 Scheduling Inspection and Service for a Water System Device.

A device such as a water treatment device or backflow preventer shall be scheduled for inspection and service, in accordance with manufacturer's instructions and as necessary to prevent device failure based on local water conditions, and records demonstrating inspection and service shall be maintained by the PERSON IN CHARGE. Pf

5-205.14 Water Reservoir of Fogging Devices, Cleaning.

- (A) A reservoir that is used to supply water to a device such as a produce fogger shall be:
 - (1) Maintained in accordance with manufacturer's specifications; $^{\mathsf{P}}$ and
 - (2) Cleaned in accordance with manufacturer's specifications or according to the procedures specified under \P (B) of this section, whichever is more stringent.
- (B) Cleaning procedures shall include at least the following steps and shall be conducted at least once a week:
 - (1) Draining and complete disassembly of the water and aerosol contact parts; P
 - (2) Brush-cleaning the reservoir, aerosol tubing, and discharge

nozzles with a suitable detergent solution; P

- (3) Flushing the complete system with water to remove the detergent solution and particulate accumulation; ^P and
- (4) Rinsing by immersing, spraying, or swabbing the reservoir, aerosol tubing, and discharge nozzles with at least 50 Mg/L hypochlorite solution. P

5-205.15 System Maintained in Good Repair.

A PLUMBING SYSTEM shall be:

- (A) Repaired according to LAW; P and
- (B) Maintained in good repair.

5-3	MOBILE WATER TANK AND MOBILE FOOD ESTABLISHMENT WATER TANK	
	Subparts	
	5-301 5-302 5-303	Materials Design and Construction Numbers and Capacities
	5-304	Operation and Maintenance

Materials 5-301.11 Approved.

Materials that are used in the construction of a mobile water tank, mobile FOOD ESTABLISHMENT water tank, and appurtenances shall be:

- (A) Safe; P
- (B) Durable, CORROSION-RESISTANT, and nonabsorbent; and
- (C) Finished to have a SMOOTH, EASILY CLEANABLE surface.

Design and Construction

5-302.11 Enclosed System, Sloped to Drain.

A mobile water tank shall be:

- (A) Enclosed from the filling inlet to the discharge outlet; and
- (B) Sloped to an outlet that allows complete drainage of the tank.

5-302.12 Inspection and Cleaning Port, Protected and Secured.

If a water tank is designed with an access port for inspection and cleaning, the opening shall be in the top of the tank and:

- (A) Flanged upward at least 13 mm (one-half inch); and
- (B) Equipped with a port cover assembly that is:
 - (1) Provided with a gasket and a device for securing the cover in place, and
 - (2) Flanged to overlap the opening and sloped to drain.

5-302.13 "V" Type Threads, Use Limitation.

A fitting with "V" type threads on a water tank inlet or outlet shall be allowed only when a hose is permanently attached.

5-302.14 Tank Vent, Protected.

If provided, a water tank vent shall terminate in a downward direction and shall be covered with:

- (A) 16 mesh to 25.4 mm (16 mesh to 1 inch) screen or equivalent when the vent is in a protected area; or
- (B) A protective filter when the vent is in an area that is not protected from windblown dirt and debris.

5-302.15 Inlet and Outlet, Sloped to Drain.

- (A) A water tank and its inlet and outlet shall be sloped to drain.
- (B) A water tank inlet shall be positioned so that it is protected from contaminants such as waste discharge, road dust, oil, or grease.

5-302.16 Hose, Construction and Identification.

A hose used for conveying DRINKING WATER from a water tank shall be:

- (A) Safe; P
- (B) Durable, CORROSION-RESISTANT, and nonaborbent;
- (C) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition;
- (D) Finished with a SMOOTH interior surface; and
- (E) Clearly and durably identified as to its use if not permanently attached.

Numbers and Capacities

5-303.11 Filter, Compressed Air.

A filter that does not pass oil or oil vapors shall be installed in the air supply line between the compressor and DRINKING WATER system when compressed air is used to pressurize the water tank system. P

5-303.12 Protective Cover or Device.

A cap and keeper chain, closed cabinet, closed storage tube, or other APPROVED protective cover or device shall be provided for a water inlet, outlet, and hose.

5-303.13 Mobile Food Establishment Tank Inlet.

A mobile FOOD ESTABLISHMENT'S water tank inlet shall be:

(A) 19.1 mm (three-fourths inch) in inner diameter or less; and

(B) Provided with a hose connection of a size or type that will prevent its use for any other service.

Operation and Maintenance

5-304.11 System Flushing and Sanitization.

A water tank, pump, and hoses shall be flushed and SANITIZED before being placed in service after construction, repair, modification, and periods of nonuse. P

5-304.12 Using a Pump and Hoses, Backflow Prevention.

A PERSON shall operate a water tank, pump, and hoses so that backflow and other contamination of the water supply are prevented.

5-304.13 Protecting Inlet, Outlet, and Hose Fitting.

If not in use, a water tank and hose inlet and outlet fitting shall be protected using a cover or device as specified under § 5-303.12.

5-304.14 Tank, Pump, and Hoses, Dedication.

- (A) Except as specified in \P (B) of this section, a water tank, pump, and hoses used for conveying DRINKING WATER shall be used for no other purpose. $^{\rm P}$
- (B) Water tanks, pumps, and hoses APPROVED for liquid FOODS may be used for conveying DRINKING WATER if they are cleaned and SANITIZED before they are used to convey water.

5-4 SEWAGE, OTHER LIQUID WASTE, AND RAINWATER Subparts 5-401 Mobile Holding Tank 5-402 Retention, Drainage, and Delivery 5-403 Disposal Facility

Mobile Holding Tank

5-401.11 Capacity and Drainage.

A SEWAGE holding tank in a mobile FOOD ESTABLISHMENT shall be:

- (A) Sized 15 percent larger in capacity than the water supply tank; and
- (B) Sloped to a drain that is 25 mm (1 inch) in inner diameter or greater, equipped with a shut-off valve.

Retention, Drainage, and Delivery

design, construction, and installation

5-402.10 Establishment Drainage System.

FOOD ESTABLISHMENT drainage systems, including grease traps, that convey SEWAGE shall be designed and installed as specified under ¶ 5-202.11(A).

5-402.11 Backflow Prevention.

- (A) Except as specified in ¶¶ (B), (C), and (D) of this section, a direct connection may not exist between the SEWAGE system and a drain originating from EQUIPMENT in which FOOD, portable EQUIPMENT, or UTENSILS are placed. P
- (B) Paragraph (A) of this section does not apply to floor drains that originate in refrigerated spaces that are constructed as an integral part of the building.
- (C) If allowed by LAW, a WAREWASHING machine may have a direct connection between its waste outlet and a floor drain when the machine is located within 1.5 m (5 feet) of a trapped floor drain and the machine outlet is connected to the inlet side of a properly vented floor drain trap.

(D) If allowed by LAW, a WAREWASHING or culinary sink may have a direct connection.

location and placement

5-402.12 Grease Trap.

If used, a grease trap shall be located to be easily accessible for cleaning.

operation and maintenance

5-402.13 Conveying Sewage.

SEWAGE shall be conveyed to the point of disposal through an APPROVED sanitary SEWAGE system or other system, including use of SEWAGE transport vehicles, waste retention tanks, pumps, pipes, hoses, and connections that are constructed, maintained, and operated according to LAW. P

5-402.14 Removing Mobile Food Establishment Wastes. SEWAGE and other liquid wastes shall be removed from a mobile FOOD ESTABLISHMENT at an APPROVED waste SERVICING AREA or by a SEWAGE transport vehicle in such a way that a public health HAZARD or nuisance is not created. Pf

5-402.15 Flushing a Waste Retention Tank.

A tank for liquid waste retention shall be thoroughly flushed and drained in a sanitary manner during the servicing operation.

Disposal Facility

5-403.11 Approved Sewage Disposal System.

design and construction

SEWAGE shall be disposed through an APPROVED facility that is:

- (A) A public SEWAGE treatment plant; P or
- (B) An individual SEWAGE disposal system that is sized, constructed, maintained, and operated according to LAW. P

5-403.12 Other Liquid Wastes and Rainwater.

Condensate drainage and other nonsewage liquids and rainwater shall be drained from point of discharge to disposal according to LAW.

5-5 REFUSE, RECYCLABLES, AND RETURNABLES

Subparts

S	
5-501	Facilities on the Premises
5-502	Removal
5-503	Facilities for Disposal and Recycling

Facilities on the Premises

materials, design, construction, and installation

5-501.10 Indoor Storage Area.

If located within the FOOD ESTABLISHMENT, a storage area for REFUSE, recyclables, and returnables shall meet the requirements specified under §§ 6-101.11, 6-201.11 - 6-201.18, 6-202.15, and 6-202.16.

5-501.11 Outdoor Storage Surface.

An outdoor storage surface for REFUSE, recyclables, and returnables shall be constructed of nonabsorbent material such as concrete or asphalt and shall be SMOOTH, durable, and sloped to drain.

5-501.12 Outdoor Enclosure.

If used, an outdoor enclosure for REFUSE, recyclables, and returnables shall be constructed of durable and cleanable materials.

5-501.13 Receptacles.

(A) Except as specified in ¶ (B) of this section, receptacles and waste handling units for REFUSE, recyclables, and returnables and for use with materials containing FOOD residue shall be durable, cleanable, insect- and rodent-resistant, leakproof, and nonabsorbent.

(B) Plastic bags and wet strength paper bags may be used to line receptacles for storage inside the FOOD ESTABLISHMENT, or within closed outside receptacles.

5-501.14

DELETED

5-501.15 Outside Receptacles.

- (A) Receptacles and waste handling units for REFUSE, recyclables, and returnables used with materials containing FOOD residue and used outside the FOOD ESTABLISHMENT shall be designed and constructed to have tight-fitting lids, doors, or covers.
- (B) Receptacles and waste handling units for REFUSE and recyclables such as an on-site compactor shall be installed so that accumulation of debris and insect and rodent attraction and harborage are minimized and effective cleaning is facilitated around and, if the unit is not installed flush with the base pad, under the unit.

5-501.16 Storage Areas, Rooms, and Receptacles, Capacity and Availability.

(A) An inside storage room and area and outside storage area and enclosure, and receptacles shall be of sufficient capacity to hold REFUSE, recyclables, and returnables that accumulate.

numbers and capacities

- (B) A receptacle shall be provided in each area of the FOOD ESTABLISHMENT or PREMISES where REFUSE is generated or commonly discarded, or where recyclables or returnables are placed.
- (C) If disposable towels are used at handwashing lavatories, a waste receptacle shall be located at each lavatory or group of adjacent lavatories.

5-501.17 Toilet Room Receptacle, Covered.

A toilet room used by females shall be provided with a covered receptacle for sanitary napkins.

5-501.18 Cleaning Implements and Supplies.

- (A) Except as specified in ¶ (B) of this section, suitable cleaning implements and supplies such as high pressure pumps, hot water, steam, and detergent shall be provided as necessary for effective cleaning of receptacles and waste handling units for REFUSE, recyclables, and returnables.
- (B) If APPROVED, off-PREMISES-based cleaning services may be used if on-PREMISES cleaning implements and supplies are not provided.

5-501.19 Storage Areas, Redeeming Machines, Receptacles and Waste Handling Units, Location.

(A) An area designated for REFUSE, recyclables, returnables, and, except as specified in ¶ (B) of this section, a redeeming machine for recyclables or returnables shall be located so that it is separate from FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES and a public health HAZARD or nuisance is not created.

location and placement

- (B) A redeeming machine may be located in the PACKAGED FOOD storage area or CONSUMER area of a FOOD ESTABLISHMENT if FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES are not subject to contamination from the machines and a public health HAZARD or nuisance is not created.
- (C) The location of receptacles and waste handling units for REFUSE, recyclables, and returnables may not create a public health HAZARD or nuisance or interfere with the cleaning of adjacent space.

5-501.110 Storing Refuse, Recyclables, and Returnables.

REFUSE, recyclables, and returnables shall be stored in receptacles or waste handling units so that they are inaccessible to insects and rodents.

operation and maintenance

5-501.111 Areas, Enclosures, and Receptacles, Good Repair.

Storage areas, enclosures, and receptacles for REFUSE, recyclables, and returnables shall be maintained in good repair.

5-501.112 Outside Storage Prohibitions.

- (A) Except as specified in ¶ (B) of this section, REFUSE receptacles not meeting the requirements specified under ¶ 5-501.13(A) such as receptacles that are not rodent-resistant, unprotected plastic bags and paper bags, or baled units that contain materials with FOOD residue may not be stored outside.
- (B) Cardboard or other packaging material that does not contain FOOD residues and that is awaiting regularly scheduled delivery to a recycling or disposal site may be stored outside without being in a covered receptacle if it is stored so that it does not create a rodent harborage problem.

5-501.113 Covering Receptacles.

Receptacles and waste handling units for REFUSE, recyclables, and returnables shall be kept covered:

- (A) Inside the FOOD ESTABLISHMENT if the receptacles and units:
 - (1) Contain FOOD residue and are not in continuous use; or
 - (2) After they are filled; and
- (B) With tight-fitting lids or doors if kept outside the FOOD ESTABLISHMENT.

5-501.114 Using Drain Plugs.

Drains in receptacles and waste handling units for REFUSE, recyclables, and returnables shall have drain plugs in place.

5-501.115 Maintaining Refuse Areas and Enclosures.

A storage area and enclosure for REFUSE, recyclables, or returnables shall be maintained free of unnecessary items, as specified under § 6-501.114, and clean.

5-501.116 Cleaning Receptacles.

- (A) Receptacles and waste handling units for REFUSE, recyclables, and returnables shall be thoroughly cleaned in a way that does not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, or SINGLE-SERVICE and SINGLE-USE ARTICLES, and waste water shall be disposed of as specified under § 5-402.13.
- (B) Soiled receptacles and waste handling units for REFUSE, recyclables, and returnables shall be cleaned at a frequency necessary to prevent them from developing a buildup of soil or becoming attractants for insects and rodents.

5-502.11 Frequency.

REFUSE, recyclables, and returnables shall be removed from the PREMISES at a frequency that will minimize the development of objectionable odors and other conditions that attract or harbor insects and rodents.

Removal

5-502.12 Receptacles or Vehicles.

REFUSE, recyclables, and returnables shall be removed from the PREMISES by way of:

- (A) Portable receptacles that are constructed and maintained according to LAW; or
- (B) A transport vehicle that is constructed, maintained, and operated according to LAW.

Facilities for Disposal and Recycling

5-503.11 Community or Individual Facility.

Solid waste not disposed of through the SEWAGE system such as through grinders and pulpers shall be recycled or disposed of in an APPROVED public or private community recycling or REFUSE facility; or solid waste shall be disposed of in an individual REFUSE facility such as a landfill or incinerator which is sized, constructed, maintained, and operated according to LAW.

Chapter

6 Physical Facilities

Parts

6-1	MATERIALS FOR CONSTRUCTION AND REPAIR
6-2	DESIGN, CONSTRUCTION, AND INSTALLATION
6-3	NUMBERS AND CAPACITIES
6-4	LOCATION AND PLACEMENT
6-5	MAINTENANCE AND OPERATION

6-1 MATERIALS FOR CONSTRUCTION AND REPAIR

Subparts

6-101 Indoor Areas 6-102 Outdoor Areas

Indoor Areas

6-101.11 Surface Characteristics.

- (A) Except as specified in ¶ (B) of this section, materials for indoor floor, wall, and ceiling surfaces under conditions of normal use shall be:
 - (1) SMOOTH, durable, and EASILY CLEANABLE for areas where FOOD ESTABLISHMENT operations are conducted;
 - (2) Closely woven and EASILY CLEANABLE carpet for carpeted areas; and
 - (3) Nonabsorbent for areas subject to moisture such as FOOD preparation areas, walk-in refrigerators, WAREWASHING areas, toilet rooms, mobile FOOD ESTABLISHMENT SERVICING AREAS, and areas subject to flushing or spray cleaning methods.
- (B) In a TEMPORARY FOOD ESTABLISHMENT:
- (1) If graded to drain, a floor may be concrete, machine-laid asphalt, or dirt or gravel if it is covered with mats, removable platforms, duckboards, or other APPROVED materials that are effectively treated to control dust and mud; and

(2) Walls and ceilings may be constructed of a material that protects the interior from the weather and windblown dust and debris.

Outdoor Areas

6-102.11 Surface Characteristics.

- (A) The outdoor walking and driving areas shall be surfaced with concrete, asphalt, or gravel or other materials that have been effectively treated to minimize dust, facilitate maintenance, and prevent muddy conditions.
- (B) Exterior surfaces of buildings and mobile FOOD ESTABLISHMENTS shall be of weather-resistant materials and shall comply with LAW.
- (C) Outdoor storage areas for REFUSE, recyclables, or returnables shall be of materials specified under §§ 5-501.11 and 5-501.12.

6-2 DESIGN, CONSTRUCTION, AND INSTALLATION

Subparts

6-201	Cleanability
6-202	Functionality

Cleanability

6-201.11 Floors, Walls, and Ceilings.

Except as specified under § 6-201.14 and except for antislip floor coverings or applications that may be used for safety reasons, floors, floor coverings, walls, wall coverings, and ceilings shall be designed, constructed, and installed so they are SMOOTH and EASILY CLEANABLE.

6-201.12 Floors, Walls, and Ceilings, Utility Lines.

- (A) Utility service lines and pipes may not be unnecessarily exposed.
- (B) Exposed utility service lines and pipes shall be installed so they do not obstruct or prevent cleaning of the floors, walls, or ceilings.

(C) Exposed horizontal utility service lines and pipes may not be installed on the floor.

6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed.

- (A) In FOOD ESTABLISHMENTS in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures shall be coved and closed to no larger than 1 mm (one thirty-second inch).
- (B) The floors in FOOD ESTABLISHMENTS in which water flush cleaning methods are used shall be provided with drains and be graded to drain, and the floor and wall junctures shall be coved and SEALED.

6-201.14 Floor Carpeting, Restrictions and Installation.

- (A) A floor covering such as carpeting or similar material may not be installed as a floor covering in FOOD preparation areas, walk-in refrigerators, WAREWASHING areas, toilet room areas where handwashing lavatories, toilets, and urinals are located, REFUSE storage rooms, or other areas where the floor is subject to moisture, flushing, or spray cleaning methods.
- (B) If carpeting is installed as a floor covering in areas other than those specified under ¶ (A) of this section, it shall be:
 - (1) Securely attached to the floor with a durable mastic, by using a stretch and tack method, or by another method; and
 - (2) Installed tightly against the wall under the coving or installed away from the wall with a space between the carpet and the wall and with the edges of the carpet secured by metal stripping or some other means.

6-201.15 Floor Covering, Mats and Duckboards.

Mats and duckboards shall be designed to be removable and EASILY CLEANABLE.

6-201.16 Wall and Ceiling Coverings and Coatings.

- (A) Wall and ceiling covering materials shall be attached so that they are EASILY CLEANABLE.
- (B) Except in areas used only for dry storage, concrete, porous blocks, or bricks used for indoor wall construction shall be finished and SEALED to provide a SMOOTH, nonabsorbent, EASILY CLEANABLE surface.

6-201.17 Walls and Ceilings, Attachments.

- (A) Except as specified in ¶ (B) of this section, attachments to walls and ceilings such as light fixtures, mechanical room ventilation system components, vent covers, wall mounted fans, decorative items, and other attachments shall be EASILY CLEANABLE.
- (B) In a CONSUMER area, wall and ceiling surfaces and decorative items and attachments that are provided for ambiance need not meet this requirement if they are kept clean.

6-201.18 Walls and Ceilings, Studs, Joists, and Rafters.

Except for TEMPORARY FOOD ESTABLISHMENTS, studs, joists, and rafters may not be exposed in areas subject to moisture.

Functionality

6-202.11 Light Bulbs, Protective Shielding.

- (A) Except as specified in ¶ (B) of this section, light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.
- (B) Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing FOOD in unopened packages, if:
 - (1) The integrity of the packages cannot be affected by broken glass falling onto them; and
 - (2) The packages are capable of being cleaned of debris from broken bulbs before the packages are opened.

(C) An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.

6-202.12 Heating, Ventilating, Air Conditioning System Vents.

Heating, ventilating, and air conditioning systems shall be designed and installed so that make-up air intake and exhaust vents do not cause contamination of FOOD, FOOD-CONTACT SURFACES, EQUIPMENT, or UTENSILS.

6-202.13 Insect Control Devices, Design and Installation.

- (A) Insect control devices that are used to electrocute or stun flying insects shall be designed to retain the insect within the device.
- (B) Insect control devices shall be installed so that:
 - (1) The devices are not located over a FOOD preparation area; and
 - (2) Dead insects and insect fragments are prevented from being impelled onto or falling on exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

6-202.14 Toilet Rooms, Enclosed.

Except where a toilet room is located outside a FOOD ESTABLISHMENT and does not open directly into the FOOD ESTABLISHMENT such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the PREMISES shall be completely enclosed and provided with a tight-fitting and self-closing door.

6-202.15 Outer Openings, Protected.

- (A) Except as specified in $\P\P$ (B), (C), and (E) and under \P (D) of this section, outer openings of a FOOD ESTABLISHMENT shall be protected against the entry of insects and rodents by:
 - (1) Filling or closing holes and other gaps along floors, walls, and ceilings;
 - (2) Closed, tight-fitting windows; and
 - (3) Solid, self-closing, tight-fitting doors.
- (B) Paragraph (A) of this section does not apply if a FOOD ESTABLISHMENT opens into a larger structure, such as a mall, airport, or office building, or into an attached structure, such as a porch, and the outer openings from the larger or attached structure are protected against the entry of insects and rodents.
- (C) Exterior doors used as exits need not be self-closing if they are:
 - (1) Solid and tight-fitting;
 - (2) Designated for use only when an emergency exists, by the fire protection authority that has jurisdiction over the FOOD ESTABLISHMENT; and
 - (3) Limited-use so they are not used for entrance or exit from the building for purposes other than the designated emergency exit use.
- (D) Except as specified in ¶¶ (B) and (E) of this section, if the windows or doors of a FOOD ESTABLISHMENT, or of a larger structure within which a FOOD ESTABLISHMENT is located, are kept open for ventilation or other purposes or a TEMPORARY FOOD ESTABLISHMENT is not provided with windows and doors as specified under ¶ (A) of this section, the openings shall be protected against the entry of insects and rodents by:
 - (1) 16 mesh to 25.4 mm (16 mesh to 1 inch) screens;
 - (2) Properly designed and installed air curtains to control flying insects; or
 - (3) Other effective means.

(E) Paragraph (D) of this section does not apply if flying insects and other pests are absent due to the location of the ESTABLISHMENT, the weather, or other limiting condition.

6-202.16 Exterior Walls and Roofs, Protective Barrier.

Perimeter walls and roofs of a FOOD ESTABLISHMENT shall effectively protect the establishment from the weather and the entry of insects, rodents, and other animals.

6-202.17

DELETED

6-202.18

<u>DELETED</u>

6-202.19 Outdoor Walking and Driving Surfaces, Graded to Drain.

Exterior walking and driving surfaces shall be graded to drain.

6-202.110 Outdoor Refuse Areas, Curbed and Graded to Drain.

Outdoor REFUSE areas shall be constructed in accordance with LAW and shall be curbed and graded to drain to collect and dispose of liquid waste that results from the REFUSE and from cleaning the area and waste receptacles.

6-202.111 Private Homes and Living or Sleeping Quarters, Use Prohibition.

A private home, a room used as living or sleeping quarters, or an area directly opening into a room used as living or sleeping quarters may not be used for conducting FOOD ESTABLISHMENT operations. P

6-202.112 Living or Sleeping Quarters, Separation.

Living or sleeping quarters located on the PREMISES of a FOOD ESTABLISHMENT such as those provided for lodging registration clerks or resident managers shall be separated from rooms and areas used for FOOD ESTABLISHMENT operations by complete partitioning and solid self-closing doors.

6-3	NUMBERS AND C	NUMBERS AND CAPACITIES	
	Subparts		
	6-301	Handwashing Sinks	
	6-302	Toilets and Urinals	
	6-303	Lighting	
	6-304	Ventilation	
	6-305	Dressing Areas and Lockers	
	6-306	Service Sinks	

Handwashing Sinks

6-301.10 Minimum Number.

HANDWASHING SINKS shall be provided as specified under § 5-203.11.

6-301.11 Handwashing Cleanser, Availability.

Each HANDWASHING SINK or group of 2 adjacent HANDWASHING SINKS shall be provided with a supply of hand cleaning liquid, powder, or bar soap. Pf

6-301.12 Hand Drying Provision.

Each HANDWASHING SINK or group of adjacent HANDWASHING SINKS shall be provided with:

- (A) Individual, disposable towels; Pf
- (B) A continuous towel system that supplies the user with a clean towel; $^{\rm Pf}$ or

- (C) A heated-air hand drying device; Pf or
- (D) A hand drying device that employs an air-knife system that delivers high velocity, pressurized air at ambient temperatures. Pf

6-301.13 Handwashing Aids and Devices, Use Restrictions.

A sink used for FOOD preparation or UTENSIL washing, or a service sink or curbed cleaning facility used for the disposal of mop water or similar wastes, may not be provided with the handwashing aids and devices required for a HANDWASHING SINK as specified under §§ 6-301.11 and 6-301.12 and ¶ 5-501.16(C).

6-301.14 Handwashing Signage.

A sign or poster that notifies FOOD EMPLOYEES to wash their hands shall be provided at all HANDWASHING SINKS used by FOOD EMPLOYEES and shall be clearly visible to FOOD EMPLOYEES.

6-301.20 Disposable Towels, Waste Receptacle.

A HANDWASHING SINK or group of adjacent HANDWASHING SINKS that is provided with disposable towels shall be provided with a waste receptacle as specified under ¶ 5-501.16(C).

Toilets and Urinals 6-302.10 Minimum Number.

Toilets and urinals shall be provided as specified under § 5-203.12.

6-302.11 Toilet Tissue, Availability.

A supply of toilet tissue shall be available at each toilet. Pf

Lighting 6-303.11 Intensity.

The light intensity shall be:

- (A) At least 108 lux (10 foot candles) at a distance of 75 cm (30 inches) above the floor, in walk-in refrigeration units and dry FOOD storage areas and in other areas and rooms during periods of cleaning;
- (B) At least 215 lux (20 foot candles):
 - (1) At a surface where FOOD is provided for CONSUMER self-service such as buffets and salad bars or where fresh produce or PACKAGED FOODS are sold or offered for consumption,
 - (2) Inside EQUIPMENT such as reach-in and under-counter refrigerators; and
 - (3) At a distance of 75 cm (30 inches) above the floor in areas used for handwashing, WAREWASHING, and EQUIPMENT and UTENSIL storage, and in toilet rooms; and
- (C) At least 540 lux (50 foot candles) at a surface where a FOOD EMPLOYEE is working with FOOD or working with UTENSILS or EQUIPMENT such as knives, slicers, grinders, or saws where EMPLOYEE safety is a factor.

Ventilation

6-304.11 Mechanical.

If necessary to keep rooms free of excessive heat, steam, condensation, vapors, obnoxious odors, smoke, and fumes, mechanical ventilation of sufficient capacity shall be provided.

Dressing Areas and Lockers

6-305.11 Designation.

- (A) Dressing rooms or dressing areas shall be designated if EMPLOYEES routinely change their clothes in the establishment.
- (B) Lockers or other suitable facilities shall be provided for the orderly storage of EMPLOYEES' clothing and other possessions.

Service Sinks

6-306.10 Availability.

A service sink or curbed cleaning facility shall be provided as specified under ¶ 5-203.13(A).

6-4 LOCATION AND PLACEMENT Subparts 6-401 Handwashing Sinks 6-402 Toilet Rooms 6-403 Employee Accommodations 6-404 Distressed Merchandise 6-405 Refuse, Recyclables, and Returnables

Handwashing Sinks

6-401.10 Conveniently Located.

HANDWASHING SINKS shall be conveniently located as specified under § 5-204.11.

Toilet Rooms

6-402.11 Convenience and Accessibility.

Toilet rooms shall be conveniently located and accessible to EMPLOYEES during all hours of operation.

Employee Accommodations

6-403.11 Designated Areas.

- (A) Areas designated for EMPLOYEES to eat, drink, and use tobacco shall be located so that FOOD, EQUIPMENT, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES are protected from contamination.
- (B) Lockers or other suitable facilities shall be located in a designated room or area where contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES can not occur.

Distressed Merchandise

6-404.11 Segregation and Location.

Products that are held by the PERMIT HOLDER for credit, redemption, or return to the distributor, such as damaged, spoiled, or recalled products, shall be segregated and held in designated areas that are separated from FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES. Pf

Refuse, Recyclables, and Returnables 6-405.10 Receptacles, Waste Handling Units, and Designated Storage Areas.

Units, receptacles, and areas designated for storage of REFUSE and recyclable and returnable containers shall be located as specified under § 5-501.19.

6-5 MAINTENANCE AND OPERATION

Subpart

6-501 Premises, Structures, Attachments, and Fixtures - Methods

Premises, Structures, Attachments, and Fixtures - Methods

6-501.11 Repairing.

PHYSICAL FACILITIES shall be maintained in good repair.

6-501.12 Cleaning, Frequency and Restrictions.

- (A) Physical facilities shall be cleaned as often as necessary to keep them clean.
- (B) Except for cleaning that is necessary due to a spill or other accident, cleaning shall be done during periods when the least amount of FOOD is exposed such as after closing.

6-501.13 Cleaning Floors, Dustless Methods.

- (A) Except as specified in ¶ (B) of this section, only dustless methods of cleaning shall be used, such as wet cleaning, vacuum cleaning, mopping with treated dust mops, or sweeping using a broom and dust-arresting compounds.
- (B) Spills or drippage on floors that occur between normal floor cleaning times may be cleaned:
 - (1) Without the use of dust-arresting compounds; and
 - (2) In the case of liquid spills or drippage, with the use of a small amount of absorbent compound such as sawdust or

diatomaceous earth applied immediately before spot cleaning.

6-501.14 Cleaning Ventilation Systems, Nuisance and Discharge Prohibition.

- (A) Intake and exhaust air ducts shall be cleaned and filters changed so they are not a source of contamination by dust, dirt, and other materials.
- (B) If vented to the outside, ventilation systems may not create a public health HAZARD or nuisance or unLAWful discharge.

6-501.15 Cleaning Maintenance Tools, Preventing Contamination.

FOOD preparation sinks, HANDWASHING SINKS, and WAREWASHING EQUIPMENT may not be used for the cleaning of maintenance tools, the preparation or holding of maintenance materials, or the disposal of mop water and similar liquid wastes. ^{Pf}

6-501.16 Drying Mops.

After use, mops shall be placed in a position that allows them to air-dry without soiling walls, EQUIPMENT, or supplies.

6-501.17 Absorbent Materials on Floors, Use Limitation. Except as specified in ¶ 6-501.13(B), sawdust, wood shavings, granular salt, baked clay, diatomaceous earth, or similar materials may not be used on floors.

6-501.18 Cleaning of Plumbing Fixtures.

PLUMBING FIXTURES such as HANDWASHING SINKS, toilets, and urinals shall be cleaned as often as necessary to keep them clean.

6-501.19 Closing Toilet Room Doors.

Except during cleaning and maintenance operations, toilet room

doors as specified under § 6-202.14 shall be kept closed.

6-501.110 Using Dressing Rooms and Lockers.

- (A) Dressing rooms shall be used by EMPLOYEES if the EMPLOYEES regularly change their clothes in the establishment.
- (B) Lockers or other suitable facilities shall be used for the orderly storage of EMPLOYEE clothing and other possessions.

6-501.111 Controlling Pests.

The PREMISES shall be maintained free of insects, rodents, and other pests. The presence of insects, rodents, and other pests shall be controlled to eliminate their presence on the PREMISES by:

- (A) Routinely inspecting incoming shipments of FOOD and supplies;
- (B) Routinely inspecting the PREMISES for evidence of pests;
- (C) Using methods, if pests are found, such as trapping devices or other means of pest control as specified under §§ 7-202.12, 7-206.12, and 7-206.13; Pf and
- (D) Eliminating harborage conditions.

6-501.112 Removing Dead or Trapped Birds, Insects, Rodents, and Other Pests.

Dead or trapped birds, insects, rodents, and other pests shall be removed from control devices and the PREMISES at a frequency that prevents their accumulation, decomposition, or the attraction of pests.

6-501.113 Storing Maintenance Tools.

Maintenance tools such as brooms, mops, vacuum cleaners, and similar items shall be:

(A) Stored so they do not contaminate FOOD, EQUIPMENT,

UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES; and

(B) Stored in an orderly manner that facilitates cleaning the area used for storing the maintenance tools.

6-501.114 Maintaining Premises, Unnecessary Items and Litter.

The PREMISES shall be free of:

- (A) Items that are unnecessary to the operation or maintenance of the establishment such as EQUIPMENT that is nonfunctional or no longer used; and
- (B) Litter.

6-501.115 Prohibiting Animals.

- (A) Except as specified in ¶¶ (B) and (C) of this section, live animals may not be allowed on the PREMISES of a FOOD ESTABLISHMENT. Pf
- (B) <u>Live animals are allowed in the following situations if the owner or operator does not permit animals to physically contact FOOD, serving dishes, UTENSILS, tableware, LINENS, unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES or other FOOD service items that may result in contamination of FOOD or FOOD-CONTACT SURFACES and does not permit animals to physically contact EMPLOYEES engaged in the preparation or handling of FOOD:</u>
 - (1) FISH or crustacea in aquariums or display tanks;
 - (2) <u>Patrol dogs accompanying police or security officers in offices and dining, sales, and storage areas; and sentry dogs in outside fenced areas;</u>
 - (3) SERVICE ANIMALS accompanying persons with disabilities in areas that are not used for FOOD preparation;

- (4) <u>Dogs (Canis lupus familiaris) and cats (Felis catus) in outdoor dining areas; provided that dogs and cats are physically restrained, and do not pass through any indoor areas of the FOOD ESTABLISHMENT. Except for SERVICE ANIMALS described in Subparagraph (3) of this Paragraph, nothing in this Rule prohibits a FOOD ESTABLISHMENT from prohibiting dogs and cats in outdoor dining areas; and</u>
- (5) In areas that are not used for FOOD preparation, storage, sales, display, or dining, in which there are caged animals or animals that are similarly confined, such as in a variety store that sells pets or a tourist park that displays animals.
- (C) Live or dead FISH bait may be stored if contamination of FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES can not result.

Chapter

7

Poisonous or Toxic Materials

Parts

- 7-1 LABELING AND IDENTIFICATION
- 7-2 OPERATIONAL SUPPLIES AND APPLICATIONS
- 7-3 STOCK AND RETAIL SALE

7-1 LABELING AND IDENTIFICATION

Subparts

7-101	Original Containers
7-102	Working Containers

Original Containers

7-101.11 Identifying Information, Prominence.

Containers of POISONOUS OR TOXIC MATERIALS and PERSONAL CARE ITEMS shall bear a legible manufacturer's label. Pf Only those pesticides that have been registered with the EPA and with the N.C. Department of Agriculture and Consumer Services shall be used. If the manufacturer's label is missing from a pesticide container, the container shall be identified with the manufacturer's product brand name, percentage of each active ingredient, and EPA registration number.

Working Containers

7-102.11 Common Name.

Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies shall be clearly and individually identified with the common name of the material. Pf

7-2	OPERATIONAL SU	JPPLIES AND APPLICATIONS
	Subparts	
	7-201 7-202 7-203 7-204 7-205 7-206 7-207 7-208	Storage Presence and Use Container Prohibitions Chemicals Lubricants Pesticides Medicines First Aid Supplies
	7-209	Other Personal Care Items

Storage 7-201.11 Separation.

POISONOUS OR TOXIC MATERIALS shall be stored so they can not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES by:

- (A) Separating the POISONOUS OR TOXIC MATERIALS by spacing or partitioning; $^{\mathsf{P}}$ and
- (B) Locating the POISONOUS OR TOXIC MATERIALS in an area that is not above FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE OR SINGLE-USE ARTICLES. *This paragraph does not apply to EQUIPMENT and UTENSIL cleaners and SANITIZERS that are stored in WAREWASHING areas for availability and convenience if the materials are stored to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.*

Presence and Use 7-202.11 Restriction.

- (A) Only those POISONOUS OR TOXIC MATERIALS that are required for the operation and maintenance of a FOOD ESTABLISHMENT, such as for the cleaning and SANITIZING of EQUIPMENT and UTENSILS and the control of insects and rodents, shall be allowed in a FOOD ESTABLISHMENT. Pf
- (B) Paragraph (A) of this section does not apply to PACKAGED POISONOUS OR TOXIC MATERIALS that are for retail sale.

7-202.12 Conditions of Use.

Poisonous or toxic materials shall be:

- (A) Used according to:
 - (1) Law and this Code,
 - (2) Manufacturer's use directions included in labeling, and, for a pesticide, manufacturer's label instructions that state that use is allowed in a FOOD ESTABLISHMENT, P
 - (3) The conditions of certification, if certification is required, for use of the pest control materials, ^P and
 - (4) Additional conditions that may be established by the REGULATORY AUTHORITY; and
- (B) Applied so that:
 - (1) A HAZARD to EMPLOYEES or other PERSONS is not constituted, $^{\rm P}$ and
 - (2) Contamination including toxic residues due to drip, drain, fog, splash or spray on FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES is prevented, and for a RESTRICTED USE PESTICIDE, this is achieved by: P
 - (a) Removing the items, P
 - (b) Covering the items with impermeable covers, P or
 - (c) Taking other appropriate preventive actions, ^P and
 - (d) Cleaning and SANITIZING EQUIPMENT and UTENSILS after the application. P
- (C) A RESTRICTED USE PESTICIDE shall be applied only by an applicator certified as defined in 7 USC 136 Definitions, (e) Certified Applicator, of the Federal Insecticide, Fungicide, and Rodenticide Act, or a PERSON under the direct supervision of a certified applicator. Pf

Container Prohibitions

7-203.11 Poisonous or Toxic Material Containers.

A container previously used to store POISONOUS OR TOXIC MATERIALS may not be used to store, transport, or dispense FOOD. ^P SANITIZING solutions shall not be stored in or dispensed from containers previously containing other POISONOUS OR TOXIC MATERIALS.

Chemicals

7-204.11 Sanitizers, Criteria.

Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT SURFACES shall meet the requirements specified in 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (food-contact surface sanitizing solutions). P

7-204.12 Chemicals for Washing, Treatment, Storage and Processing Fruits and Vegetables, Criteria.

- (A) Chemicals used to wash or peel raw, whole fruits and vegetables shall meet the requirements specified in 21 CFR 173.315 Chemicals used in washing or to assist in the peeling of fruits and vegetables. P
- (B) Ozone as an antimicrobial agent used in the treatment, storage, and processing of fruits and vegetables in a food establishment shall meet the requirements specified in 21 CFR 173.368 Ozone.

7-204.13 Boiler Water Additives, Criteria.

Chemicals used as boiler water ADDITIVES shall meet the requirements specified in 21 CFR 173.310 Boiler water additives. P

7-204.14 Drying Agents, Criteria.

Drying agents used in conjunction with SANITIZATION shall:

(A) Contain only components that are listed as one of the following:

- (1) Generally recognized as safe for use in FOOD as specified in 21 CFR 182 Substances Generally Recognized as Safe, or 21 CFR 184 Direct Food Substances Affirmed as Generally Recognized as Safe, P
- (2) Generally recognized as safe for the intended use as specified in 21 CFR 186 Indirect Food Substances Affirmed as Generally Recognized as Safe, P
- (3) APPROVED for use as a drying agent under a prior sanction specified in 21 CFR 181 Prior-Sanctioned Food Ingredients, P
- (4) Specifically regulated as an indirect FOOD ADDITIVE for use as a drying agent as specified in 21 CFR Parts 175-178. P or
- (5) APPROVED for use as a drying agent under the threshold of regulation process established by 21 CFR 170.39 Threshold of regulation for substances used in food-contact articles; P and
- (B) When SANITIZATION is with chemicals, the approval required under Subparagraph (A)(3) or (A)(5) of this section or the regulation as an indirect FOOD ADDITIVE required under Subparagraph (A)(4) of this section, shall be specifically for use with chemical SANITIZING solutions. P

Lubricants

7-205.11 Incidental Food Contact, Criteria.

Lubricants shall meet the requirements specified in 21 CFR 178.3570 Lubricants with incidental food contact, if they are used on FOOD-CONTACT SURFACES, on bearings and gears located on or within FOOD-CONTACT SURFACES, or on bearings and gears that are located so that lubricants may leak, drip, or be forced into FOOD or onto FOOD-CONTACT SURFACES.

Pesticides

7-206.11 Restricted Use Pesticides, Criteria.

RESTRICTED USE PESTICIDES specified under ¶ 7-202.12(C) shall meet the requirements specified in 40 CFR 152 Subpart I - Classification of Pesticides. P

7-206.12 Rodent Bait Stations.

Rodent bait shall be contained in a covered, tamper-resistant bait station. P

7-206.13 Tracking Powders, Pest Control and Monitoring.

- (A) Except as specified in \P (B) of this section, a tracking powder pesticide may not be used in a FOOD ESTABLISHMENT. $^{\rm P}$
- (B) If used, a nontoxic tracking powder such as talcum or flour may not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

Medicines

7-207.11 Restriction and Storage.

- (A) Except for medicines that are stored or displayed for retail sale, only those medicines that are necessary for the health of EMPLOYEES shall be allowed in a FOOD ESTABLISHMENT. Pf
- (B) Medicines that are in a FOOD ESTABLISHMENT for the EMPLOYEES' use shall be labeled as specified under § 7-101.11 and located to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES. P

7-207.12 Refrigerated Medicines, Storage.

Medicines belonging to EMPLOYEES or to children in a day care center that require refrigeration and are stored in a FOOD refrigerator shall be:

- (A) Stored in a package or container and kept inside a covered, leakproof container that is identified as a container for the storage of medicines; ^P and
- (B) Located so they are inaccessible to children. P

First Aid Supplies

7-208.11 Storage.

First aid supplies that are in a FOOD ESTABLISHMENT for the EMPLOYEES' use shall be:

- (A) Labeled as specified under § 7-101.11; Pf and
- (B) Stored in a kit or a container that is located to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, and LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES. P

Other Personal Care Items

7-209.11 Storage.

Except as specified under §§ 7-207.12 and 7-208.11, EMPLOYEES shall store their PERSONAL CARE ITEMS in facilities as specified under ¶ 6-305.11(B).

7-3 STOCK AND RETAIL SALE

Subpart

7-301 Storage and Display

Storage and Display

7-301.11 Separation.

POISONOUS or TOXIC MATERIALS shall be stored and displayed for retail sale so they can not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES by:

- (A) Separating the POISONOUS or TOXIC MATERIALS by spacing or partitioning; P and
- (B) Locating the POISONOUS OR TOXIC MATERIALS in an area that is not above FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE or SINGLE-USE ARTICLES. P

Chapter

8

Compliance and Enforcement

Parts

8-1	CODE APPLICABILITY
8-2	PLAN SUBMISSION AND APPROVAL
8-3	PERMIT TO OPERATE
8-4	INSPECTION AND CORRECTION OF VIOLATIONS
8-5	PREVENTION OF FOODBORNE DISEASE TRANSMISSION BY
	EMPLOYEES

8-1 CODE APPLICABILITY

Subparts

8-101	Use for Intended Purpose
8-102	Additional Requirements
8-103	Variances

Use for Intended Purpose

8-101.10 Public Health Protection.

- (A) The REGULATORY AUTHORITY shall apply this Code to promote its underlying purpose, as specified in § 1-102.10, of safeguarding public health and ensuring that FOOD is safe, unadulterated, and honestly presented when offered to the CONSUMER.
- (B) In enforcing the provisions of this Code, the REGULATORY AUTHORITY shall assess existing facilities or EQUIPMENT that were in use before the effective date of this Code based on the following considerations:
 - (1) Whether the facilities or EQUIPMENT are in good repair and capable of being maintained in a sanitary condition;

- (2) Whether FOOD-CONTACT SURFACES comply with Subpart 4-101;
- (3) Whether the capacities of cooling, heating, and holding EQUIPMENT are sufficient to comply with § 4-301.11; and
- (4) The existence of a documented agreement with the PERMIT HOLDER that the facilities or EQUIPMENT will be replaced as specified under ¶ 8-304.11(G).

Additional Requirements

8-102.10 Preventing Health Hazards, Provision for Conditions Not Addressed.

- (A) If necessary to protect against public health HAZARDS or nuisances, the REGULATORY AUTHORITY may impose specific requirements in addition to the requirements contained in this Code that are authorized by LAW.
- (B) The REGULATORY AUTHORITY shall document the conditions that necessitate the imposition of additional requirements and the underlying public health rationale. The documentation shall be provided to the PERMIT applicant or PERMIT HOLDER and a copy shall be maintained in the REGULATORY AUTHORITY'S file for the FOOD ESTABLISHMENT.

Variances

8-103.10 Modifications and Waivers.

The REGULATORY AUTHORITY may grant a VARIANCE by modifying or waiving the requirements of this Code if in the opinion of the REGULATORY AUTHORITY a health HAZARD or nuisance will not result from the VARIANCE. If a VARIANCE is granted, the REGULATORY AUTHORITY shall retain the information specified under § 8-103.11 in its records for the FOOD ESTABLISHMENT. VARIANCE requests shall be submitted to a committee including a FOOD scientist and representatives from industry and state and local public health agencies appointed by the DEPARTMENT.

8-103.11 Documentation of Proposed Variance and Justification.

Before a VARIANCE from a requirement of this Code is APPROVED, the information that shall be provided by the

PERSON requesting the VARIANCE and retained in the REGULATORY AUTHORITY'S file on the FOOD ESTABLISHMENT includes:

- (A) A statement of the proposed VARIANCE of the Code requirement citing relevant Code section numbers; Pf
- (B) An analysis of the rationale for how the potential public health HAZARDS and nuisances addressed by the relevant Code sections will be alternatively addressed by the proposal; ^{Pf} and
- (C) A HACCP PLAN if required as specified under ¶ 8-201.13(A) that includes the information specified under § 8-201.14 as it is relevant to the VARIANCE requested. Pf

8-103.12 Conformance with Approved Procedures.

If the REGULATORY AUTHORITY grants a VARIANCE as specified in § 8-103.10, or a HACCP PLAN is otherwise required as specified under § 8-201.13, the PERMIT HOLDER shall:

- (A) Comply with the HACCP PLANS and procedures that are submitted as specified under § 8-201.14 and APPROVED as a basis for the modification or waiver; P and
- (B) Maintain and provide to the REGULATORY AUTHORITY, upon request, records specified under ¶¶ 8-201.14(D) and (E) that demonstrate that the following are routinely employed;
 - (1) Procedures for monitoring the CRITICAL CONTROL POINTS, Pf
 - (2) Monitoring of the CRITICAL CONTROL POINTS, Pf
 - (3) Verification of the effectiveness of the operation or process, $^{\rm Pf}$ and
 - (4) Necessary corrective actions if there is failure at a CRITICAL CONTROL POINT. Pf

8-2 PLAN SUBMISSION AND APPROVAL Subparts 8-201 Facility and Operating Plans 8-202 Confidentiality 8-203 Construction Inspection and Approval

Facility and Operating Plans

8-201.11 When Plans Are Required.

Plans drawn to scale for franchised or chain FOOD

ESTABLISHMENTS shall be submitted for review and approval to the Environmental Health Services Branch, N.C. Division of Public Health. Plans drawn to scale for independent FOOD ESTABLISHMENTS shall be submitted for review and approval to the local health department. A PERMIT applicant or PERMIT HOLDER shall submit to the REGULATORY AUTHORITY properly prepared plans and specifications for review and approval before:

- (A) The construction of a FOOD ESTABLISHMENT; Pf
- (B) The conversion of an existing structure for use as a FOOD ESTABLISHMENT; Pf or
- (C) The remodeling of a FOOD ESTABLISHMENT or a change of type of FOOD ESTABLISHMENT or FOOD operation as specified under ¶ 8-302.14(C) if the REGULATORY AUTHORITY determines that plans and specifications are necessary to ensure compliance with this Code. Pf

8-201.12 Contents of the Plans and Specifications.

The plans and specifications for a FOOD ESTABLISHMENT, including a FOOD ESTABLISHMENT specified under § 8-201.13, shall include, as required by the REGULATORY AUTHORITY based on the type of operation, type of FOOD preparation, and FOODS prepared, the following information to demonstrate conformance with Code provisions:

- (A) Intended menu and plan review application;
- (B) Anticipated volume of FOOD to be stored, prepared, and sold or served;
- (C) Proposed layout, mechanical schematics, construction materials, and finish schedules;
- (D) Proposed EQUIPMENT types, manufacturers, model numbers, locations, dimensions, performance capacities, and installation specifications;
- (E) Evidence that standard procedures that ensure compliance with the requirements of this Code are developed or are being developed; and
- (F) Other information that may be required by the REGULATORY AUTHORITY for the proper review of the proposed construction, conversion or modification, and procedures for operating a FOOD ESTABLISHMENT.

8-201.13 When a HACCP Plan is Required.

- (A) Before engaging in an activity that requires a HACCP PLAN, a PERMIT applicant or PERMIT HOLDER shall submit to the REGULATORY AUTHORITY for approval a properly prepared HACCP PLAN as specified under § 8-201.14 and the relevant provisions of this Code if:
 - (1) Submission of a HACCP PLAN is required according to LAW;
 - (2) A VARIANCE is required as specified under Subparagraph 3-401.11(D)(4), § 3-502.11, or ¶ 4-204.110(B);
 - (3) The REGULATORY AUTHORITY determines that a FOOD preparation or processing method requires a VARIANCE based on a plan submittal specified under § 8-201.12, an inspectional finding, or a VARIANCE request.
- (B) A PERMIT applicant or PERMIT HOLDER shall have a properly prepared HACCP PLAN as specified under § 3-502.12.

8-201.14 Contents of a HACCP Plan.

For a FOOD ESTABLISHMENT that is required under § 8-201.13 to have a HACCP PLAN, the plan and specifications shall indicate:

- (A) A categorization of the types of POTENTIALLY HAZARDOUS FOODS (TIME/TEMPERATURE CONTROL FOR SAFETY FOODS) that are specified in the menu such as soups and sauces, salads, and bulk, solid FOODS such as MEAT roasts, or of other FOODS that are specified by the REGULATORY AUTHORITY; Pf
- (B) A flow diagram by specific FOOD or category type identifying CRITICAL CONTROL POINTS and providing information on the following:
 - (1) Ingredients, materials, and EQUIPMENT used in the preparation of that FOOD, Pf and
 - (2) Formulations or recipes that delineate methods and procedural control measures that address the FOOD safety concerns involved; Pf
- (C) FOOD EMPLOYEE and supervisory training plan that addresses the FOOD safety issues of concern; Pf
- (D) A statement of standard operating procedures for the plan under consideration including clearly identifying:
 - (1) Each CRITICAL CONTROL POINT, Pf
 - (2) The CRITICAL LIMITS for each CRITICAL CONTROL POINT, Pf
 - (3) The method and frequency for monitoring and controlling each CRITICAL CONTROL POINT by the FOOD EMPLOYEE designated by the PERSON IN CHARGE, Pf
 - (4) The method and frequency for the PERSON IN CHARGE to routinely verify that the FOOD EMPLOYEE is following standard operating procedures and monitoring CRITICAL CONTROL POINTS, Pf

- (5) Action to be taken by the PERSON IN CHARGE if the CRITICAL LIMITS for each CRITICAL CONTROL POINT are not met, $^{\rm Pf}$ and
- (6) Records to be maintained by the PERSON IN CHARGE to demonstrate that the HACCP PLAN is properly operated and managed; Pf and
- (E) Additional scientific data or other information, as required by the REGULATORY AUTHORITY, supporting the determination that FOOD safety is not compromised by the proposal. Pf

Confidentiality

8-202.10 Trade Secrets.

The REGULATORY AUTHORITY shall treat as confidential in accordance with LAW, information that meets the criteria specified in LAW for a trade secret and is contained on inspection report forms and in the plans and specifications submitted as specified under §§ 8-201.12 and 8-201.14.

Construction Inspection and Approval

8-203.10 Preoperational Inspections.

The REGULATORY AUTHORITY shall conduct one or more preoperational inspections to verify that the FOOD ESTABLISHMENT is constructed and equipped in accordance with the APPROVED plans and APPROVED modifications of those plans, has established standard operating procedures as specified under ¶ 8-201.12(E), and is in compliance with LAW and this Code.

8-3	PERMIT TO OP	PERMIT TO OPERATE	
	Subparts		
	8-301	Requirement	
	8-302	Application Procedure	
	8-303	Issuance	
	8-304	Conditions of Retention	

Requirement

8-301.11 Prerequisite for Operation.

A PERSON may not operate a FOOD ESTABLISHMENT without a valid PERMIT to operate issued by the REGULATORY AUTHORITY. Pf

Application Procedure

8-302.11 Submission 30 Calendar Days Before Proposed Opening.

An applicant shall submit an application for a PERMIT at least 30 calendar days before the date planned for opening a FOOD ESTABLISHMENT or the expiration date of the current PERMIT for an existing facility.

8-302.12 Form of Submission.

A PERSON desiring to operate a FOOD ESTABLISHMENT shall submit to the REGULATORY AUTHORITY a written application for a PERMIT on a form provided by the REGULATORY AUTHORITY.

8-302.13 Qualifications and Responsibilities of Applicants.

To qualify for a PERMIT, an applicant shall:

- (A) Be an owner of the FOOD ESTABLISHMENT or an officer of the legal ownership;
- (B) Comply with the requirements of this Code;
- (C) As specified under § 8-402.11, agree to allow access to the FOOD ESTABLISHMENT and to provide required information; and
- (D) Pay the applicable PERMIT fees at the time the application is submitted.

8-302.14 Contents of the Application.

The application shall include:

(A) The name, birth date, mailing address, telephone number, and signature of the PERSON applying for the PERMIT and the name, mailing address, and location of the

FOOD ESTABLISHMENT;

- (B) Information specifying whether the FOOD ESTABLISHMENT is owned by an association, corporation, individual, partnership, or other legal entity;
- (C) A statement specifying whether the FOOD ESTABLISHMENT:
 - (1) Is mobile or stationary and temporary or permanent, and
 - (2) Is an operation that includes one or more of the following:
 - (a) Prepares, offers for sale, or serves POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD):
 - (i) Only to order upon a CONSUMER'S request,
 - (ii) In advance in quantities based on projected CONSUMER demand and discards FOOD that is not sold or served at an APPROVED frequency, or
 - (iii) Using time as the public health control as specified under § 3-501.19,
 - (b) Prepares POTENTIALLY HAZARDOUS FOOD (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) in advance using a FOOD preparation method that involves two or more steps which may include combining POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD) ingredients; cooking; cooling; reheating; hot or cold holding; freezing; or thawing,
 - (c) Prepares FOOD as specified under Subparagraph (C)(2)(b) of this section for delivery to and consumption at a location off the PREMISES of the FOOD ESTABLISHMENT where it is prepared,
 - (d) Prepares FOOD as specified under Subparagraph (C)(2)(b) of this section for service to a HIGHLY SUSCEPTIBLE POPULATION,

- (e) Prepares only FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL OF SAFETY FOOD), or
- (f) Does not prepare, but offers for sale only prepackaged FOOD that is not POTENTIALLY HAZARDOUS (TIME/TEMPERATURE CONTROL FOR SAFETY FOOD);
- (D) The name, title, address, and telephone number of the PERSON directly responsible for the FOOD ESTABLISHMENT;
- (E) The name, title, address, and telephone number of the PERSON who functions as the immediate supervisor of the PERSON specified under \P (D) of this section such as the zone, district, or regional supervisor;
- (F) The names, titles, and addresses of:
 - (1) The PERSONS comprising the legal ownership as specified under ¶ (B) of this section including the owners and officers, and
 - (2) The local resident agent if one is required based on the type of legal ownership;
- (G) A statement signed by the applicant that <u>attests to the accuracy of the information provided in the application.</u>
 - (1) DELETED
 - (2) DELETED
- (H) Other information required by the REGULATORY AUTHORITY.

Issuance

8-303.10 New, Converted, or Remodeled Establishments.

For FOOD ESTABLISHMENTS that are required to submit plans as specified under § 8-201.11 the REGULATORY AUTHORITY shall issue a PERMIT to the applicant after:

(A) A properly completed application is submitted;

- (B) The required fee is submitted;
- (C) The required plans, specifications, and information are reviewed and APPROVED; and
- (D) A preoperational inspection as specified in § 8-203.10 shows that the establishment is built or remodeled in accordance with the APPROVED plans and specifications and that the establishment is in compliance with this Code.

8-303.20 Existing Establishments and Change of Ownership.

As applicable, the REGULATORY AUTHORITY may issue a PERMIT in accordance with 15A NCAC 18A .2659, to a new owner of an existing FOOD ESTABLISHMENT after an application is submitted, reviewed, and approved, and an inspection shows that the establishment is in compliance with this Code. If the establishment is not in compliance with the Code, a TRANSITIONAL PERMIT may be issued in accordance with G.S. 130A-248(b) and (c) and Rule .2659(b).

8-303.30 Denial of Application for Permit, Notice.

If an application for a PERMIT to operate is denied, the REGULATORY AUTHORITY shall provide the applicant with a notice that includes:

- (A) The specific reasons and Code citations for the PERMIT denial:
- (B) The actions, if any, that the applicant must take to qualify for a PERMIT; and
- (C) Advisement of the applicant's right of appeal and the process and time frames for appeal that are provided in LAW.

Conditions of Retention 8-304.10

DELETED

8-304.11 Responsibilities of the Permit Holder.

Upon acceptance of the PERMIT issued by the REGULATORY AUTHORITY, the PERMIT HOLDER in order to retain the PERMIT shall:

(A) DELETED

- (B) Comply with the provisions of this Code including the conditions of a granted VARIANCE as specified under § 8-103.12, and APPROVED plans as specified under § 8-201.12;
- (C) If a FOOD ESTABLISHMENT is required under § 8-201.13 to operate under a HACCP PLAN, comply with the plan as specified under § 8-103.12;
- (D) Immediately contact the REGULATORY AUTHORITY to report an illness of a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE as specified under ¶ 2-201.11(B);
- (E) Immediately discontinue operations and notify the REGULATORY AUTHORITY if an IMMINENT HEALTH HAZARD may exist as specified under § 8-404.11;
- (F) Allow representatives of the REGULATORY AUTHORITY access to the FOOD ESTABLISHMENT as specified under § 8-402.11;
- (G) Replace existing facilities and EQUIPMENT specified in § 8-101.10 with facilities and EQUIPMENT that comply with this Code if:
 - (1) The REGULATORY AUTHORITY directs the replacement because the facilities and EQUIPMENT constitute a public health HAZARD or nuisance or no longer comply with the criteria upon which the facilities and EQUIPMENT were accepted,
 - (2) The REGULATORY AUTHORITY directs the replacement of the facilities and EQUIPMENT because of a change of ownership, or
 - (3) The facilities and EQUIPMENT are replaced in the normal course of operation;

- (H) Comply with directives of the REGULATORY AUTHORITY including time frames for corrective actions specified in inspection reports, notices, orders, warnings, and other directives issued by the REGULATORY AUTHORITY in regard to the PERMIT HOLDER'S FOOD ESTABLISHMENT or in response to community emergencies;
- (I) Accept notices issued and served by the REGULATORY AUTHORITY according to LAW; and
- (J) Be subject to the administrative, civil, injunctive, and criminal remedies authorized in LAW for failure to comply with this Code or a directive of the REGULATORY AUTHORITY, including time frames for corrective actions specified in inspection reports, notices, orders, warnings, and other directives.

8-304.20

DELETED

8-4	INSPECTION AND CORRECTION OF VIOLATIONS	
	Subparts	
	8-401	Frequency
	8-402	Competency and Access
	8-403	Report of Findings
	8-404	Imminent Health Hazard
	8-405	Priority Item or Priority Foundation Item
Violation		· ·
	8-406	Core Item Violation

Frequency 8-401.10 Establishing Inspection Interval.

The REGULATORY AUTHORITY shall inspect a FOOD ESTABLISHMENT in accordance with 10A NCAC 46 .0213.

- (B) <u>DELETED</u>
- (C) DELETED

8-401.20

DELETED

8-402.10

DELETED

Access

8-402.11 Allowed at Reasonable Times after Due Notice.

After the REGULATORY AUTHORITY presents official credentials and provides notice of the purpose of, and an intent to conduct, an inspection, the PERSON IN CHARGE shall allow the REGULATORY AUTHORITY to determine if the FOOD ESTABLISHMENT is in compliance with this Code by allowing access to the establishment, allowing inspection, and providing information and records specified in this Code and to which the REGULATORY AUTHORITY is entitled according to LAW, during the FOOD ESTABLISHMENT'S hours of operation and other reasonable times.

8-402.20 Refusal, Notification of Right to Access, and Final Request for Access.

If a PERSON denies access to the REGULATORY AUTHORITY, the REGULATORY AUTHORITY shall:

- (A) Inform the PERSON that:
 - (1) The PERMIT HOLDER shall allow access to the REGULATORY AUTHORITY as specified under Section 8-402.11 of the Code and G.S. 130A-17 and 130A-249.
 - (2) Access is a condition of the acceptance and retention of a FOOD ESTABLISHMENT PERMIT to operate as specified under ¶ 8-304.11(F), and
 - (3) If access is denied, <u>an administrative warrant may</u> be obtained according to G.S. 15-27.2.
- (B) Make a final request for access.

8-402.30 Refusal, Reporting.

If after the REGULATORY AUTHORITY presents credentials and provides notice as specified under § 8-402.11, explains the authority upon which access is requested, and makes a final request for access as specified in § 8-402.20, the PERSON IN CHARGE continues to REFUSE access, the REGULATORY AUTHORITY shall provide details of the denial of access on an inspection report form.

8-402.40 Administrative Warrant to Gain Access.

If denied access to a FOOD ESTABLISHMENT for an authorized purpose and after complying with Section 8-402.20 of the Food Code as amended by Rule .2658, the REGULATORY AUTHORITY may issue, or apply for the issuance of, an administrative warrant to gain access as provided by G.S. 15-27.2.

Report of Findings

8-403.10 Documenting Information and Observations.

The REGULATORY AUTHORITY shall document on an inspection report form:

- (A) Administrative information about the FOOD ESTABLISHMENT'S legal identity, street and mailing addresses, type of establishment and operation as specified under ¶ 8-302.14(C), inspection date, and other information such as type of water supply and SEWAGE disposal, status of the PERMIT, and personnel certificates that may be required; and
- (B) Specific factual observations of violative conditions or other deviations from this Code that require correction by the PERMIT HOLDER including:
 - (1) Failure of the PERSON IN CHARGE to demonstrate the knowledge of foodborne illness prevention, application of HACCP principles, and the requirements of this Code as specified under § 2-102.11,

- (2) Failure of FOOD EMPLOYEES, CONDITIONAL EMPLOYEES, and the PERSON IN CHARGE to report a disease or medical condition as specified under ¶¶ 2-201.11(B) and (D),
- (3) Nonconformance with PRIORITY ITEMS OR PRIORITY FOUNDATION ITEMS of this Code,
- (4) Failure of the appropriate FOOD EMPLOYEES to demonstrate their knowledge of, and ability to perform in accordance with, the procedural, monitoring, verification, and corrective action practices required by the REGULATORY AUTHORITY as specified under § 8-103.12,
- (5) Failure of the PERSON IN CHARGE to provide records required by the REGULATORY AUTHORITY for determining conformance with a HACCP PLAN as specified under Subparagraph 8-201.14(D)(6), and
- (6) Nonconformance with CRITICAL LIMITS of a HACCP PLAN.

8-403.20 Specifying Time Frame for Corrections.

The REGULATORY AUTHORITY shall specify on the inspection report form the time frame for correction of the violations as specified under §§ 8-404.11 and 8-405.11.

8-403.30 Issuing Report and Obtaining Acknowledgment of Receipt.

At the conclusion of the inspection and according to LAW, the REGULATORY AUTHORITY shall provide a copy of the completed inspection report and the notice to correct violations to the PERMIT HOLDER or to the PERSON IN CHARGE, and request a signed acknowledgment of receipt.

8-403.40 Refusal to Sign Acknowledgment.

The REGULATORY AUTHORITY shall:

(A) Inform a PERSON who declines to sign an

acknowledgment of receipt of inspectional findings as specified in § 8-403.30 that:

- (1) An acknowledgment of receipt is not an agreement with findings,
- (2) Refusal to sign an acknowledgment of receipt will not affect the PERMIT HOLDER'S obligation to correct the violations noted in the inspection report within the time frames specified, and
- (3) A refusal to sign an acknowledgment of receipt is noted in the inspection report and conveyed to the REGULATORY AUTHORITY'S historical record for the FOOD ESTABLISHMENT; and
- (B) Make a final request that the PERSON IN CHARGE sign an acknowledgment receipt of inspectional findings.

8-403.50 Public Information.

Except as specified in § 8-202.10, the REGULATORY AUTHORITY shall treat the inspection report as a public document and shall make it available for disclosure to a PERSON who requests it as provided in LAW.

Imminent Health Hazard

8-404.11 Ceasing Operations and Reporting.

- (A) Except as specified in ¶ (B) of this section, a PERMIT HOLDER shall immediately discontinue operations and notify the REGULATORY AUTHORITY if an IMMINENT HEALTH HAZARD may exist because of an emergency such as a fire, flood, extended interruption of electrical or water service, SEWAGE backup, misuse of POISONOUS OR TOXIC MATERIALS, onset of an apparent foodborne illness outbreak, gross insanitary occurrence or condition, or other circumstance that may endanger public health. P
- (B) A PERMIT HOLDER need not discontinue operations in an area of an establishment that is unaffected by the IMMINENT HEALTH HAZARD.

8-404.12 Resumption of Operations.

If operations are discontinued as specified under § 8-404.11 or otherwise according to LAW, the PERMIT HOLDER shall obtain approval from the REGULATORY AUTHORITY before resuming operations.

Violation of Priority Item or Priority Foundation Item

8-405.11 Timely Correction.

- (A) Except as specified in ¶ (B) of this section, a PERMIT HOLDER shall at the time of inspection correct a violation of a PRIORITY ITEM OR PRIORITY FOUNDATION ITEM of this Code and implement corrective actions for a HACCP PLAN provision that is not in compliance with its CRITICAL LIMIT. Pf
- (B) Considering the nature of the potential HAZARD involved and the complexity of the corrective action needed, the REGULATORY AUTHORITY may agree to or specify a longer time frame, not to exceed 10 calendar days after the inspection, for the PERMIT HOLDER to correct violations of a PRIORITY ITEM OR PRIORITY FOUNDATION ITEM OR HACCP PLAN deviations.

8-405.20 Verification and Documentation of Correction.

- (A) After observing at the time of inspection a correction of a violation of a PRIORITY ITEM OF PRIORITY FOUNDATION ITEM OF A HACCP PLAN deviation, the REGULATORY AUTHORITY shall enter the violation and information about the corrective action on the inspection report.
- (B) As specified under ¶ 8-405.11(B), after receiving notification that the PERMIT HOLDER has corrected a violation of a PRIORITY ITEM OR PRIORITY FOUNDATION ITEM OR HACCP PLAN deviation, or at the end of the specified period of time, the REGULATORY AUTHORITY shall verify correction of the violation, document the information on an inspection report, and enter the report in the REGULATORY AUTHORITY'S records.

Core Item Violation

8-406.11

DELETED

8-5 PREVENTION OF FOODBORNE DISEASE TRANSMISSION BY EMPLOYEES

Subpart

8-501 Investigation and Control

Investigation and Control

DELETED

INDEX

a _{w,} definition, 3 Access	information required, 194-196 qualifications, 194
administrative warrant, 200-201	Applicant, responsibility to report illness, 198-199
allowed after due notice, 200	Application for operating permit
notification of right, 200	procedure, 194-196
owner agreement, 200	Application of Code
refusal, 201	prevention of health hazards, 188
Accuracy, 109-110	public health protection, 187-188
Acidity. See pH, 14	Approved, definition, 2
Accreditation	Area
definition, 2	adjacent to easily movable equipment, 6
equipment certification program, 117	behind kickplates, 109
manager certification program, 26	consumer eating and drinking, 142,167
Additive, food and color	consumer shopping, 122, 160, 167
definition, 2	designated for eating, drinking, and tobacco
food upon receipt, 54	use, 46, 174
limitations, 91, 183-184	dining, 142, 178-179
sulfites, 65	distressed merchandise, 174
unapproved, protection from, 65 Adulterated	dressing, 173, 177 driving, 165, 170
definition, 2 food condition, 48	dry storage, 167 exposed, 167
Air-drying	food preparation, 164-168, 178-179
equipment and utensils, 140	handwashing, sink, 149-150, 166
wiping cloths, locations, 140	indoor, construction material, 164-165
Air filtration, 154	light intensity by, 172-173
Air gap. See Backflow Prevention, Plumbing System	living, 171
Air temperature, 83, 113-114	outdoor, construction materials, 165
See also Ambient temperature measuring	outside fenced, 178
devices	poisonous or toxic materials, 180-185
Aisles in work spaces. See Spacing	prohibited food storage, 70-71
Alkalinity. See pH	protected for tank vent, 153
Allergen.	refuse, 158, 160, 162, 170
Latex, see Major food allergen	requiring drip-free ventilation, 110
Alligator. See Fish	self-service, 28
Ambient temperature measuring devices, 110	separate, for raw foods, 63-64
Animal foods, raw	servicing, 164
consumer self-service, limitations, 71-72	shellfish harvesting, 56-57
cooking requirements, 73-78	sleeping, 170-171
separation from other foods, 63-64	storage, 158-162
Animal foods, raw or undercooked, consumer	underneath equipment for cleaning, 121-122
advisory, 98-99	underneath fingernails, cleaning, 42
Animals commercially raised for food, 52-53, 73-74	unaffected by imminent health hazard, 203
exotic species, limitations as food source, 52	walking, 165, 170 warewashing, 166, 181
	waste servicing, 157
game, 52-53, 73 handling by employees, prohibition and	where unnecessary persons are not allowed,
exception, 47	27-28
handwashing after handling, 43	Artificial color or flavor, declaration, 96-97
live, prohibition and exceptions, 178-179	Asymptomatic carrier, 33-40
wild game, 52-53, 74	Asymptomatic, definition, 3
Anti-slip floor coverings, 165	Attachments, wall and ceilings, cleanability, 167
Appeal	,
denial of application for operating permit,	Backflow prevention, plumbing system
197	air gap, 148
Applicant for permit to operate food establishment	carbonator, 150

knowledge of person in charge, 25-26	maintenance and operation, 123
sewage systems, 156-158	Cans, number 10. See Single-use articles
water system operation, 146	Canthaxanthin, 97
Backflow prevention device, plumbing system	Carbonator, 105, 150
carbonator, 150	Cardboard for recycling, outside storage, 161
copper, use limitation, 105	Carpeting, floor, restrictions and installation, 166
design standard, 148	Carrier, disease. See Asymptomatic carrier
location, 150	Carry-out utensils. See Single-service articles
numbers and capacity, 149	Case lot handling equipment, moveability, 116
operation and maintenance, 151	Casing
Backsiphonage. See Backflow	definition, 3
Bacon, slab, storage, 64	date marking, 88
Bacteria. See Disease outbreaks caused by	Cast iron utensils and equipment food-contact
Baffles, internal, for warewashing machine, 115	surfaces, use limitation, 104
Bags. See Single-service articles	Catering operation. See Food establishment
Bait	Catsup bottles. See Single-use articles
fish, 179	Ceiling, ceiling coverings, and coatings, cleanability,
station, 185	165-167
Bakery products, 97	Ceramic utensils, lead limitation, 104
Balut, definition, 3	Certification number, definition, 3
Basket, for warewashing equipment, 115, 134	CFR, definition, 3
Bearings and gear boxes, leakproof, 112	Cheese
Beef	datemarking, 87
consumer self-service, 71-72	ROP, 95
cooking requirement, 73-77	Chemicals
minimum holding times for cooking, 73-77	preservatives, declaration, 96
oven parameters for cooking, 74-75	sanitization of equipment food-contact
rare or raw, consumer advisory, 98-99	surfaces and utensils, 137-138
raw, storage, 63-64	sanitizers, criteria, 183
use of clean equipment, 130-133	washing fruits and vegetables, criteria, 183
use of laundered gloves, 138	working containers, of, 180
whole-muscle, intact, definition, 24	Chicken, raw, immersion in ice or water, 66
whole-muscle, intact steak, cooking,	Children's menu, 76
75-76	China utensils, lead imitation, 104
Beef roasts, cooking requirements, 74-75	Chlorine solutions, chemical sanitization, 127-128
Beverage	CIP
containers, consumer-owned, refilling, 136	definition, 3
	equipment, design and construction, 108
definition, 3	
tubing, separation from stored ice, 112	Clams, lightly cooked or raw, consumer advisory,
Birds, dead or trapped, removal, 177	76, 98-99
Boil. See Lesion, containing pus	See also Molluscan shellfish; Fish
Boiler water additives, criteria, 183	Cleanability
Bottled drinking water, definition, 3	carpeting, 164-165
source, 144	ceilings, 164-167
Botulism. See Clostridium botulinum	floor and wall junctures, 166
Bowls. See Hollowware	floors, 164-167
Bread wrappers. See Single-use articles	food-contact surfaces, 107-108
Buffets, monitoring by food employees, 72	mats and duckboards, 166
Buildings, See Physical facilities	nonfood-contact surfaces, 109
Bulk food	studs, joists, and rafters, 167
dispensing methods, 72	utility lines, 165-166
display, protection, 71	wall and ceiling attachments, 167
labeling requirements, 96-98	wall and ceiling coverings and coatings, 167
raw animal food, prohibition, 71-72	walls, 165-167
unpackaged, labeling exemptions, 97	Cleanable fixtures, plumbing system, 147-148
Bulk milk container dispensing tube, 129	Cleaned in place. See CIP
bulk milk container dispensing tube, 129	
Cabinata	Cleaners. See Poisonous or toxic materials
Cabinets	Cleaning agents
storage, 120-121, 142, 154	handwashing, 171
Calibration, temperature measuring devices, 128	warewashing equipment, 125
Can openers	Cleaning and sanitizing
design and construction, 109	equipment and supplies for reuse,

recyclables, and returnables,	Conditioning device, plumbing system
158-163	design, 148
equipment and utensils to prevent food cross	location, 150
contamination, 129-138	Confidentiality
knowledge demonstrated by person in	protection, 193
charge, 25-26	Confirmed disease outbreak, definition, 4
maintenance tools, preventing	Construction
contamination, 176	food establishment, plans and specifications
physical facilities, frequency and restrictions,	requirement, 190-193.
175	inspection and approval, 193
procedure for employees' hands and arms,	mobile water tank and mobile food
42-43	establishment water tank, 153
ventilation systems, nuisance and discharge	plumbing system, 147-149
prohibition, 176	Consumer
Cleaning of equipment and utensils	advisory for raw or undercooked animal
criteria, 129-130	foods, 98-99
frequency, 130-133	definition, 4
methods, 133-136	food on display, protection from
Cleanliness, personal, of employees	contamination by, 71
fingernails, 41-42, 45	information requirements, 95-97
hands and arms, 41-45	self-service, clean tableware for refills, 69
jewelry, prohibition, 45	self-service operations, protection from
outer clothing, 45	contamination, 69
Clostridium botulinum, nongrowth in reduced,	Consumer-owned container, refilling, 69, 136
atmosphere packaging, variance, 91-95	Consumers at risk, advisory for fully cooked
See also Potentially hazardous food	
definition	animal foods, 96-97
	Contact time, chemical sanitization of equipment
Clothes washers and dryer	food-contact surfaces and utensils, 137-138
availability, 119	Container prohibitions for poisonous or toxic
location for contamination prevention, 120-121	materials, 183 Containers
Clothing, outer, of employees, clean condition, 45	food storage, common name identification,
Cloths	64
for use with raw foods of animal origin	poisonous or toxic materials
treatment, 67-68	labeling and identification, 180
for wiping food spills, criteria, 67-68	use prohibition, 183
Code	working, common name
applicability, 187-189	identification, 180
Code of Federal Regulations. See "CFR definition"	See also Single-service articles
Cold holding of potentially hazardous food, 81-86	Contaminated food, disposition, 99
Cold-plate beverage cooling devices, separation	Contamination of food after receiving, prevention,
from stored ice, design, and construction,	63-72
112	Contamination prevention, location of equipment,
Color additive, definition, 2	clothes washer/dryers, and storage cabinets,
Commingle, definition, 4	120-121
Comminuted, definition, 4	Control of foodborne disease transmission by
cooking fish and meats, 73-74	employees, 205
Commissary. See Food establishment definition	Controlled atmosphere packaging. See Reduced
Common name, 64	oxygen packaging
Communicable. See infectious agent	Conversion of food establishment, plans and
Community or individual facility for disposal of refuse,	specifications, requirement, 190-191
recyclables, and returnables, 163	Cook-chill packaging. See Reduced oxygen
Compactors, on-site, 159	packaging
Compliance with Code, responsibility of permit	Cooking
holder, 189, 194	equipment, cleaning frequency, 133
Condenser unit, separation from food and food	destroying organisms of public health
storage space, 112	concern, 73-76
Condiments, protection from contamination by	requirements for raw animal foods,
consumers, 71	variance, 76
Conditional employee	utensils. See Kitchenware
definition, 4	Cooling
responsibilities, 29-32	capacity, food equipment, 117

methods to limit growth of organisms of	accuracy, 109-110
public health concern, 83-84	cleanability, 107-108
potentially hazardous cooked food, 84	durability and strength, 107
Copper and copper alloys, use limitation in food	functionality, 110
contact and fittings, 105	physical facilities
Core item, definition, 4-5	cleanability, 165-167
Core item violation, time frame for correction, 204	functionality, 167-171
Corned beef roasts	mobile water tank and mobile food
minimum holding times for cooking, 74-75	establishment water tank
oven parameters for cooking, 74-75	152-155
Correction of critical violation	plumbing system, 147-152
time frame, 202	sewage system, 156-158, 163
timeliness, 204	Design standard, backflow prevention device, 148
verification and documentation, 204	Detergents. See Cleaning agents
Corrective action	Detergent-sanitizers
compliance, 198-199	for warewashing equipment, 128
failure to demonstrate compliance, 201-202	rinsing procedures, 135-136
Corrosion-resistant material, definition, 5	Deviations from code
Cosmetics. See Personal care items	documention, 201-202
Counter guards. See Food display	See also Modifications; Variance; Waivers;
Counter-mounted equipment	Devices. See Physical facilities
definition, 5	Diarrhea, employee symptom, 29
elevation, 122	Dipper wells. See Utensils, in-use storage
Critical control points	Disease of employee, 29-41
definition, 5	Disease or medical condition, reporting
flow diagram, 192	responsibility, 29-32
knowledge demonstration by person in	Disease outbreaks caused by Norovirus, S. Typhi,
charge, 25-26	Shigella spp., Enterohemorrhagic or Shiga
monitoring, responsibility of permit holder,	producing <i>E. coli</i> , or hepatitis A
198-199	virus, 30-31
standard operating procedures, 192-193	Dish basket. See Basket
Critical limit	Dishes. See Tableware
definition, 5	Dishwashing. See Warewashing
nonconformance documentation, 201-202	Disinfection
violations, timely corrections, 204	drinking water system, 145
Cross connection, water supply system, prohibition,	mobile water tank and mobile food
151	establishment water tank, 154-155
Cross contamination of food protection by separation	Dispensing equipment, design and construction
and segregation, 63-64	for protection of equipment and food,
Crustacea shells, use limitation, 129	111-112
Crystal utensils, lead limitation, 104	Dispensing tube, bulk milk container, 129
Cups, refilling in consumer self-service, 69-70 See also Hollowware	Display. See Food display Disposable towels, waste receptacle, 159
Cut, infected. See Lesion, containing pus	Disposable towers, waste receptacle, 139 Disposal facilities
Cut leafy greens	refuse, recyclables, and returnables,
as PHF/TCS food, 15	158-163
definition, 5	sewage, other liquid wastes, and rainwater
Cutting surfaces	156-158
materials, 105-106	Disposition of ready-to-eat, potentially
resurfacing, 123	hazardous food, 88
rooundoing, 125	Distressed merchandise, segregation and
Data plate, warewashing machine, 110	location, 174
Date marking of ready-to-eat, potentially	Documentation
hazardous food, 85-88	correction of critical violation, 204
Dealer's tag/label for molluscan shellstock	freezing for parasites, 78-79
requirements, 56-57	inspection report, 202-203
Deli tissue, use to avoid contaminating food, 60	ROP, 91-95
Demonstration of knowledge. See Person in Charge;	variances, 188-189
Supervision	Dogs in food establishments
Design, construction, and installation	patrol and sentry, 178
equipment and utensils	pets, 178-179
acceptability, 117	service, 178-179

Dollies. Doors	See Case lot handling equipment	service to highly susceptible populations, 100-102
	equipment maintenance, 123	Egg product, definition, 7
	physical facility, 169, 171	Eggs, raw, shell
	refuse receptacle, 158-161	condition at receipt, 54
	toilet room, 176-177	cooling, 83-84
Drain plu	ugs for equipment and receptacles for	labeling, 50
	re-fuse, recyclables, and returnables, 161-	temperature at receipt, 54
	162	Elderly. See Highly susceptible population
	e of equipment compartments, 116	Emergency occurrence. See Imminent health hazard
Drainage	e system, food establishment, design	Employee
Duninkas	and installation, 156	accommodations, location, 174
Drainboa		definition, 7
	capacity, 119	disease or medical condition, 28-41
	cleaning frequency, 124	dressing areas, number, 174
	cleanability, 107-108	eating, drink, and tobacco use, designated areas, 46
Draine i	warewashing, self-draining, 116 ndirect, 156	food contaminated by, disposition, 99
Diailis, ii	walk-in refrigerators, 156	hygiene, 46-47
Dressing		ill, exclusions and restrictions, 32-41
Diessing	designation, 174	practices, supervision of, 27-41
	use by employees, 177	prevention of food contamination, 60-62
Dried ea	igs, condition at receipt, 54-55	responsibility to report illness, 29-32
	by employees, food contamination	serving high-risk populations, exclusions
Dilliking	prevention, 46	and restrictions, 32-41. See also
Drinking		Food employee; Permit holder;
Dimming	bottled, source, 145	Person in charge
	definition, 5-6	Emu. See Ratites
Drinking	water systems	Enclosures for refuse, recyclables, and
	approved, 144	returnables, operation and maintenance,
	flushing and disinfection, 145	158-161
	vention, design and construction of	Enterohemorrhagic Escherichia coli definition, 7
	ventilation hood systems, 110	EPA, definition, 7
Driving s	surfaces. See Surface characteristics,	Equipment
•	outdoor	air-drying, 140
Dry clear	ning methods, equipment and utensils, 133	assessment for Code enforcement, 187-188
Dry eggs	s, 54	case lot handling, 116
Dry milk,	, 55	cleaning criteria, 129-130
Dry stora	age area, definition, 6	cleaning frequency
	gents, criteria, 183-184	food-contact surfaces/utensils,
	ards, cleanability, 164-165	130-133
Dustless	methods of cleaning floors, 175-176	nonfood-contact surfaces, 133
		warewashing, 124
	eanable, definition, 6	compartments, drainage, 116
	ovable, definition, 6	cooling, heating, and holding capacities, 117
Eating by	y employees, food contamination prevention,	definition, 7-8
	46	design and construction, durability and
	e date of Code, 187-188	strength, 107
Egg		existing, 187-188, 198
	boiled, See Potentially hazardous food definition	fixed, elevation or sealing, installation,
	cooking requirements, 73-76, 100-102	122
	definition, 7	fixed, spacing or sealing, installation, 121-
	lightly cooked or raw, consumer advisory,	122 food-contact surfaces and utensils,
	98-99 liquid, frozen, and dry, condition at receipt,	cleaning frequency, 130-133
	54	HACCP plan, 192-193
	pasteurized, substitute for shell eggs, 64-65,	location for contamination prevention,
	100-102	120-122
	pooling, 64-65, 73-74, 98-102	maintenance, 123
	potentially hazardous food, 15-17	necessary replacement, 198
	restricted definition, 21	plans, 190-191
	roomatod dominion, ZT	reassembly after cleaning, 141
		teassembly affer dearming 141

remain and adjustment 400	consumer advisory, 00,00
repair and adjustment, 123	consumer advisory, 98-99
storage, 177-178	freezing to control parasites, 78-79
storage prohibitions, 141-142	immersion in ice or water, 66
Equipment certification and classification, 117	restriction on reduced oxygen packaging, 93
Equipment and utensils, dry cleaning methods, 133	Fitting or tubing, copper and copper alloys, use
precleaning, 133	limitation, 105
rinsing procedures, 135-136, 143	Fixtures. See Physical facilities
Equipment openings, closures and deflectors, design	Flatware. See Tableware
and construction, 110-111	Floor drains, cleanability, 166
Equipment, utensils, and linens	Floor-mounted equipment, clearance, 122
cleaning, 129-136	Floors
design and construction, 107-117	absorbent materials, use limitation, 176
laundering lines, 138-139	and floor coverings, cleanability, 165-166
location and installation, 120-122	dustless cleaning methods, 175-176
maintenance and operation, 123-129	Flow pressure valve, warewashing machine, 116
materials for construction and repair,	Flushing
103-107	drinking water system, 145
numbers and capacities, 117-120	mobile water tank and mobile food
protection of clean items, 140-143	establishment water tank, 154-155
sanitization of equipment and utensils,	waste retention tanks, 157
137-138	Flux, use limitation for food-contact surfaces, 104
See also Physical facilities	Fogging devices, cleaning the water reservoir,
Escargot. See Fish	151-152
Exclude, definition, 8	Food
Exclusion of employee	additives, 54, 65, 91, 183-184
illness, 32-34	characteristics, 48
infection or disease, 32-34	contact with equipment and utensils, 66
release, 35-41	contaminated, 99
removal, 35-41	cooked, potentially hazardous, cooling,
Expiration time for potentially hazardous food, 85-90	83
Exposure, 30-31, 40-41	damaged, spoiled, or recalled, storage, 64
Facilities	definition, 8
assessment for Code enforcement, 187-188	destruction of organisms of public health
disposal, recycling, and refilling of waste,	concern, 73-77
163	frozen, potentially hazardous, 54, 81
necessary replacement, 198	hermetically sealed, source, 50
on-premises for refuse, recyclables, and	honest presentation, 1, 48, 96, 187, 190
returnables, 158-160	identity, presentation, and on-premises
Facility plans and specifications, submission	labeling, 49-50, 95
and approval, 190-191	in contact with water or ice, storage or
Faucet, handwashing sink, 42, 148	display, 66
Fever with sore throat, employee symptom, 29, 34	limitation of growth of organisms of public
Filter, compressed air, for drinking water system, 154	health concern, 81-90
Filtering equipment, hot oil, design and construction,	packaged and unpackaged, separation,
108	packaging and segregation, 63-64
Fingernails	packaged, labeling, 49-50, 93-95
artificial, prohibition, 45	protection for contamination, 60-72
of employees, maintenance, 45	specialized preparation methods, variance
First aid supplies in food establishments, storage;	requirement, 76, 90-91, 113,
See also Personal care items	188-189, 191
Fish	standards of identity, 95-96
consumer self-service, 71-72	temperature and time control, limiting growth
cooking requirements, 73-77	of organisms of public health
definition, 8	concern, 81-95
frozen by supplier, freezing records, 79-80	•
other than molluscan shellfish, 51, 79	Food, potentially hazardous HACCP plan, 191-193
raw, storage, 63-64	hot and cold holding,84- 85
recreationally caught, 51-52	preparation, application for permit, 193-196
use of laundared gloves, 139	temperature at receipt, 53-54
use of laundered gloves, 138	time as public health control, 88-90
Fish, lightly cooked or raw	Food, ready-to-eat, potentially hazardous
Aquacultured, 79	date marking, 85-88

Food bank. See Food establishment. Food cart. See Food establishment, definition, mobile food unit, pushcart Food Code intent, 1 scope, statement, 1 stitle, 1 Food contact, copper, use limitation, 105 Food-contact surface assessment for Code enforcement, 187-188 cast stron equipment, use limitation, 104 construction materials, 103-104 copper, use limitation, 105 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 170-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 105 lead, use limitation, 104 santizzation criteria, 137 santizzation frequency, 137 santizzation frequency, 137 santizzation methods for equipment, 137 santizzation methods for equipment, 137 santizzation methods for equipment, 138 wet cleaning methods for requipment, 138 food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 food exhalishment definition, 8 responsibility to report illness, 29-32 Food display, preventing contamination by consumers, 71-72 Food guards. See Food displayy food management, plans, 190-193 food processing, variance required, 90-91 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food processing pl	disposition, 88	Food service establishment. See Food establishment
Food corat. See Food establishment, definition, mobile food unit, pushcart Food Code intent, 1 scope, statement, 1 tille, 1 Food contact, copper, use limitation, 105 Food-contact surface assessment for Code enforcement, 187-188 cast iron equipment, use limitation, 104 construction materials, 103-104 construction materials, 103-104 construction materials, 103-104 cleaning return, 129-103 cleaning frequency of equipment, 130-131 definition, 3 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 santization frequency, 137 santization frequency, 137 santization frequency,	Food Allergy, awareness, 28	Food sources,
Food Code intent, 1 scope, statement, 1 title, 1 Food contact, copper, use limitation, 105 Food-contact surface assessment for Code enforcement, 187-188 cast iron equipment, use limitation, 104 construction materials, 103-104 copper, use limitation, 104 copper, use limitation, 105 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 108 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 santitization requency, 137 santitization methods for equipment, 137-138 v' threads, use limitation, 105-106 Food containination by containination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention by employees, 0-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 jans and specifications for construction, conversion, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 food processing plant, definition, 9 permit to operate, 193-199 plans and specifications for construction, conversion, 104 construction frequency, 139 permit to operate, 193-199 permit to operate, 193-199 permit to operate, 193-199 food package integrity, 55 Food processing, variance required, 90-91 Food processing, va		
temperature, 53-57 food contact, copper, use limitation, 105 Food-contact surface		
intent, 1 scope, statement, 1 title, 1 Food contact, copper, use limitation, 105 Food-contact surface assessment for Code enforcement, 187-188 cast iron equipment, use limitation, 104 construction materials, 103-104 copper, use limitation, 105 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V threads, use limitation, 105 Food containers placement in cooling or cold holding equipment, 83-84 Food containers placement in cooling or cold holding equipment, 83-84 Food containers placement in cooling or cold holding equipment, 83-84 Food containers placement in cooling or cold holding equipment, 83-84 Food display, preventing containation by consumers, 71-72 Food gipplay, preventing containation by consumers, 71-72 Food display, preventing containation by consumers, 133-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food package integrity, 55 Food processing, variance required, 90-91 Food processing, variance required, 90		
scope, statement, 1 title, 1 Food contact, copper, use limitation, 105 Food-contact surface		
title, 1 cood contact, copper, use limitation, 105 Food-contact surface assessment for Code enforcement, 187-188 cast iron equipment, use limitation, 104 construction materials, 103-104 construction materials, 103-104 copper, use limitation, 105 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V threads, use limitation, 105-106 Food containination by persons, discarding, 99 by unclean utensils and equipment, 65 prevention after receiving, 60-62 prevention or remodeling, 196-197 Food guards. See Food display Food processing plant, definition, 9 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food package integrity, 55 Food processing, variance required, 90-91 Food processing, va	•	
Food-contact surface assessment for Code enforcement, 187-188 cast iron equipment, use limitation, 104 copper, use limitation, 105 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization ortiferia, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 19 identity information, 194-196 inspection, frequency, 199 parms and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing plant, definition, 9		<u> </u>
assessment for Code enforcement, 187-188 cast iron equipment, use limitation, 104 construction materials, 103-104 copper, use limitation, 105 cleaning criteria, 129-130 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 105 lead, use limitation, 104 liners and napkins, use limitation, 67 lubricating, 140 sanitization requency, 137 sanitization requency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 105-106 rood containers placement in cooling or cold holding equipment, 83-84 rood contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 rood display, preventing contamination by consumers, 71-72 rood genaphoyee definition, 9 identify information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 rood guards. See Food display processing, variance required, 90-91 cood processing, variance required, 90-91 rood protection Manager Certification, 26 rood package integrity, 55 rood processing plant, definition, 9 condended in microwave oven, requirements, 80 rood safety control measures, HACCP plan, 191-193 intent of Food Code, 1		preventing contamination from premises,
cast iron equipment, use limitation, 104 construction materials, 103-105 cleaning criteria, 129-130 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization rethods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105 leacement in cooling or cold holding equipment, 83-84 rood contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 revention of after receiving, 60-62 revention of the receiving, 60-62 revention by employees, 60-62 revention of the receiving solves and specifications for construction, conversion, or remodeling, 196-197 rood guards. See Food display plans and specifications for construction, conversion, or remodeling, 196-197 rood parage, plans, 190-193 rood parage, plans, 190-193 rood processing, variance required, 90-91 rood processing, variance required, 90-91 rood processing, variance required, 90-91 rood processing plant, definition, 9 report plans, 190-193 rood package integrity, 55 rood processing, variance required, 90-91 rood processing plant, definition, 9 report plans, 190-193 rood package integrity, 55 rood processing, variance required, 90-91 rood processing plant, definition, 9 report plans, 190-193 rood package integrity, 55 rood processing, variance required, 90-91 rood processing plant, definition, 9 report plans, 190-193 rood processing, variance required, 90-91 rood processing plant, definition, 9 report plans, 190-193 rood processing, variance required, 90-91 rood processing plant, definition, 9 report plans, 190-193 rood processing, variance required, 90-91 rood protection Manager Certification, 26 rood processing plant, 66 r		
construction materials, 103-104 copper, use limitation, 105 cleaning criteria, 129-130 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105 placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 9 identity information, 194-196 inspection, frequency, 199 parmit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, plant, definition, 9 Food processing, plant, definition, 9 Food processing plant, definition, 9 Food processing plant, definition, 26 Food reheated in microwave oven, requirements, 80 Food cod feheated in microwave oven, requirements, 80 Food processing plant, definition, 26 Food reheated in microwave oven, requirements, 80 Food asfaty control measures, HACCP plan, 191-193 intent of Food Code, 1		
copper, use limitation, 105 cleaning criteria, 129-130 cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 134-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 intent of Food Code, 1 design and construction, 19 Foodborne disease outbreak, definition, 8 prevention, knowledge, 25-26 Foodborne illiness prevention, hoveldege, 25-26 Foodborne illessae outbreak, definition, 9 Foot candles. See Lighting Fork lifts. See Case tot handling equipment Forks. See Tableware Freezing to destroy organisms of public health concern, 78-79 Frog. See Fish Friezen foot destroy organisms of public health concern, 78-79 Food Jessieware Freezing to destroy organisms of public health concern, 78-79 Food Jessieware Freezing to destroy organisms of public health concern, 78-79 Food Jessieware Freezing to destroy organisms of public health concern, 78-79 Food Jessieware Freezing to destroy organisms of public health concern, 78-79 Food setableware Freezing to d		
cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105 wood, use limitation, 106 gequipment, 83-84 food containiers placement in cooling or cold holding equipment, 83-84 food containination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 food display, preventing contamination by consumers, 71-72 food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 parms and specifications for construction, conversion, or remodeling, 196-197 food gards. See Food display y cond management, plans, 190-193 food package integrity, 55 food processing plant, definition, 26 food reheated in microwave oven, requirements, 80 food safety control measures, HACCP plan, 191-193 intent of Food Code, 1		
cleaning frequency of equipment, 130-131 definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use imitation, 167 lubricating, 140 sanitization orteria, 137 sanitization orteria, 137 sanitization orteria, 137 sanitization orteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization selimitation, 108 ever cleaning methods for equipment, 134-use wet cleaning methods for equipment, 134-use wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention factorially for personsibility to report illness, 29-32 Food display, preventing contamination by consumers, 71-72 Food definition, 8 responsibility to report illness, 29-32 Food days and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food guards. See Food display Food management plans, 190-193 Food processing plant, definition, 9 good processing plant, definition, 9 food processing plant, definition, 9 good processing plant, definition, 9 food processing plant, definition, 9 intent of Food Code, 1		
definition, 8 design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization requency, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 26 "V" threads, use limitation, 107 wet cleaning methods for equipment, 137-138 wet cleaning methods for equipment, 134 wood, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-94 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention after receiving, 60-62 prevention after receiving, 60-62 prevention gently for epot illness, 29-32 Food establishment definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1		
design and construction, cleanability, 107-108 galvanized metal equipment, use limitation, 105 lead, use limitation, 104 linens and napkins, use imitation, 67 lubricating, 140 sanitization orteria, 137 sanitization orteria, 137 sanitization reduency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display control measures, HACCP plan, 191-193 intent of Food Code, 1		
Foodborne illness galvanized metal equipment, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention py employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1		
lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 Food display, preventing contamination by consumers, 71-72 Food establishment definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food processing plant, definition, 9 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 transmission by employees, prevention, 205 Foot candles. See Lighting Fork lifts. See Case tot handling equipment Forks. See Tableware Freezing to destroy organisms of public health concern, 78-79 Frog. See Fish Frozen food limiting growth of organisms of public health concern, 81 maintain frozen, 81 shipped frozen received frozen received frozen received frozen received frozen received frozen reteived, 90-91 shipped frozen received frozen received frozen received frozen received frozen received frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 shole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 limiting or out, immersion in ice or water, 66 whole, uncut, storage, 64 shole or cut, immersion in ice or water, 66 whole or cut, immersion or ordering freezency, 33-75 definition, 10 exotic species, 73		
lead, use limitation, 104 linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 103 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Gond and seems of public health concern, 78-79 Frozen food limiting growth of organisms of public health concern, 81 maintain frozen, 81 shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially concern, 78-79 Frozen food limiting growth of organisms of public health concern, 78-79 Frozen food limiting growth of organisms of public health concern, 78-79 Frozen food limiting growth of organisms of public health concern, 78-79 Frozen food limiting growth of organisms of public health concern, 81 maintain frozen, 81 shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for definition, 10 exotic species, 73-74 limitations as food sourc	galvanized metal equipment, use limitation,	
linens and napkins, use limitation, 67 lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 prevention by employees, 60-62 fedinition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display plans and specifications for construction, conversion, or remodeling, 196-197 Food processing plant, definition, 9 food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1	1 4 4	transmission by employees, prevention,
lubricating, 140 sanitization criteria, 137 sanitization frequency, 137 sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1		
sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention by employees, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food processing, variance required, 90-91 Food processing lant, definition, 9 Food Protection Manager Certification, 26 Food roleated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1		
sanitization frequency, 137 sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing yariance required, 90-91 Food processing yariance required, 90-91 Food processing plant, definition, 9 Freezing to destroy organisms of public health concern, 78-79 Frog. See Fish Frozen food limiting growth of organisms of public health concern, 78-79 Frozen food limitian frozen, 81 maintain frozen, 81 maintai		
sanitization methods for equipment, 137-138 "V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Concern, 78-79 Frozen food limiting growth of organisms of public health concern, 81 maintain frozen, 81 shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal comcern, 81 shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 will, field-dressed, limitations as food source, 52-53 will, field-dressed, limitations as food source, 52-53 will field-dressed, limitations as food source, 52-53 will field-dressed, limitations as food source		
"V" threads, use limitation, 108 wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Froze food limiting growth of organisms of public health concern, 81 maintain frozen, 81 shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Whole, uncut, storage, 64 Salvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garbage. See Refuse Garbage. See Refuse Garbage. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
wet cleaning methods for equipment, 134 wood, use limitation, 105-106 Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 pans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing, variance required, 90-91 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Frozen food limiting growth of organisms of public health simplency concern, 81 maintain frozen, 81 shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal cooking, 77 washing, 65 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal cooking, 77 washing, 65 Fruits, raw cooking, 72 washing, 65 Fruits, raw cooking, 77 washing, 65 Fruits, raw c		
Food containers placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 parmit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food processing, variance required, 90-91 Food processing, variance required, 90-91 Food protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1		•
placement in cooling or cold holding equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food processing, variance required, 90-91 Food processing plant, definition, 9 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Fruits, raw Shipped frozen received frozen, 54 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Foult, immersion in ice or water, 66 whole, uncut, immersion in ice or water, 66 whole or cut, immersion in ice or waters, 66 whole or cut, immersion in ice or waters, 66 whole or cut, immersion in i		limiting growth of organisms of public health
equipment, 83-84 Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Shipped frozen received frozen, 54 Fruits, raw cooking, 77 cooking, 75 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 commercially raised for food, 52-53 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garlies. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69	Food containers	concern, 81
Food contamination by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 palns and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing, variance required, 90-91 Food protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Fruits, raw cooking, 77 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garb		
by persons, discarding, 99 by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Cooking, 77 washing, 65 washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Salvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 intent of Food Code, 1	···	
by unclean utensils and equipment, 66 prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Washing, 65 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 Whole or cut, immersion in ice or water, 66 whole or cut, immersion in ice or water, 66 whole or cut, immersion in ice or water, 66 whole or cut, immersion in ice or water, 66 whole or cut, immersion in ice or water, 66 whole uncut, storage, 64 Whole, uncut, storage, 64 Salvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 52-53 wild, field-dressed, limitations as food source, 52-53 Garge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 intent of Food Code, 1		
prevention after receiving, 60-62 prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 whole or cut, immersion in ice or water, 66 whole, uncut, storage, 64 whole, uncut, storage, 64 whole, uncut, immersion in ice or water, 66 whole, uncut, storage, 64 whole, uncut, storage, 64 Shole, uncut, storage, 64 Salvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 wild, field-dressed, limitations as food source, 52-53 Garge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
prevention by employees, 60-62 Food display, preventing contamination by consumers, 71-72 Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food Safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commental, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal comments, 105 Game animal comments, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
Food display, preventing contamination by consumers, 71-72 Food employee and food-contact surfaces of equipment, 105 definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commendation for definition for utensils and food-contact surfaces of equipment, 105 Game animal commendation for definition, 10 exotic species, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitation for utensils and food-contact surfaces of equipment, 105 Game animal commendation for definition, 10 exotic species, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 52-53 Sauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
Food employee definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 iresponsibility to report illness, 29-32 Galvanized metal, use limitation for utensils and food-contact surfaces of equipment, 105 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Gartinestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Food reheated in microwave oven, requirements, 80 Food Safety control measures, HACCP plan, 191-193 intent of Food Code, 1		3-7-
definition, 8 responsibility to report illness, 29-32 Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food package integrity, 55 Food processing, variance required, 90-91 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Game animal commercially raised for food, 52-53 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 intent of Food Code, 1		Galvanized metal, use limitation for utensils
responsibility to report illness, 29-32 Food establishment	Food employee	
Food establishment definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 cooking requirements, 73-76 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Food reheated in microwave oven, requirements, 80 Food Safety control measures, HACCP plan, 191-193 intent of Food Code, 1		
definition, 9 identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 definition, 10 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
identity information, 194-196 inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 exotic species, 73-74 limitations as food source, 52-53 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves Cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		• •
inspection, frequency, 199 permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Imitations as food source, 52-53 wild, field-dressed, limitations as food source, 52-52 food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse		
permit to operate, 193-199 plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 wild, field-dressed, limitations as food source, 53, 73-75 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
plans and specifications for construction, conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food package integrity, 55 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Food processing plant seems of employee, 29 Garbage. See Refuse		•
conversion, or remodeling, 196-197 Food guards. See Food display Food management, plans, 190-193 Food package integrity, 55 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Gauge cock. See Flow pressure valve Garbage. See Refuse Garlic. See Potentially hazardous food definition Gastrointestinal illness, symptoms of employee, 29 General use pesticide, definition, 10 Glasses, refilling in consumer self-service, 69-70 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
Food guards. See Food display Food management, plans, 190-193 Food package integrity, 55 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety		
Food package integrity, 55 Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety		
Food processing, variance required, 90-91 Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety	Food management, plans, 190-193	Garlic. See Potentially hazardous food definition
Food processing plant, definition, 9 Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety		
Food Protection Manager Certification, 26 Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 Gloves cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
Food reheated in microwave oven, requirements, 80 Food safety control measures, HACCP plan, 191-193 intent of Food Code, 1 cloth, laundering frequency, 138-139 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
Food safety handwash before donning, 43 single-use, 68 intent of Food Code, 1 handwash before donning, 43 single-use, 68 slash resistant, 68-69		
control measures, HACCP plan, 191-193 single-use, 68 intent of Food Code, 1 slash resistant, 68-69		
intent of Food Code, 1 slash resistant, 68-69	· · · · · · · · · · · · · · · · · · ·	-

systems, 157 Ground beef. See comminuted definition	prevention, Code application, additional requirements, 188, 203-204
cooking, 74	summary suspension of operations, 203
Guard dog. See Service animal HACCP plan	Health practitioner definition, 10
compliance, responsibility of permit holder,	Health status of employee, required reporting, 201-
198	202
contents, 192-193	Heat lamp, shield, 167-168
criteria, reduced oxygen packaging, 91-95	Heater, for manual warewashing equipment, 115
critical limits, nonconformance, 202	Heating capacity, food equipment, 117
definition, 10	Hepatitis A virus
knowledge by person in charge, 25-26	cause of disease outbreak, 30-34
variances, 90-91, 195	cause of employee illness, 30
HACCP principles, failure to demonstrate	conditions for release of employee from
knowledge, 189	restriction or exclusion, 35-41,
Hair restraints for employees, 46-47	205
Hamburger, See comminuted definition	Hermetically sealed
cooking, 73-74	container, definition, 10
Hand drying	food, source, 50
available at handwashing sink, 171-172	food containers, cleaning, 63
part of cleaning procedure, 42	reheating, food taken from a container, 80
Hand, antiseptics, 44-45	High-risk population. See Highly susceptible
Hand antiseptics for employees, 44-45	population
Handling	Highly susceptible population
kitchenware, 142	consumer advisory, 98-99
single-service and single-use articles, 142	definition, 11
tableware, 142	exclusions and restrictions of ill employees,
Hands and arms of employees	32-34
clean condition, 41-42	frequency of inspection, 199
cleaning procedure, 42-43	permit application, 194
hand antiseptics, 44-45	special requirements, 100-102
when to wash, 43	Holding capacity, food equipment, 117
where to wash, 44	Holding tank. See Sewage, holding tank
Hands, employees	Holding time, minimum
alternative procedure to No Bare Hand	comminuted meats, 73-74
Contact, 60-62	cooking, roast beef and corned beef, 74-75
no bare hand contact with RTE food, 60-62	Hollowware. See Tableware
Handwashing	Homes and living/sleeping quarters, private, use
cleanser, availability, 171	prohibition, 170
food employees, 60	Honest presentation, intent of Food Code
procedures, special, for employees, 41-43	not misleading, 1
signage, 172	Hooks, slab bacon, 64
Handwashing sinks	Hood. See Ventilation systems
Automatic, 43	Hot holding of potentially hazardous food, 84-85
cleanability, 147-148	Hot water
design and construction, 147-148	quantity and availability, 146
location and placement, 150, 174	sanitization of equipment food-contact
maintaining and using, 176	surfaces and utensils, 137
numbers and capacities, 149, 171	Hygienic practices of employees
operation and maintenance, 150-151	food contamination prevention, 46
use required, 41-43	hair restraints, 46-47
water temperature, 148	handling animals, prohibition, 47
Handwashing sink, definition, 10	
Harvester's tag/label for molluscan shellstock,	Ice
requirements, 55-59	as food, 55
Hazard Analysis Critical Control Point. See HACCP	exterior cooling, prohibition as ingredient, 66
plan	source, 55
Hazard, definition, 10	storage or display of food in contact with, 66
Health hazard, imminent	Ice units, separation of drains, design and
discontinuance of operations and reporting	construction, 112
requirement, 203	Identity standards for food, definition, 95-96
	Illness of employee, investigation, 205

Illness prevention, intent of Food Code, 1	prohibition, 100
Imminent health hazard	service to highly susceptible populations,100
ceasing operations and reporting, 203	treated, 81
definition, 11	warning label, 81
Immunocompromised persons. See Highly	Junctures, floor and wall, covered and enclosed or
susceptible population	sealed,
In-place cleaning. See CIP definition	cleanability, 165-167
Incinerators for solid waste, 163	
	Justification, variances, 188-189
Individual sewage disposal system, disposal through	Kiels whater we were stable advantage and construction 100
approved system, 157	Kick plates, removable, design and construction, 109
Indoor areas, materials, 164-165	Kitchenware
Infection, employee, symptom, 29-32	definition, 11
Infectious agent, employee freedom from, removal of	handling, 142
restriction, 35-41	Knives. See Tableware
Ingredients, HACCP plan, 192-193	
Injected, definition, 11	Label, common name on food container, 64
Insect control	Labeling
devices, design, and installation, 168	packaged food, 49
food establishments, poisonous or toxic	compliance with law, 96-97
materials, 181	poisonous or toxic materials and personal
maintenance, 178	care items,180
outer openings protected, 169-170	Lamb. See Meat
See also Pest control	Landfills for solid waste, 163
Insects, dead or trapped, removal, 177	Laundering linens
Inspection, frequency	criteria, 139
establishing, 199	frequency, 138-139
performance- and risk-based, 200	mechanical washing, 139
Inspection order	methods, 139
	Laundry facilities, use limitations, 139
access to premises and records, 201	
Inspection port, enclosed water system, 153	Lavatories. See Handwashing facilities
Inspection, preoperational, 193, 197	Law, definition, 11
Inspection report	Layout, proposed, plans, 190-191
acknowledgment of receipt, 202-203	Lead limitation in ceramic, china, crystal, and
documentation, 201-202	decorative
issuance, 202	utensils, 104
public information, 203	Leafy greens, cut
receipt, refusal to sign acknowledgment,	as PHF/TCS food, 15
202-203	definition, 5
Installation	Lesion, containing pus, 29
equipment, 121-122	Light bulbs, protective shielding, 167-168
plumbing system, 147	Lighting, intensity, 172-173
Institutional food service. See Food establishment,	Linens and napkins, use limitation for food-contact
highly susceptible population	surfaces, 67
Interaction of pH and a _w . See Potentially hazardous	Linens
food	definition, 11
Interstate Certified Shellfish Shippers List, sources of	laundering criteria, 139
molluscan shellfish, 51	laundering frequency, 138-139
Intestinal illness of employee, 29-32	laundering methods, 139
lodine solutions, chemical sanitization, 127	mechanical washing methods, 139
Todine Solutions, Chemical Samuzation, 121	soiled, storage methods, 139
loro Coo Cingle una articlea	
Jars. See Single-use articles	storage after cleaning, 141
Jaundiced employee	storage prohibitions, 141-142
exclusions and restrictions, 33	Liquid eggs, condition at receipt, 54
removal of exclusions and	Liquid food or ice, dispensing equipment, design and
restrictions, 37	construction, 111-112
symptom, 29, 31	Liquid waste
Jewelry, employees, prohibition exception, 45	drain lines, design and construction, 112
medical alert, 45	other than sewage, disposal facility, 108
Juice	Litter, removal, 178
definition, 11	Living/sleeping quarters, separation, 171
HACCP system, 57	Loading soiled items, warewashing machines,
packaged, 57	134

Location, grease trap, 157	temperature at receipt, 53-54
Lockers	Mixing valve, handwashing sink, 148
designation, 173	Mobile facility, alternative water supply, 147
location, 173	Mobile food establishment
using, 177	application for permit, 194-196
Lubricants, incidental food contact, criteria, 184	sewage holding tank, capacity and drainage,
Lubricating food-contact surfaces, 140	157
Maintananaa	water tank, inlet, 154-155
Maintenance	waste removal, 157 Mobile water tank and mobile food establishment
equipment, storage, 177-178 refuse areas and enclosures, 159	
tools, cleaning, 177-178	water tank
See also Operation and maintenance	design and construction, 153 flushing and disinfection, 155
Major food allergen definition, 12	materials, 152
Management and personnel	numbers and capacities, 154-155
employee health, 29-41	operation and maintenance, 155
hygienic practices, 46-47	Modifications. See also Variance and Waivers
personal cleanliness, 41-45	Code application, 187-189
supervision, 25-28	conformance with approved procedures, 189
Manager certification, national recognition, 26	Modified atmosphere packaging. See Reduced
Manual warewashing. See Warewashing.	Oxygen Packaging.
Manufacturers' dating information, 86	Molluscan shellfish
Materials	commingling, 59
construction and repair, surface	definition, 12
characteristics, 164-165	lightly cooked or raw, consumer advisory,
mobile water tank and mobile food	98-99
establishment water tank, 152	original container, requirements, 58-59
See also Physical facilities	packaging and identification, 55-57
Mats, floor, cleanability, 166	shellfish, source, 51
Meal portions, individual, from bulk container, 87	shucked, original container, labeling, 58-59
Meat 70.70	tanks, use limitations, 113
cooking requirements, 73-76	tanks, variance, 113
cured, 88	Molluscan shellstock
consumer self-service, 71-72 definition, 12	condition on receipt, 57
rare or raw, consumer advisory, 98-99	cooling, 83-84 identification specifications, 56-57
raw, storage, 63-64	temperature at receipt, 53-54
use of clean equipment, 130-133	Mollusk. See Fish
use of laundered gloves, 138	Mollusk shells, use limitation, 129
Mechanical warewashing. See Warewashing.	Mops, drying, 176
Mechanically tenderized, 12, 74	Mouthwash. See Personal care items
Medical condition of employee, 29-41	Moveability, case lot handling equipment, 116
Medicines in food establishments	Moveable. See Easily moveable
restriction and storage, 185	Multiuse utensils and food-contact surfaces,
see also Personal care items	construction materials, characteristics,
Melons, cut. See Potentially hazardous food	103-106
definition	Mushrooms
Menu, proposed, plans, 191	cultivated wild species, source, 51
Menu items, consumer advisory, 98-99	wild, source, 51
Meringue, 65-66, 100-101	Mussels, lightly cooked or raw, consumer advisory,
mg/L, definition, 12	98-99. See also Molluscan shellfish
Microwave ovens	
cooking, 76-77	Napkins, cloth, laundering frequency, 138-139. See
reheating food, requirements, 80	also Linens
safety standards, 123	National Shellfish Sanitation Program
Milk and milk products, dry, fluid, and frozen,	certification number, 3
pasteurized at receipt, 54-55 Milk, fluid, and milk products	Guide for the Control of Molluscan Shellfish, 51
cooling, 83-84	Nitrates, nitrites, and salt for curing, variance
dispensing tube, 129	specifications, 90-91
raw, consumer advisory, 98-99	Nonconformance with Code, documentation, 201-202
source, 50	Non-continuous cooking

definition 40	
definition, 13	Oysters, lightly cooked or raw, consumer advisory,
criteria, 77-78	98-99 See also Molluscan shellfish
Nondrinking water, quality, 145	See also Moliuscari srielliisri
Nonfood-contact surfaces cleaning criteria, 129-130	Package integrity, 55
cleaning chiefla, 129-130 cleaning frequency, 133	Packaged, definition, 13
construction materials, characteristics, 106	Packaged food
design and construction, 109	labeling, 49
Norovirus	labels, compliance with law, 96-97
employee illness, 29-33	separation and segregation from
reporting, 32	unpackaged food, 63-64
restriction/exclusion, 32-33,35	Packaging and identification of shucked molluscan
reinstatement, 37-40	shellfish, 55, 58-59
Notice of denial of application for operating permit,	Packaging, reduced oxygen
197	conditions not requiring a variance, 91-95
Nutrition labeling, 96-97	conditions requiring a variance, 90-91
Nuts in shell, storage, 64	definition, 19-20
	HACCP plan and variance criteria, 90-91
Odors	Pallets. See Case lot handling equipment
mechanical ventilation, 173	Parasite destruction in fish by freezing, 78-79
multiuse equipment materials, 103-106	Parts per million. See mg/L, definition
refuse removal frequency, 162	Patrol dogs, 178
single-service/use article materials,	Permit,
106-107	definition, 13
Off-premise	issuance criteria, 194
cleaning services for refuse, recyclables	Permit holder
and returnables, 160	agreement, replacement of facilities or
delivery and consumption of potentially hazardous food, application for	equipment, 187-188 definition, 13
permit , 194-195	responsibilities for permit retention, 198-199
Oil equipment	See also Employee
"V" threads, 108	Permit renewal, existing food establishment, 197
"V" threads, 108 filtering, 108	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13
"V" threads, 108 filtering, 108	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities,
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor refuse areas, curbed and graded to drain,	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor refuse areas, curbed and graded to drain,	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor walking and driving surfaces, graded to	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor walking and driving surfaces, graded to drain, 170	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor walking and driving surfaces, graded to drain, 170 Outside receptacles for refuse, recyclables, and	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications, 181-186
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor walking and driving surfaces, graded to drain, 170	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications,
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor walking and driving surfaces, graded to drain, 170 Outside receptacles for refuse, recyclables, and returnables, design and construction, 159	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications, 181-186 stock and retail sale, 186
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor refuse areas, curbed and graded to drain, 170 Outdoor walking and driving surfaces, graded to drain, 170 Outside receptacles for refuse, recyclables, and returnables, design and construction, 159 Outside storage of refuse, recyclables, and	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications, 181-186 stock and retail sale, 186 Personal cleanliness, 41-45
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor refuse areas, curbed and graded to drain, 170 Outdoor walking and driving surfaces, graded to drain, 170 Outside receptacles for refuse, recyclables, and returnables, design and construction, 159 Outside storage of refuse, recyclables, and returnables, prohibitions, 161	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications, 181-186 stock and retail sale, 186 Personal cleanliness, 41-45 Personal medications. See Medicines
filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor refuse areas, curbed and graded to drain, 170 Outdoor walking and driving surfaces, graded to drain, 170 Outside receptacles for refuse, recyclables, and returnables, design and construction, 159 Outside storage of refuse, recyclables, and returnables, prohibitions, 161 Oven cooking temperature, 74-75 microwave, 76-77, 80, 123, 133	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications, 181-186 stock and retail sale, 186 Personal cleanliness, 41-45 Personal medications. See Medicines Personnel, supervision, 27-28 Pest control, 177 outer openings protected, 169-170
"V" threads, 108 filtering, 108 On-site cleaning of returnables, 136 Openings, to outdoors, protection against insects and rodents, 169-170 Operation and maintenance mobile water tank and mobile food establishment water tank, 155 physical facilities, 175-179 plumbing system, 150-152 resumption after suspension, 203-204 sewage system, 157 suspension for imminent health hazard, 203 Organisms of public health concern destruction, 73-81 growth limitation, 81-95 Outdoor areas, materials, 165 Ostrich. See Ratites Outdoor refuse areas, curbed and graded to drain, 170 Outdoor walking and driving surfaces, graded to drain, 170 Outside receptacles for refuse, recyclables, and returnables, design and construction, 159 Outside storage of refuse, recyclables, and returnables, prohibitions, 161 Oven	Permit renewal, existing food establishment, 197 Permit to operate food establishment, 193-199 Person, definition, 13 Person in charge assignment, 25 definition, 13 demonstration of knowledge, 25-26, 201-202 duties, 27-28 employee responsibility for reporting illness, 28 responsibility to report certain employee illness, 31-32 responsibilities, rights, and authorities, explanation, 29-32. See also Employee Personal care items definition, 13 first aid supplies, storage, 185-186 in food establishments, storage, 186 labeling and identification, 180 medicines, restriction and storage, 185 operational supplies and applications, 181-186 stock and retail sale, 186 Personal cleanliness, 41-45 Personal medications. See Medicines Personnel, supervision, 27-28 Pest control, 177

application, 182	construction, 148
bait station, 185	installation, 148
restricted use pesticide, conditions of use,	location and placement, 150
182	materials, 147
restricted use pesticide, criteria, 184 tracking powders, 185	numbers and capacities, 149-150 operation and maintenance, 150-152
See also Poisonous or toxic materials	Poisonous or toxic materials
	bait stations, 185
Pests, dead or trapped, removal, 177 Pewter, use limitation for food-contact	boiler water additives, criteria, 183
surfaces, 104	chemical sanitizers, criteria, 183
pH	chemicals for washing fruits and vegetables,
chemical sanitization, warewashing	criteria, 183
equipment, 127-128, 138	common name, 180
definition, 14	containers, prohibition for food use, 183
Physical facilities	definition 14
cleaning	drying agents, criteria, 183-184
floors, dustless methods, 175	in food establishments, use conditions, 182
frequency and restrictions, 175	knowledge by person in charge, 25-26
maintenance tools, preventing	lubricants, incidental food contact, criteria,
contamination, 176	184
ventilation systems, nuisance and	pesticides, restricted use, 181
discharge prohibition, 176	restriction of presence and use in food
controlling pests, 177	establishments, 181-182
definition, 14	storage, separation, 181
design, construction, and installation, 165-171	tracking powders, 185. See also Pesticides in food establishments
dressing rooms and lockers, using, 177	Pork. See <i>Meat</i>
drying mops, 176	Portable. See Easily moveable
handwashing sinks, maintaining and	Potable water. See Drinking water
using, 171-172	Potentially hazardous food
location and placement, 174	definition 15-17. See also Food,
maintaining premises, 178	potentially hazardous food, ready-
maintenance and operation, 175-179	to-eat food
materials for construction and repair,	Poultry
164-165	cooking requirements, 74
minimizing attractants and contaminants on	consumer self-service, 71-72
floors, 175-178	definition, 17
numbers and capacities, 171-173	rare or raw, consumer advisory, 98-99
pests, dead or trapped, removal, 177	raw, storage, 63
prohibiting animals, 178-179	use of clean equipment, 129-132
repairing, 175	use of laundered gloves, 138
storage, of maintenance tools, 177-178 toilet room doors, closing, 176-177	Precleaning equipment and utensils, 133 Premises
Pickle barrels. See Single-use articles	definition, 17
Pinning. See Injected, definition	maintenance, 178. See also Physical
Plans and specifications for food establishment	facilities
contents, 190-193	Presentation of food, 96
facility and operating, requirement, 190-192	Preset tableware, handling, 143
issuance criteria for operating permit, 196	Pressure, water, 146
Plastic tubs, buckets. See Single-use articles	Pressure spray, wet cleaning, 134
Plates. See Tableware	Primal cut, definition, 17
Plumbing fixture, definition, 14	storage on hooks or racks, 64
Plumbing system	Priority item, definition, 17-18
air gap, 148	Priority foundation item, definition, 18
backflow prevention, 148	Private home, unapproved food source, 49
conditioning device, design, 148	food operations prohibited, 27, 170
construction, 147-148	Probe-type price and identification tags. See utensil,
definition, 14	24 Processing at ratail 01.05
design, 147-148	Processing at retail, 91-95
device, water system, inspection and service, 151	Produce. See Fruits, raw; Vegetables, raw Prosthetic device, 42
handwashing sink design and	Public health protection, Code application 187-189
nanamaoning on it abought and	. azas nedata protestion, codo application 107 100

	formation, inspection report, 203	returnables, 69, 136
Public se	ewage treatment plant, disposal through approved facility, 157	Refrigeration, cooling and cold holding, 83-85 Refusal of access
	rater system, definition, 18 t. See Food establishment, definition, mobile	application for administrative warrant, 201 reporting, 201
		Refusal to sign acknowledgment of inspection
Quatern	ary ammonium compounds, chemical sanitization, 127	report receipt, 202-203 Refuse areas and enclosures, maintenance, 162
Racks		Refuse, definition, 20 Refuse, recyclables, and returnables
Nacks	case lot handling, 116	cleaning implements and supplies, 160
	meat storage, 64	design and construction, 158-159
	warewasher, 114-116, 124-128	facilities, on the premises, 158-159
Rainwat Rapid	er, disposal facility, 158. See also Sewage	facilities for disposal and recycling, 163 indoor storage area, design, 158
-	cooling, 83	location, 160
	growth. See Potentially hazardous food	outdoor enclosure, construction, 158
	definition, 15-17	outdoor storage areas, construction
Datitas	reheating, 80	materials, 158
Ratites	cooking 74	outdoor storage surface, design and
	cooking, 74 definition, 18	construction, 158, 170 removal, 162
	game animal definition, 10	storage, operation, and maintenance,
	poultry definition, 17	159-162
Ready-to	p-eat food	storage areas
	consumer self-service, utensils and	equipment, and receptacles,
	dispensers, 71-72	location,160
	definition, 18-19	rooms, and receptacles, capacity
	potentially hazardous food	and availability, 159
_	date marking; disposition, 88	storage prohibitions, 161
	mbly of equipment after cleaning, 141	toilet room receptacle, covered, 159-160
Recepta	cles for refuse, recyclables, and returnables	Regulatory authority
	capacity and availability, 159	definition, 20
	cleaning, 160 covering, 159, 161	Reheating food from a hermetically sealed container, 80
	design and construction, 158-159	hot holding, temperature requirements,
	drain plugs, 161-162	80
	equipment and storage, 159-162	ready-to-eat food, requirements, 80
	location, 160	Reinstatement
	maintenance, 161-162	excluded or restricted employee, 35-41
Recepta	cles for removal of refuse, recyclables, and	Remodeling of food establishment, plans and
	returnables, 156-163	specifications 190-191
Records		Removal, refuse, recyclables, and returnables, 162
	availability, responsibility of permit holder,	Reporting, disease; medical condition
	198	By conditional employee, 29
	fish, freezing raw, 49, 78-79	by food employee, 29
	HACCP, 189-193 HACCP plan conformance, failure to	by permit holder, 198 by person in charge, 31
	demonstrate, 201-202	Reporting, imminent health hazard
	molluscan shellstock, 56-59	by permit holder, 198, 203
	water system service schedule, 151	Re-service of unopened packaged food and unused
Recyclal	bles. See Refuse	definition, 21
	g facilities, 163	food, prohibition, 72
	ing machines, location, 160	HSP, 102
Reduced	d oxygen packaging	Responsibilities
	conditions not requiring a variance, 91-95	food employee reporting illness, 29
	conditions requiring variance, 90-91	person in charge duties and authorities,
	definition, 19-20	27-28
D-600-	HACCP plan and variance criteria, 90-91	person in charge reporting ill employee, 31
Refilling	aloon tableware 60	permit holder for ceasing operations, 203
	clean tableware, 69 consumer self-service, using facilities, 136	permit holder for permit retention, 198-199 Restaurant. See Food establishment
	conduction son solvior, using lacinities, 100	Notatiani. Oco i oca establishinent

Restrict, definition, 21 Restricted use pesticide, definition, 21 Restriction	equipment, 126. See also Poisonous or toxic materials
employee, release, 35-41	Sanitizing solutions
infected or diseased employee, 35-39 Restrictions	chemical, determining concentration, 127-128
employees, removal, 32-34 ill employees, 32-34	detergent-sanitizer, rinsing procedures, 135-136
Resumption of operations, 203-204 Retail food store. See Food establishment	testing devices, availability, 120 wiping cloth storage, 67-68
Retention tank. See Sewage, holding tank Returnables	Scallops. See Molluscan shellfish Screening
on-site cleaning and refilling, 136	backflow prevention device, 148, 150
refilling, 69	outer openings protected, 169-170
See also Refuse	
	tank vent, 153
Reuse of shells, 129	water conditioning device, 148
Review of plans. See Facility plans and	Seafood. See Fish
specifications	Sealed, definition, 21
Revocation of permit. See Summary permit	Seeing Eye dog. See Service animal
suspension	Self-draining warewashing sinks and drainboards,
Rhea. See Ratites	116
Right of appeal, denial of application for operating	Self-service
permit, 197	clean tableware for refills, 69
Rinsing procedures, equipment and utensils, 135-136 Risk-based frequency of inspection, 199	consumer, protection from contamination, 71-72
Roasts, beef and pork	handling of single-service and single-use
minimum holding times for cooking, 73-74	articles, 142
oven parameters for cooking, 75-76	utensil availability, 119
reheating, 80	Sentry dogs. See Patrol dogs
Rodent control, 177	Service animal
in food establishments, poisonous or toxic	care and handling, 47
materials, 181-186	definition, 22
outer openings protected, 169-170. See also Pest control	handwashing after handling, 43 handling of single-service and single-use,
Rodents, dead or trapped, removal, 177	178-179
Roe. See Fish	presence in dining and sales area, 178-179
Roofs, protective barrier, 170	Service sinks
Rooms. See Physical facilities	availability, 173
,	plumbing system, numbers and capacity,
Safe material, definition, 21	149
Salad bars, monitoring by food employees, 72	use limitation, 44
Salmonella Typhi	Servicing area
cause of disease outbreak and employee	definition, 22
illness, 28	Serving dishes. See Hollowware
employee illness, reporting, 28-32, 202	Sewage
infection, conditions for employee restriction	definition, 22
or exclusion, 32-34	disposal, conveying, 157
reporting responsibility of person in charge,	disposal system, approved, design and
- ·	construction, 157
Salmonella Typhi-free employee, removal of	holding tank, mobile, 156
restriction or exclusion, 35-41	Sewage, other liquid wastes, and rainwater
Sample report, private water system, 146	backflow prevention, 156-157
Sampling, water, nonpublic system, 145	conveying, 157
Sanitization	disposal facility, 157
chemical, manual, 127-128	drainage, 156, 158
chemical, warewashing equipment, 127-128 definition, 21	establishment drainage system, design and installation, 156
equipment and utensils, 137-138	mobile holding tank, 156
hot water temperatures	removal from mobile food establishments,
manual, 126	157
warewashing equipment, 126	retention, 156
pressure, mechanical warewashing	Shatterproof bulbs. See Light bulbs, protective

Shielding	Specifications. See Plans
Shellfish, molluscan. See Molluscan shellfish	Sponges, use limitation, 105
Shellfish control authority, definition, 22	Spoons. See Tableware
Shells, use limitation, 129	Spot cleaning. See Floors, dustless cleaning
Shellstock	methods
definition, 22	Sprouts, seed. See Potentially hazardous food
maintaining identification, 59	definition
Shielding, light, 167-168	variance, 90-91
Shiga toxin-producing <i>Escherichia coli</i> , definition, 22	Stainless steel. See Cleanability; Easily cleanable
Shigella spp.	Standards of identity, 95. See also Juice definition
cause of employee illness and disease	Standards
outbreak, 28	Food Code, 1
employee illness, reporting, 28, 29-32	Steak, whole-muscle intact beef, 49-50, 75-76
infection, conditions of employee restriction	Steak tartare, consumer advisory, 98-99
or exclusion, 32-34	Steam
reporting responsibility of person in charge,	cleaning equipment, 160
31	mixing valves, 148
removal of restriction or exclusion, 35-41	tables, temperature measurement, 113-114
Shucked shellfish, definition, 22	ventilation, 173
Single-service and single-use articles	Stitch pumping. See Injected
construction materials, characteristics,	Stirrers. See Single-service articles
106-107	Stock and retail sale of poisonous or toxic materials
definition, 22	and personal care items, storage and
handling, 142	display, 186
prohibitions, 141-142	Storage
required use, 129	clean equipment, utensils, linens, and single-
reuse limitation, 129	service and single-use articles, 141
storage after cleaning, 141	first aid supplies in food establishments,
	185-186
Sink compartment requirements, manual warewashing, 117-118	
	food in contact with water or ice, 66
Sink, handwashing. See Handwashing facilities Sinks, warewashing	maintenance equipment, 177-178
	medicines in food establishments, 185
cleaning agents,125	methods for soiled linens, 139
self-draining, 116	poisonous or toxic materials, separation, 181
use limitations, 124	refuse, recyclables, and returnables,
Slacking definition 22	operation and maintenance,
definition, 22	160-161
potentially hazardous frozen food,	Storage and display of items for stock and retail sale,
conditions, 81-82	separation, 186
Slash-resistant gloves, 69	Storage areas for refuse, recyclables, and returnables
Sleeping quarters. See Living/sleeping quarters	capacity and availability, 160-161
Smoking. See Tobacco use by employees	designated, 174
Smooth, definition, 23	location, 160-161
Sneeze guards. See Food display	Storage cabinets, location for contamination
Sneezing, coughing, or runny nose by employees,	prevention, 120-121
food contamination prevention, 46	Storing food to prevent cross contamination, 60-64
Soap. See Cleaning agents	Straws. See Single-service articles
Soiled tableware, handling, 142	Street foods. See Food establishment, definition,
Solder, use limitation for food-contact surfaces, 104	mobile
Source, approved	Studs, joists, and rafters, cleanability, 167
drinking water, 144	Stuffing, cooking, 74
food, 49-50	Sulfites. See Additives
shellfish, 49, 51, 55-57	Supervision of personnel
Sous vide packaging. See Reduced Oxygen	demonstration of knowledge, 25-26
Packaging	person in charge, 27-28
Spacing	Surface characteristics
carpet installation, 166	indoor areas, 164-165
counter-mounted equipment, 122	outdoor areas, 165, 170
equipment installation, 121-122	Sweeping compounds. See Floors, dustless cleaning
fixed equipment, 121-122	methods
toxic material separation, 181, 185-186	
Spatulas, use to avoid contaminating food, 60	Table-mounted equipment

deficition and according	
definition, see counter-mounted	correction of priority item or priority
equipment definition, 5	foundation item violation, 204
elevation, 122	Time/temperature control for safety food. See
Tablecloths. See Linens	potentially hazardous food
Tableware	Tobacco use by employees, food contamination
clean, consumer use in self-service area,	prevention, 46
supervisor responsibility, 28	Tofu, immersion in ice or water, 66
definition, 23	Toilet rooms
handling, 142-143	convenience and accessibility, 174
preset, handling, 143	doors, closing, 176-177
soiled and clean, handling, 142	enclosed, design and installation, 168
See also Single-service articles	numbers, 149, 172
Tag/label, for molluscan shellstock	receptacle for sanitary napkins, 159-160
record keeping, 58-59	Toilet tissue, availability, 172
requirements, 55-59	Toiletries. See Personal care items
Take-home food containers, refilling, limitations, 69-	Toilets and urinals
70	number, 149
TCS food. See potentially hazardous food	use limitation, 149
Temperature – Food	Tongs, use to avoid contaminating food, 60
cold and hot food holding, 84-85	Toothpaste. See Personal care items
cooking, 73-78	Toothpicks. See Single-service articles
cooling, 83-84	Towels
plant food, 77	availability, 171-172
receiving, 53-54	disposable, waste receptacle, 172
reheating, 80	Toxic. See Poisonous or toxic materials
roast beef and corned beef, 74-75	Tracking powder. See Pesticides in food
seared steak, see steak, whole-muscle	establishments
intact	Trade secrets
thawing, 82-83	protection, 193
Temperature – Warewashing	Training plan, food safety, for employees and
wash water, manual, 125	for bare hand contact, 28
wash water, mechanical, 125-126	supervisors, HACCP plan, 192
sanitization, manual, 126-128	ROP, 30
sanitization, mechanical, 126-128	Training of employees, 28, 93, 102, 192
Temperature measurement devices accuracy,	Transport
calibration, 128	case lot moving, 116
definition, 23	game animals, 52-53
design and construction, 107, 109-110	insulated containers, 114
food, provided and accessible, 120	refuse vehicles, 162
food storage unit air, 113-114	sewage vehicles, 157
manual warewashing, accessibility, 120	soiled linens, 139
probe, small diameter, 120	transportation vehicle, 9, 22
scale, 109	water vehicles, 146
warewashing machines, 115	Trash. See Refuse
Tempered water, handwashing sink, 148	Tumblers. See Hollowware
Temporary facility, water availability, 147	Tuna, 79
Temporary food establishment	Turtle. See Fish
construction materials, 164-165	Two compartment sink. See Sink compartment
	Requirements
definition, 23	Requirements
Testing kit for sanitizing solutions, availability, 120	Unnococcary
Thawing potentially hazardous frozen food,	Unnecessary
conditions, 82-83	items, 162,178
Thermistor, thermocouple, thermometer.	ledges, projections and crevices, 109
See Temperature measuring device	persons, 27
Threads, "V"-type, 108	Urinals, numbers, 149
Three compartment sink. See Sink compartment	"Use by" date. See Date marking
Requirements	Utensils
Time as public health control for potentially	air-drying, 140
hazardous food, 88-90	cast iron, use limitation, 104
in highly susceptible populations	ceramic, china, crystal, and decorative,
(HSP), 90	lead limitation, 104
Time frame	cleaning criteria, 129-130

cleaning frequency, 130-133 consumer self-service, availability, 119 contact with food, 66-67	documentation of findings, 201-203 inspection and correction, 200-204 timeframe for correction, 202
definition, 24	timely correction, 204
design and construction, durability and	Virus. See Disease outbreaks caused by
strength, 107	Vomiting, employee symptom, 29-41
galvanized metal, use limitation, 105	vormang, employee eymplom, 20 Tr
	Waivers. See also Modifications; Variance
in-use storage, 66-67	
maintenance and operation, 128	Code requirements, 188
multiuse, construction materials, 103-107	conformance with approved procedures,
racks, capacity, 119	189
sanitization, 137-138	Walk-in refrigerator
serving, for consumer self-service	carpeting prohibition, 165-166
operations, 71-72	drains, 166
storage after cleaning, 141-142	Walking surfaces. See Surface characteristics
storage between use, 66-67	Wall and ceiling coverings and coatings, cleanability,
wet cleaning methods, 134	167
Utility lines, cleanability, 165-166	Walls, exterior, protective barrier, 170
Offinity filles, cleariability, 100-100	
IIV/II the records are a limitation for food compared or referen	Warewashing
"V" threads, use limitation for food-contact surfaces,	definition, 24
108	manual, sink compartment requirements,
Vacuum packaging. See Reduced oxygen packaging	117-119
Variance	manual, temperature measuring devices,
cooking raw animal foods, 73-78	accessibility, 120
conformance with approved procedures, 189	Warewashing equipment
definition, 24	chemical sanitizer concentration,
documentation and justification, 188-189	determining,127-128
HACCP plan, 189, 191-193	cleaning agents, 125
modifications and waivers, Code application,	clean solutions, 125
· ·	
188	manual
molluscan shellfish tanks, 113	alternative, 118
rationale, 189	detergent-sanitizers for chemical
requirement for specialized food processing	sanitization, 118, 128
methods, 90-91	heaters and baskets, 115
sprouting, 91	hot water sanitization rinsing, 135-
Vegetables, raw	136
cooking for hot holding, 77	temperatures, 118, 126, 136
washing, 65	wash solution temperature, 125-126
whole or cut, immersion in ice or water, 66	mechanical
whole, uncut, raw, storage, 64	chemical sanitization, 127-128
See also Sprouts; potentially hazardous food	hot water sanitization temperatures,
definition	126
	sanitization pressure, 110, 116, 126
Vehicles for removal of refuse, recyclables,	•
and returnables, 162	wash solution temperature, 125-126
Ventilation, mechanical, 110	Warewashing machines
Ventilation systems	data plate operating specifications, 114
capacity, 119	flow pressure valve, 116
cleaning, nuisance and discharge	internal baffles, 115
prohibition, 109	loading of soiled items, 134
exhaust vents, design and installation, 109	manufacturers' operating instructions, 124
hood, adequacy, 119	sanitizer level indicator, 115
drip prevention, design and construction, 110	temperature measuring devices, 115
Verification of correction of priority item and priority	Warewashing sinks
foundation item violation, 204	alternative use limitation, 124
Vermin. See Insect control; Pest control; Rodent	and drainboards, self-draining, 116
control	Wash solution temperature, warewashing
Violations, priority item and priority foundation item,	equipment, 125-126
continuing, 204	Washers/dryers, clothes, availability, 119
demonstration of knowledge compliance with	Washing,
Code, 26	mechanical methods, linens, 121, 139
documentation and verification of correction,	methods, equipment, and utensils, 133-136
204	raw fruits and vegetables, 65

Waste	Water tank
liquid. See Sewage	hose, construction and identification, 154
solid. See Refuse	inlet/outlet and hose fitting, protection, 154
Waste receptacle for disposable towels, 172	pump, and hoses, dedicated use, 155
Waste retention tank, flushing, 157	sloped to drain, 153-154
Water	use limitation of "V" type threads, 153
alternative supply, 147	vent, protected, 153
distribution, delivery, and retention, 146	Watertight joint, equipment openings, 111
hot, quantity and availability, 146	Water treatment device, 151
inlet/outlet, protective device, 154	Wet cleaning methods, equipment and utensils, 134
nondrinking, 145	Wet storage. See Storage, food in contact with water
pressure, 146	and ice; Molluscan shellfish, tanks
quality, 145-146	Wetting agents, 134
sample report, 146	Whole-muscle, intact beef
sampling, 145	definition, 24
standards, 145	consumer advisory exemption, 49-50, 98-99
quantity and availability, 146	cooking, 75-76
source	labeling, 50, 75-76
approved system, 144	Windows, tight-fitting, 169
bottled drinking, 145	Wiping cloths
capacity, 146	air-drying locations, 140
disinfection, 145	laundering, 138-139
knowledge by person in charge, 26	stored in sanitizer, 68
system flushing, 145	use for one purpose, 67
storage or display of food in contact with, 66	Wood, use limitation for food-contact surfaces,
Water activity, definition, 3	105-106
Water conditioning device, 148	Work clothes. See Clothing, outer
Water reservoir of fogging devices, cleaning, 151	Wound, infected. See Lesion, containing pus
Water supply	Wrapped food
alternative supply, 147	honestly presented, 49, 96
system, prohibition of cross connection, 151	preventing contamination, 142
Water system, compressed air filter, 154	See also packaged, definition
Water system device, inspection and service, 151	Wrapped tableware, handling, 142-143
Water systems, public and nonpublic, 144	



State of North Carolina • Beverly Eaves Perdue
Department of Health and Human Services
Albert A. Delia, Acting Secretary
Division of Public Health • Laura Gerald, MD, MPH, State Health Director
Environmental Health Section

www.ncdhhs.gov • www.publichealth.nc.gov

The Department of Health and Human Services does not discriminate on the basis of race, color, national origin, sex, religion, age or disability in employment or the provision of services.